



Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:35  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 90-90 of 100 Page: 90 of 100



90 A nurse in an emergency department is reviewing a client's ECG reading. Which of the following findings should the nurse identify as an indication that the client has first-degree heart block?



- Prolonged PR intervals
- More P waves than QRS complexes
- Nondiscernible P waves
- No correlation between P and QRS waves

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:34:32  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 91-91 of 100 Page: 91 of 100



91 A nurse is preparing to administer a unit of packed RBCs to a client who is anemic. Identify the sequence of steps the nurse should follow. (Move the steps into the box on the right, placing them in the order of performance. Use all the steps.)



- Verify blood compatibility with another nurse.
- Remain with the client for the first 15 to 30 min of the infusion.
- Obtain the unit of packed RBCs from blood bank.
- Initiate transfusion of the unit of packed RBCs.
- Obtain venous access using a 19-gauge needle.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Time Remaining: 01:34:28  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 92-92 of 100 Page: 92 of 100



92 A nurse is teaching a client who is to begin chemotherapy about a peripherally inserted central catheter (PICC). Which of the following statements should the nurse include in the teaching?



- "We can draw blood samples from the PICC for diagnostic tests."
- "We will replace the PICC every month."
- "We will change the dressing daily."
- "We can measure your blood pressure in either arm."

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:34:24  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 93-93 of 100 Page: 93 of 100



93 A nurse is assessing a client who has pyelonephritis and reports flank pain. Which of the following actions should the nurse take?



- Auscultate for a bruit over the costovertebral area.
- Assist the client to a sitting position.
- Thump the area of tenderness directly with a closed fist.
- Percuss the side of tenderness first.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:21  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 94-94 of 100 Page: 94 of 100




94 A nurse is assessing a client who has acute kidney failure. Which of the following findings should the nurse report to the provider?



- Peripheral pulses 2+ bilaterally
- Creatinine 0.8 mL/dL
- Urine specific gravity 1.045
- Weight gain 1.1 kg (2.4 lb) in 24 hr

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:18  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 95-95 of 100 Page: 95 of 100



95 A nurse is caring for an older adult client who is 72 hr postoperative following a total hip arthroplasty. The client requires a PRN medication prior to ambulation. Which of the following medications should the nurse anticipate administering?



- Naproxen
- Meperidine
- Indomethacin
- Oxycodone

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:14  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 96-96 of 100 Page: 96 of 100



96 A nurse is caring for a client who has *Haemophilus influenzae* type B. Which of the following types of isolation should the nurse implement?



- Droplet
- Airborne
- Protective
- Contact

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:34:11  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 97-97 of 100 Page: 97 of 100



97 A nurse is providing discharge teaching to a client who has pulmonary tuberculosis. Which of the following findings should the nurse include as an indication the client is no longer infectious?



- Negative sputum cultures for acid-fast bacillus
- Positive Quantiferon-TB Gold test
- Mantoux skin test revealing an induration of less than 1 mm
- Client no longer coughing up blood-tinged sputum

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.







Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:08  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 98-98 of 100 Page: 98 of 100



98 A nurse working in the emergency department is caring for a client who has a burn injury. After securing the client's airway, which of the following interventions should the nurse take first?



- Cleanse the client's wounds.
- Administer analgesic medication.
- Start an IV with a large-bore needle.
- Increase the room temperature.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:05  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 99-99 of 100 Page: 99 of 100



99 A nurse is caring for a client who has a central venous access device and notes the tubing has become disconnected. The client develops dyspnea and tachycardia. Which of the following actions should the nurse take first?



- Obtain ABG values.
- Perform an ECG.
- Turn the client to his left side.
- Clamp the catheter.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Adult Medical Surgical 2016

Time Remaining: 01:34:03  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 100-100 of 100 Page: 100 of 100



100 A nurse is providing discharge teaching to a client who has an impaired immune system due to chemotherapy. Which of the following information should the nurse include in the teaching?



- "Change your pet's litter box daily."
- "Wash your perineal area two times each day with antimicrobial soap."
- "Change the water in your drinking glass every 4 hours."
- "Wash your toothbrush in the dishwasher once each month."

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



