

A nurse is preparing change-of-shift report after the night shift using the I-SBAR communication tool. Which of the following data should the nurse include when reporting background information?

- ☐ "Code status: do-not-resuscitate"
- ☐ "Pain rating of 5 on a scale from 0 to 10"
- ☐ "Start first dose of penicillin at 1200"
- ☐ "Blood pressure 160/92 mm Hg"

Pause Remaining: 00:05:00

Pause



A nurse in an acute care facility is preparing to transfer a client to a long-term care facility. Which of the following information should the nurse include in the hand-off report?



- Next >



If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:05:21
Pause Remaining: 00:05:00

Pause

Question: 65-65 of 70 Page: 65 of 70



65 A nurse is teaching a client how to perform breast self-examination (BSE). Which of the following instructions should the nurse include?



- ☐ Squeeze the nipple to look for discharge.
- ☐ Perform BSE 1 week prior to the onset of menses.
- ☐ Palpate in horizontal motion from the outer breast towards the nipple.
- ☐ Wash and dry each breast prior to palpation.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:05:17
Pause Remaining: 00:05:00

Pause

Question: 66-66 of 70 Page: 66 of 70



66 A nurse is assessing the breath sounds of an adult client who has pneumonia. Which of the following actions should the nurse take?



- ☐ Place the bell of the stethoscope on the client's chest.
- ☐ Ask the client to breathe in deeply through his nose.
- ☐ Instruct the client to sit erect with his head tilted slightly backward.
- ☐ Follow a systematic pattern from side-to-side moving down the client's chest.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:05:12
Pause Remaining: 00:05:00

Pause

Question: 67-67 of 70 Page: 67 of 70



67

A nurse is assessing a client's bowel sounds. Which of the following actions should the nurse take?



- ☐ Listen to the bowel sounds after performing abdominal palpation.
- ☐ Place the diaphragm of the stethoscope over each quadrant.
- ☐ Auscultate for 2 min to determine if bowel sounds are absent.
- ☐ Ask the client to cough upon auscultation.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:05:07
Pause Remaining: 00:05:00

Pause

Question: 68-68 of 70 Page: 68 of 70



68

A nurse is preparing to administer cefoxitin 80 mg/kg/day IV every 6 hr to a 6-year-old child who weighs 20 kg. How many mg should the nurse administer per dose? (Round the answer to the nearest whole number. Use a leading zero if it applies. Do not use a trailing zero.)

Progress bar with 20 dots, 18th dot is highlighted.

mg

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:05:01
Pause Remaining: 00:05:00

Pause

Question: 69-69 of 70 Page: 69 of 70



69

A nurse is caring for a client who is prescribed a special diet. The client is concerned that he does not have the resources to purchase the food he needs to adhere to the diet at home. The nurse should notify which of the following members of the health care team?

Progress bar showing 69 questions completed out of 70.

- ☐ Social worker
- ☐ Occupational therapist
- ☐ Registered dietician
- ☐ Primary care provider

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.





Assessment Name: RN Fundamentals 2016

Time Remaining: 01:04:57
Pause Remaining: 00:05:00

Pause

Question: 70-70 of 70 Page: 70 of 70



70

A nurse is providing teaching to a client who is to self-administer an ophthalmic solution. Which of the following statements by the client indicates an understanding of the teaching?



- ☐ "I will insert the drops in the center of each eye."
- ☐ "I will raise my eyelid up while looking down to insert the drops."
- ☐ "I will keep my eyes closed for 5 minutes after inserting the drops."
- ☐ "I will press the inner corner of my eye after I insert the drops."

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.

Copyright © 2016 Assessment Technologies Institute®, L.L.C. All rights reserved.



