



Assessment Name: RN Leadership 2016

Time Remaining: 01:07:05  
Pause Remaining: 00:05:00

Pause

Question: 63-63 of 70 Page: 63 of 70



63 A nurse manager is preparing to institute a new system for scheduling staff. Several nurses have verbalized concern over the possible changes that will occur. Which of the following is an appropriate method to facilitate the adoption of the new scheduling system?



- Introduce the new scheduling system by describing how it will save the institution money.
- Offer to reassign staff who do not support the change to another unit.
- Identify nurses who accept the change to help influence other staff nurses.
- Provide a brief overview of the new scheduling system immediately before its implementation.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:07:02  
Pause Remaining: 00:05:00

Pause

Question: 64-64 of 70 Page: 64 of 70



64 A nurse is planning discharge for a client following a hip arthroplasty. The client tells the nurse that she lives alone. Which of the following actions should the nurse take first?



- Report the information to the provider.
- Contact the case manager for a consultation.
- Determine the specific needs of the client.
- Document the client's living situation in the medical record.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:06:59  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 65-65 of 70 Page: 65 of 70



65 A charge nurse is making assignments for a medical-surgical unit. Which of the following clients is appropriate to assign to a licensed practical nurse?



- A client who has emphysema and has an oxygen saturation level of 92%
- A client who is scheduled to start oral nutrition 2 days after a cerebrovascular accident
- A client who is scheduled to receive 2 units of RBCs following a hip replacement
- A client who has dehydration and is being admitted from the emergency department

[Next >](#)

**Note: Clicking outside of this window will pause your test.**  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:06:56  
Pause Remaining: 00:05:00

Pause

Question: 66-66 of 70 Page: 66 of 70



66 A nurse enters a client's room and identifies that the client is receiving too much IV fluid because the IV pump is not working properly. Which of the following actions should the nurse take first?



- Place a faulty equipment tag on the pump.
- Auscultate the client's lungs.
- Complete an incident report.
- Notify the provider.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:06:53  
Pause Remaining: 00:05:00  
Pause

Question: 67-67 of 70 Page: 67 of 70



67 A nurse is discussing advance directives with a client. Which of the following statements by the client indicates an understanding of advance directives?



- "I know I have the right to determine if I remain on a breathing machine."
- "I know I'll need a lawyer to change them later, so I want to get them right."
- "I trust my doctor, so I'm going to leave it to him to do what's best for me."
- "By naming a health care proxy, I give up the right to make my own medical decisions."

Next >



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:06:50  
Pause Remaining: 00:05:00

Pause

Question: 68-68 of 70 Page: 68 of 70



68 A nurse manager is receiving report and is faced with the following situations that require intervention. Which of the following should the nurse manager address first?



- Two nurses had a heated disagreement about a scheduling issue.
- No transport assistance is available to take a client to physical therapy.
- Three staff members have called to say they will be absent.
- A client is refusing care from an assistive personnel of the opposite gender.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Leadership 2016

Time Remaining: 01:06:47  
Pause Remaining: 00:05:00

Pause

Question: 69-69 of 70 Page: 69 of 70



69 A nurse is considering placing wrist restraints on a client who has cognitive deficits and has pulled out his IV catheter. Before using wrist restraints, which of the following actions must the nurse take first?



- Attempt less restrictive alternatives.
- Explain the procedure to the client and his family.
- Obtain a prescription for restraints from the provider.
- Document the indications for using wrist restraints.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:06:44  
Pause Remaining: 00:05:00

Pause

Question: 70-70 of 70 Page: 70 of 70



70 Nurses on an inpatient care unit are working to help reduce unit costs. Which of the following actions is appropriate to include in the cost-containment plan?



- Return unused supplies from the bedside to the unit's supply stock.
- Wait to dispose of sharps containers until they are completely full.
- Use clean gloves rather than sterile gloves for colostomy care.
- Store opened bottles of normal saline in a refrigerator for up to 48 hr.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



