



Assessment Name: RN Leadership 2016

Time Remaining: 01:05:30
Pause Remaining: 00:05:00
[Pause](#)

Question: 64-64 of 70 Page: 64 of 70



64 A nurse in an ambulatory care setting is orienting a newly licensed nurse who is preparing to return a call to a client. The nurse should explain that which of the following is an objective of telehealth?



- Developing client treatment protocols
- Establishing communication between providers
- Assessing client needs
- Providing medication reconciliation

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:05:22
Pause Remaining: 00:05:00
[Pause](#)

Question: 65-65 of 70 Page: 65 of 70



65 A nurse is triaging a group of clients following a disaster. Which of the following clients should the nurse recommend for treatment first?



- A client who has a neck injury and is unable to breathe spontaneously
- A client who has major burns over 75% of her body surface area
- A client who has bipolar disorder and is exhibiting signs of hallucination
- A client who has two open chest wounds with a left tracheal deviation

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:05:18
Pause Remaining: 00:05:00
[Pause](#)

Question: 66-66 of 70 Page: 66 of 70



66 A charge nurse is planning to evacuate clients on the unit because there is a fire on another floor. Which of the following clients should the nurse evacuate first?



- A client who is in Buck's traction for a left hip fracture
- A client who is confused and restrained for safety
- A client who is receiving IV chemotherapy and is ambulatory
- A client who is 1 day postoperative following thoracic surgery and has a chest tube

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:05:14
Pause Remaining: 00:05:00
[Pause](#)

Question: 67-67 of 70 Page: 67 of 70



67 A nurse is assessing a client's comprehension of a pulmonary function test prior to the procedure. Which of the following client statements indicates to the nurse an understanding of the procedure?



- "I will be given contrast dye during this test."
- "I will run on a treadmill during this test."
- "I might have to wear a nose clip during this test."
- "I might have a tube inserted into my airway during this test."

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:05:11
Pause Remaining: 00:05:00
[Pause](#)

Question: 68-68 of 70 Page: 68 of 70



68 A charge nurse witnesses two nurses having a loud discussion at the nurses' station about not wanting to care for a client who has drug-resistant tuberculosis. Which of the following actions should the charge nurse take?



- Recommend that both nurses be terminated.
- Contact the house supervisor to mediate the conflict.
- Make arrangements to take over the client's care.
- Escort the nurses to the nurses' lounge to continue the discussion.

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:05:02
Pause Remaining: 00:05:00

Pause

Question: 68-68 of 70 Page: 68 of 70

Loading next page. Please wait.



68 A charge nurse witnesses two nurses having a loud discussion at the nurses' station about not wanting to care for a client who has drug-resistant tuberculosis. Which of the following actions should the charge nurse take?



- Recommend that both nurses be terminated.
- Contact the house supervisor to mediate the conflict.
- Make arrangements to take over the client's care.
- Escort the nurses to the nurses' lounge to continue the discussion.

Next >



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:05:01
Pause Remaining: 00:05:00
[Pause](#)

Question: 69-69 of 70 Page: 69 of 70




69 A nurse in the emergency department is triaging four clients. Which of the following clients should the nurse recommend to be examined first?



- An adolescent client who has an injured ankle and reports a pain level of 8 on a scale from 0 to 10
- An adult client who has large ecchymoses on both legs
- A toddler who has a 2 cm (0.79 in) head laceration oozing dark red blood
- An older adult client who has dyspnea and a respiratory rate of 26/min

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Leadership 2016

Time Remaining: 01:04:56
Pause Remaining: 00:05:00
[Pause](#)

Question: 70-70 of 70 Page: 70 of 70



70 A nurse is teaching a client how to use a finger-stick glucometer at home. Which of the following instructions should the nurse include?



- Warm the hands prior to piercing the skin.
- Obtain the blood sample from the finger pads.
- Cap the lancet prior to putting it in the trash.
- Elevate the arm for 1 min before taking the blood sample.

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



