



Time Remaining: 01:05:40  
Pause Remaining: 00:05:00  
[Pause](#)



Question: 63-63 of 70 Page: 63 of 70

63 A nurse is teaching a client about using a diaphragm. Which of the following instructions should the nurse include in the teaching?



- "Insert the diaphragm up to 12 hours before intercourse."
- "Replace the diaphragm every 2 years."
- "Use 2 teaspoons of baby oil to lubricate the diaphragm before insertion."
- "Remove the diaphragm 2 hours after intercourse."

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Maternal Newborn 2016

Time Remaining: 01:05:37  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 64-64 of 70 Page: 64 of 70



64 A nurse is admitting a client to the birthing unit who reports her contractions started 1 hr ago. The nurse determines the client is 80% effaced and 8 cm dilated. The nurse realizes that the client is at risk for which of the following conditions?



- Ectopic pregnancy
- Hyperemesis gravidarum
- Incompetent cervix
- Postpartum hemorrhage

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:05:34  
Pause Remaining: 00:05:00  
Pause

Question: 65-65 of 70 Page: 65 of 70




65 A nurse is providing vehicle safety education to the parents of a premature newborn. Which of the following statements should the nurse include in the teaching?



- "Your newborn will need to have a car seat test prior to discharge."
- "Place your newborn in a front-facing car seat in the back seat of the vehicle."
- "Position the retainer clip at the level of your newborn's abdomen."
- "You should secure your newborn's car seat at a 60-degree angle."

Next >

 Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:05:32  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 66-66 of 70 Page: 66 of 70



66 A nurse is providing discharge instructions to a client who is breastfeeding her newborn. Which of the following instructions should the nurse include?



- Offer the newborn 30 mL (1 oz) of water between feedings.
- Feed the newborn 5 to 10 min per breast.
- Allow the baby to feed at least every 3 hr.
- Expect two to four wet diapers every 24 hr.

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Maternal Newborn 2016

Time Remaining: 01:05:29  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 67-67 of 70 Page: 67 of 70



67 A nurse is assessing a client who is 2 days postpartum. Which of the following findings indicates a complication?



- Platelet count 370,000/mm<sup>3</sup>
- Hct 36%
- Hypotonic uterus
- Perineal edema

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:05:26  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 68-68 of 70 Page: 68 of 70



68 A nurse is reviewing the medical record of a client who had a vaginal delivery 3 hr ago. Which of the following findings place the client at risk for postpartum hemorrhage? (Select all that apply.)



- Newborn weight 2.948 kg (6 lb 8 oz)
- History of human papillomavirus
- Labor induction with oxytocin
- History of uterine atony
- Vacuum-assisted delivery

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Assessment Name: RN Maternal Newborn 2016

Time Remaining: 01:05:24  
Pause Remaining: 00:05:00  
[Pause](#)




Question: 69-69 of 70 Page: 69 of 70

69 A nurse is assessing a full-term newborn. Which of the following findings should the nurse report to the provider?



- Blood pressure 80/50 mm Hg
- Respiratory rate 55/min
- Temperature 36.5° C (97.7° F)
- Heart rate 72/min

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 01:05:21  
Pause Remaining: 00:05:00  
[Pause](#)

Question: 70-70 of 70 Page: 70 of 70



70

A nurse is assessing a client who has preeclampsia and is receiving magnesium sulfate via continuous IV infusion. Which of the following findings should the nurse report to the provider? (Select all that apply.)



- Urine output 130 mL/4 hr
- Respiratory rate 11/min
- Deep-tendon reflexes absent
- Flushing of the face
- Fetal heart rate 120/min

[Next >](#)



Note: Clicking outside of this window will pause your test.  
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



