



Time Remaining: 02:59:57
Pause Remaining: 00:05:00
[Pause](#)

Question: 1-1 of 180 Page: 1 of 180




1 A nurse is providing teaching about sumatriptan to a client. Which of the following statements by the client indicates an understanding of the teaching?



- "If I need a second dose, I will have to wait at least 12 hours."
- "I will take this medication at the onset of a migraine."
- "I should use this medication daily to prevent reoccurrence of my migraines."
- "This medication works by dilating the blood vessels of my head."

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Comprehensive Predictor 2016

Time Remaining: 02:59:56
Pause Remaining: 00:05:00

Pause

Question: 2-2 of 180 Page: 2 of 180



2 A nurse is caring for a client who has a new diagnosis of *Chlamydia trachomatis*. Which of the following actions should the nurse take?



- Report the infection to the state department of health.
- Schedule the client for retesting in 1 week.
- Administer ceftriaxone via intermittent IV bolus.
- Instruct the client to abstain from sexual intercourse for 1 month.

Next >



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Comprehensive Predictor 2016

Time Remaining: 02:59:53
Pause Remaining: 00:05:00
[Pause](#)

Question: 3-3 of 180 Page: 3 of 180



3 A nurse on a medical-surgical unit is delegating tasks to an assistive personnel (AP). Which of the following client care tasks is within the scope of practice for the AP?



- Explaining the steps for a 24-hr urine collection
- Performing postmortem care
- Interpreting blood glucose values
- Assisting with low-carbohydrate diet selections

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:50
Pause Remaining: 00:05:00
Pause

Question: 4-4 of 180 Page: 4 of 180




4 A nurse is receiving change-of-shift report for a group of clients. Which of the following clients should the nurse plan to assess first?



- A client who has sinus arrhythmia and is receiving cardiac monitoring
- A client who has a hip fracture and a new onset of tachypnea
- A client who has epidural analgesia and weakness in the lower extremities
- A client who has diabetes mellitus and a hemoglobin A1C of 6.8%

Next >

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Comprehensive Predictor 2016

Time Remaining: 02:59:47
Pause Remaining: 00:05:00
[Pause](#)

Question: 5-5 of 180 Page: 5 of 180



5 A nurse is teaching a client who has a new diagnosis of diabetes mellitus about foot care. Which of the following instructions should the nurse include in the teaching?



- Soak feet twice daily.
- Round the edges of toenails when trimming.
- Wear clean cotton socks every day.
- Use moisturizing lotion between the toes.

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:44
Pause Remaining: 00:05:00
[Pause](#)

Question: 6-6 of 180 Page: 6 of 180



6 A nurse is planning to delegate tasks to an assistive personnel (AP). Which of the following tasks should the nurse assign to the AP?



- Obtain a client's temperature prior to surgery.
- Reposition a client.
- Measure a client's urine output.
- Record a client's blood pressure reading by 1000.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:40
Pause Remaining: 00:05:00
[Pause](#)

Question: 7-7 of 180 Page: 7 of 180



7 A nurse is caring for a client who is at 20 weeks of gestation and reports urinary frequency. Which of the following actions is appropriate?



- Check the client for ruptured membranes.
- Assure the client that this is an expected finding during this trimester.
- Advise the client to limit her evening fluid intake.
- Obtain a specimen for culture and sensitivity.

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:37
Pause Remaining: 00:05:00
[Pause](#)

Question: 8-8 of 180 Page: 8 of 180



8 A nurse is preparing to administer several medications through a client's nasointestinal tube. The nurse should ask the pharmacist about the availability of a different form for which of the following medications?



- Oral anticoagulant
- Antibiotic suspension
- Enteric-coated aspirin
- Statin tablet

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:33
Pause Remaining: 00:05:00
[Pause](#)

Question: 9-9 of 180 Page: 9 of 180



9 A school nurse is teaching a parent about absence seizures. Which of the following information should the nurse include?



- "The child usually has an aura prior to onset."
- "This type of seizure can be mistaken for daydreaming."
- "This type of seizure has a gradual onset."
- "This type of seizure lasts 30 to 60 seconds."

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Comprehensive Predictor 2016

Time Remaining: 02:59:29
Pause Remaining: 00:05:00
[Pause](#)

Question: 10-10 of 180 Page: 10 of 180



10 A nurse is caring for a client who has prescriptions for furosemide and gentamicin. For which of the following complications should the nurse monitor the client?



- Liver toxicity
- Ototoxicity
- Hyperkalemia
- Hypoglycemia

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Assessment Name: RN Comprehensive Predictor 2016

Time Remaining: 02:59:25
Pause Remaining: 00:05:00
[Pause](#)

Question: 11-11 of 180 Page: 11 of 180



11 A nurse is teaching a parent of a school-age child who is to begin a daily dose of methylphenidate. Which of the following should the nurse include in the teaching?



- "You should administer the medication at bedtime."
- "Your child should avoid excess sodium intake."
- "Your child should avoid foods containing tyramine."
- "You should administer the medication after breakfast."

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:22
Pause Remaining: 00:05:00
[Pause](#)

Question: 12-12 of 180 Page: 12 of 180




12 A nurse is providing dietary teaching to a client who has heart failure. Which of the following recommendations is appropriate for this client?



- Increase fluids to 2 L/day.
- Use saturated oils when cooking.
- Encourage seasoning with dry herbs.
- Increase consumption of dairy products.

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:19
Pause Remaining: 00:05:00
[Pause](#)

Question: 13-13 of 180 Page: 13 of 180



13 A charge nurse is teaching new staff members about factors that increase a client's risk to become violent. Which of the following risk factors should the nurse include as the best predictor of future violence?



- A history of being in prison
- Previous violent behavior
- Experiencing delusions
- Male gender

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:15
Pause Remaining: 00:05:00
[Pause](#)

Question: 14-14 of 180 Page: 14 of 180



14 A nurse is reviewing legal issues in health care with a group of newly licensed nurses. Which of the following recommendations should the nurse make?



- Place copies of incident reports in clients' medical records.
- Overestimate clients' acuity to prevent short staffing.
- Ensure that each client has a living will on file prior to treatment.
- Obtain personal professional liability insurance coverage.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:11
Pause Remaining: 00:05:00
[Pause](#)

Question: 15-15 of 180 Page: 15 of 180




15 A nurse is caring for an infant who is in contact isolation and received a blood transfusion. Which of the following actions is appropriate for the nurse to take to provide cost-effective care?



- Return unopened equipment to the supply center.
- Leave the unused infusion pump in the room until discharge.
- Stock the room with a 2-day supply of disposable diapers.
- Bring in formula as needed.

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:07
Pause Remaining: 00:05:00
[Pause](#)

Question: 16-16 of 180 Page: 16 of 180




16 A nurse is caring for a preschool child who is dehydrated. Which of the following assessment findings indicates moderate dehydration?



- Bradypnea
- Oliguria
- Excessive tears
- Diaphoresis

[Next >](#)

 **Note: Clicking outside of this window will pause your test.**
If your pop-up blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:59:03
Pause Remaining: 00:05:00
[Pause](#)

Question: 17-17 of 180 Page: 17 of 180



17 A nurse is developing a plan of care for an older adult client who has hearing loss. Which of the following instructions should the nurse include in the plan?



- Rephrase statements that the client misunderstands.
- Avoid using hand motions when speaking to the client.
- Ask the client to confirm an understanding of the instructions by nodding.
- Increase the pitch of voice when speaking to the client.

[Next >](#)



Note: Clicking outside of this window will pause your test.

If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:58:59
Pause Remaining: 00:05:00
[Pause](#)

Question: 18-18 of 180 Page: 18 of 180



18 A nurse has received clearance to go back to work after an occupational injury to her back. To reduce the risk of future lifting injuries, which of the following principles should the nurse use when lifting objects?



- Stand with her feet close together when lifting the object.
- Twist at the waist when moving the object to her side.
- Keep the object close to her body as she lifts it.
- Bend at the waist to pick up the object.

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.





Time Remaining: 02:58:56
Pause Remaining: 00:05:00
[Pause](#)

Question: 19-19 of 180 Page: 19 of 180



19 A nurse is collaborating with social services in the discharge planning for a young adult client who is below the poverty income level and will require home IV therapy. Which of the following resources should the nurse recommend? (Select all that apply.)



- Respite care
- Food stamps
- Adult day care
- Medicaid
- Medicare Part A

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



Time Remaining: 02:58:53
Pause Remaining: 00:05:00
[Pause](#)

Question: 20-20 of 180 Page: 20 of 180



20 A nurse is assessing a client who received a Mantoux skin test 72 hr ago for tuberculosis screening. Which of the following findings indicates a positive test result?



- An area of ecchymosis
- An elevated, hardened area
- A blister-like area
- A cool, blanched area

[Next >](#)



Note: Clicking outside of this window will pause your test.
If your popup blocker is enabled, clicking the window's "X" button or pressing "Alt-F4" will stop your test session and close all windows.



