Namo				
	Name			

<ul> <li>1) Which subatomic particle carries a negative charge? <ul> <li>A) proton</li> <li>B) electron</li> </ul> </li> <li>Answer: B</li> <li>2) How many electrons are in the outermost shell of an analysis and an analysis and an analysis and analysis.</li> <li>A) 10</li> <li>B) 2</li> <li>Answer: C</li> <li>3) The innermost shell of an atom holds:</li> </ul>	C) neutron atom with 15 electrons? C) 5	D) nucleus D) 8	1)
Answer: B  2) How many electrons are in the outermost shell of an a A) 10 B) 2 Answer: C	atom with 15 electrons?	,	2)
A) 10 B) 2 Answer: C		D) 8	2)
A) 10 B) 2 Answer: C		D) 8	
3) The innermost shell of an atom holds:			
.,			3)
A) 8 electrons. B) 6 electrons.	C) 2 electrons.	D) 2 protons.	
Answer: C			
4) An electrically neutral atom with an atomic number of			4)
A) 9 electrons. B) 17 protons.	C) 8 neutrons.	D) 8 protons.	
Answer: D			
5) What predicts the element to which an atom belongs?			5)
A) total number of neutrons	<ul><li>B) total number of electr</li><li>D) number of electrons in</li></ul>		
C) total number of protons  Answer: C	D) Humber of electrons if	i the mist shen	
6) The four most common elements, comprising 96% of A) carbon, sodium, phosphorus, sulfur.	the body's mass, are:  B) oxygen, nitrogen, hyd	Irogon carbon	6)
C) oxygen, potassium, iron, copper.	D) chlorine, sodium, mag	•	
Answer: B		, ,,	
7) An atom of iron has an atomic number of 26. Which c	of the following is TRUE?		7)
A) Iron has 13 electrons.	B) Iron has 13 protons ar	nd 13 electrons.	,
C) Iron has 13 protons and 13 neutrons.	D) Iron has 26 protons.		
Answer: D			
B) The atomic number represents the number of:			8)
<ul><li>A) protons and neutrons in the nucleus of an atom.</li><li>B) neutrons in an atom.</li></ul>			
C) electrons in an atom.			
D) protons in an atom.			
Answer: D			
9) What contributes to the calculation of the mass numb	er?		9)
A) sum of protons, neutrons, and electrons	B) sum of protons and el		,
C) sum of protons and neutrons	D) sum of electrons and i	neutrons	

	Determine the number of protons in an isotope of nitrogen with an atomic number of 7 and a mass					
	number of 14. A) 7	B) 14	C) 10	D) 17		
	Answer: A					
	What varies from one isotop A) atomic number B) mass number C) number of protons D) both the atomic numb Answer: B		•	ement?	11) _	
12)	Interpret what is meant by a A) Carbon-13 represents	an isotope of carbon wit an isotope of carbon wit an isotope of carbon wit	th an atomic number of 13 th a mass number of 13.	3.	12)	
13)	Solid blood cells would sett	le out of the liquid bloo	d plasma if allowed to sit,	illustrating that blood	13)	
	is a: A) solution. Answer: D	B) solute.	C) suspension.	D) colloid.		
	Atoms that satisfy the octet A) isotopes. Answer: C	rule are said to be: B) reactive.	C) inert.	D) ions.	14) _	
	Which of the following atom A) atomic number of 8 C) atomic number of 10 Answer: C	ns is inert?	B) atomic number of 1 D) atomic number of 6		15) _	
ŕ	An atom has 3 electrons in i A) 7 Answer: B	ts valence shell. What is B) 13	s the atomic number of thi C) 3	s atom? D) 8	16) _	
	Two or more atoms of the sa A) molecules. Answer: A	ame element that are ch B) suspensions.	emically combined are kr C) compounds.	own as: D) ions.	17) _	
	Na <sup>+</sup> is best known as a(n): A) ion. C) molecule. Answer: A		B) compound. D) macromolecule.		18)	
	What is meant by N <sub>2</sub> ?  A) Two nitrogen atoms for C) The atomic number of Answer: D		B) The atomic mass of D) Two nitrogen atom		19)	

20)	The formation of a cation as	nd an anion is indicativ	e of a(n):		20)
	<ul><li>A) nonpolar bond.</li></ul>	B) covalent bond.	C) polar bond.	D) ionic bond.	
	Answer: D				
- 4					0.4)
21)	Ionic bonds result from:	£ .			21)
	<ul><li>A) the unequal sharing o</li><li>B) weak attractions betw</li></ul>		imetal atoms.		
	C) the transfer of electron	-	a nonmetal atom		
	D) the equal sharing of e				
	Answer: C				
	7				
22)	Which of the following is th	ne strongest bond?			22)
	<ul><li>A) single covalent</li></ul>		B) ionic		
	C) hydrogen		D) double covalent		
	Answer: D				
23)	What does this structural forn	nula N=N indicate?			23)
20)	A) An ionic bond holds t		en together.		
	B) Three atoms of nitrog		<b>.</b>		
	C) Two atoms of nitroger	n are held together by h	ydrogen bonds.		
	D) Two atoms of nitroger	n share three pairs of ele	ectrons.		
	Answer: D				
24)	In a molecule of oxygen gas	s the atoms of oxygen s	hare electrons equally w	vith one another. This	24)
- 1)	statement best describes a(r		mare creek one equally v	THE ONE UNIONICE. THIS	
	A) compound.	,	B) polar covalent bo	ond.	
	C) ionic bond.		D) nonpolar covaler	nt bond.	
	Answer: D				
<b>2</b> E/	What is a dipole?				25)
23)	A) a salt		B) polar molecule		23)
	C) a type of reaction		D) nonpolar molecu	ile	
	Answer: B		_,		
26)	Hydrogen bonds may occur				26)
	A) nonpolar covalent mo	lecules.	B) polar molecules.		
	C) ions.		D) metals.		
	Answer: B				
27)	What type of bond is respon	nsible for the surface ter	nsion of water?		27)
	A) polar covalent bond		B) nonpolar covaler	nt bond	
	C) hydrogen bond		D) ionic bond		
	Answer: C				
<b>၁</b> ፬\	In the following chemical re	eaction what is NaCl2			28)
20)	In the following chemical ro NaOH + HCI $\rightarrow$ Na				
	A) product	B) acid	C) water	D) reactant	
	Answer: A	_, ~~.	c,	2, . 330(4) 1	
	,				

29) The transfer of an electron from sodium to chlorine is an example of:  A) chemical energy.				
	<ul><li>A) chemical energy.</li><li>C) mechanical energy.</li></ul>	<ul><li>B) electrical energy.</li><li>D) sound energy.</li></ul>		
	Answer: A	2) co aa. c gy.		
30)	What type of reaction releases energy?			30)
	A) exergonic reaction	B) equilibrium reaction		
	C) endergonic reaction	D) catabolic reaction		
	Answer: A			
31)	The process of digesting food breaks large food partic described as a(n):	cles into smaller particles.	This example is best	31)
	A) catabolic reaction.	B) neutralization reactio	n.	
	C) exchange reaction.	D) anabolic reaction.		
	Answer: A			
32)	What happens in oxidation-reduction (redox) reaction			32)
	A) Energy is used since these are endergonic reaction.	ons.		
	<ul><li>B) Electron exchange occurs.</li><li>C) Larger molecules are built from smaller subunit</li></ul>	c		
	D) Atoms are exchanged.	.3.		
	Answer: B			
33)	Which of the following represents an exchange reaction	nn?		33)
00)	A) AB + CD → BA + DC	B) AB → A + B		
	C) $A + B \rightarrow AB$	D) $AB + CD \rightarrow AD + BC$		
	Answer: D	,		
34)	Which of the following increases the rate of a reaction	17		34)
37)	A) absence of a catalyst	B) solid reactants		
	C) increased reactant concentration	D) cold temperatures		
	Answer: C	,		
35)	Which biological catalyst lowers the activation energy	v of a reaction?		35)
,	A) enzyme B) salt	C) carbohydrate	D) lipid	
	Answer: A			
36)	Which statement best describes enzyme function?			36)
·	A) Enzymes can perform catabolic reactions only.			· <del></del>
	B) One enzyme can work on thousands of different	t substrates.		
	C) Enzymes chemically alter both the reactants and			
	D) Enzymes speed chemical reactions by lowering	the activation energy.		
	Answer: D			
37)	What property of water helps keep body temperature			37)
	A) polarity	B) heat capacity		
	C) surface tension	<ul><li>D) universal solvent</li></ul>		

Answer: B

38)	What type of compound is I	NOT likely to dissolve in v	vater?		38)
	<ul><li>A) ionic compound</li><li>B) nonpolar covalent con</li><li>C) both polar and nonpol</li><li>D) polar covalent compo</li></ul> Answer: B	lar covalent compounds			
39)	Water is most likely to disso A) hydrophobic. Answer: B	olve a solute that is: B) hydrophilic.	C) nonpolar.	D) a lipid.	39)
40)	Which of the following is a l A) acid C) alkali substance Answer: A	hydrogen ion donor?	B) base D) neutral substance		40)
41)	What chemical binds free hy A) water Answer: B	ydrogen ions in solution? B) base	C) salt	D) acid	41)
42)	Hydrochloric acid is a:  A) hydroxide ion donor.  C) hydrogen ion donor.  Answer: C		B) proton acceptor. D) hydrogen ion accepto	r.	42)
43)	On the pH scale, which nun A) pH 1 Answer: A	nber has the highest conce B) pH 7	ntration of hydrogen ions C) pH 5	? D) pH 10	43)
44)	What does the <i>H</i> in the pH s  A) concentration of H+ io  C) heat  Answer: A	•	B) negative charge D) the negative logarithm	n	44)
45)	A solution containing equal A) neutral. Answer: A	number of hydrogen ions B) alkaline.	and hydroxide ions is: C) basic.	D) acidic.	45)
46)	Which pH represents a solu A) pH 1 Answer: C	tion that has the highest or B) pH 10	oncentration of hydroxide C) pH 14	ions? D) pH 7	46)
47)	Which of the following repr A) pH 4 Answer: D	resents the strongest acidic B) pH 9	solution? C) pH 6	D) pH 1	47)
48)	On average, blood pH is ap A) 7.1. Answer: D	proximately: B) 7.8.	C) 7.6.	D) 7.4.	48)

49) W	'hat pH value represents a	a solution that releases	10 times more hydrogen	ions than a pH of 7?	49)
	A) pH 8	B) pH 5	C) pH 6	D) pH 4	
A	nswer: C				
					>
50) W	hich pH represents a solu			•	50)
_	A) pH 12	B) pH 7	C) pH 11	D) pH 8	
A	nswer: C				
51) W	hich two organ systems v	vork to correct pH imba	alances in the body?		51)
,	A) endocrine and nervou	-	B) digestive and res	spiratory	
	C) urinary and endocrine	9	D) respiratory and u	ırinary	
A	nswer: D				
52) W	hat is the function of a bu	-			52)
	A) Buffer systems absorb		· · · · · · · · · · · · · · · · · · ·		
	<ul><li>B) Buffer systems preven</li><li>C) Buffer systems lower</li></ul>			ided to a solution.	
	D) Buffer systems act as a				
A	nswer: B		,		
53) W	hat is the effect of a buffe				53)
	A) Buffer systems resist of	•			
	<ul><li>B) Buffer systems allow t</li><li>C) Buffer systems allow t</li></ul>			docis is reached	
	D) Buffer systems cause t				
A	nswer: A		of thoreto door odoo drain	attourty.	
, ,	1130001.70				
54) Sa	Its are held together by:				54)
	A) nonpolar covalent bor		B) polar covalent bo	onds.	
	C) single covalent bonds.		D) ionic bonds.		
A	nswer: D				
55) Io	nic compounds dissociate	in water into			55)
33) 10	A) acids and bases.	in water into.	B) polar and nonpo	lar substances.	
	C) electrolytes.			hydrophobic substances.	
A	nswer: C				
56) Si	ngle subunits that serve a	•	•		56)
	A) reactants.	B) polymers.	C) monomers.	D) enzymes.	
A	nswer: C				
57) H	ydrolysis of a polymer wi	II produce:			57)
0,,	A) monomers.	B) enzymes.	C) electrolytes.	D) buffer.	
A	nswer: A	· •	. ,	•	
	hen you soak dirty dishes			reak apart the bonds of	58)
th	e food stuck to your plate				
	<ul><li>A) dehydration synthesis</li><li>C) anabolism.</li></ul>	j.	<ul><li>B) neutralization.</li><li>D) hydrolysis.</li></ul>		
Λ.	·		D) Hydrorysis.		
A	nswer: D				

59)	The monomer of the carbohy	ydrates is the:			59)
	A) fatty acid.		B) nucleotide.		-
	C) monosaccharide.		D) amino acid.		
	Answer: C				
60)	Select the simplest sugar:				60)
	A) glucose	B) starch	C) sucrose	D) lactose	
	Answer: A				
61)	Glucose and fructose are join	ned through dehydration	synthesis to produce:		61)
,	A) galactose.	B) sucrose.	C) lactose.	D) maltose.	, <u> </u>
	Answer: B				
62)	Glucose, galactose, and fruc	tose have the molecular fo	ormula C4H12O4 but have	different	62)
02)	arrangements of atoms. The		imala on 1 <sub>12</sub> on bat have	amorone	
	A) polysaccharides.	_	B) isotopes.		
	C) disaccharides.		D) isomers.		
	Answer: D				
63)	What is the building block of	of a lipid?			63)
	A) glycogen	B) fatty acid	C) nucleic acid	D) glucose	
	Answer: B				
64)	Which of the following fatty	acid chains has the most	double bonds?		64)
	A) monounsaturated fatty		B) polyunsaturated fatty	acid	
	C) saturated fatty acid		D) glycerol		
	Answer: B				
65)	A fatty acid that contains no	double covalent bonds is	:		65)
	A) monounsaturated.		B) hydrogenated.		
	C) polyunsaturated.  Answer: D		D) saturated.		
	Aliswei. D				
66)	What forms the basis for the	=			66)
	A) testosterone	B) glucose	C) cholesterol	D) triglyceride	
	Answer: C				
67)	The main structural compor	nent of cell membranes is:			67)
	A) cholesterol.	B) phospholipids.	C) triglycerides.	D) steroids.	
	Answer: B				
68)	Amino acids are the monom	ners for:			68)
ĺ	A) carbohydrates.	B) nucleic acids.	C) proteins.	D) lipids.	,
	Answer: C				
69)	What group makes each am	ino acid unique?			69)
٠,)	A) carboxylic acid group	dora arriquo.	B) ammonia group		
	C) amino group		D) "R" group		
	Answer: D				

7	<ul><li>0) What type of polar coval</li><li>A) peptide bond</li><li>C) ketone bond</li></ul>	ent bond links amino acid	ds?  B) amphiphilic bond D) hydrophobic bonc	i	70)
	Answer: A		, , ,		
7	<ol> <li>The alpha-helix and beta</li> <li>A) primary protein str</li> <li>C) tertiary protein stru</li> </ol>	ucture.	cteristic of:  B) secondary protein structure.  D) quaternary protein structure.		71)
	Answer: B				
7	<ol> <li>A long-lasting high fever</li> <li>A) enzymes.</li> </ol>	is a concern for denatura B) saturated fats.	ation of: C) phospholipids.	D) glycogen.	72)
	Answer: A	·	,	, 0 3 0	
7	<ol> <li>Yuri is working with a che phosphate group, a nitro</li> <li>A) a lipid.</li> </ol>		ical is composed of repetit known as ribose. He is w C) a nucleic acid.		73)
	Answer: C	, ,	,	, J	
7	B) RNA contains a suc C) RNA is built from b	ue nucleic acid? rogenous base known as gar known as deoxyribose puilding blocks known as of two strands held togeth	e. a nucleotide.		74)
7	<ul><li>5) The primary source of ch</li><li>A) DNA</li><li>Answer: C</li></ul>	nemical energy in the bod B) ADP	y comes from a nucleotide C) ATP	e known as: D) AMP	75)
ESSAY.	Write your answer in the	space provided or on a s	eparate sheet of paper.		
7			by its number of protons.		al to the
7	7) Explain the difference be	tween an inert atom and	a reactive atom.		
		re said to be reactive. That	known as inert or nonread t is, they are unstable and		
7	8) To make a gallon of lemo	onade, Emily mixed sugar	with water until it dissol	ved. Did she create a solu	ution, a

Answer: Emily made a solution. Solutions are described by saying that one substance, the sugar, dissolves in

another substance, the water. The sugar is the solute since is it dissolved by the water. Water is the

suspension, or a colloid? Explain.

solvent since it dissolves the solute.

79) Determine the atomic number of a neutral atom with 3 shells and 6 electrons in its valence shell.

Answer: The innermost shell of the atom holds 2 electrons. The next shell holds a maximum of 8 electrons. The valence shell of this particular atom holds 6 electrons. This atom has 3 shells and 16 total electrons. Add the electrons (2 + 8 + 6 = 16). In a neutral atom, the numbers of protons equals the number of electrons. Thus, this atom has an atomic number of 16.

80) What is the octet rule?

Answer: The octet rule states that an atom is most stable when it has eight electrons in its valence shell.

81) Is N<sub>2</sub> a molecule or a compound? Explain.

Answer: Two or more atoms of the same element that are chemically bonded, such as these two nitrogen atoms, are known as a molecule.

82) Predict the type of chemical bond that may form between two nonmetals.

Answer: Covalent bonding occurs between two or more nonmetals sharing electrons.

83) How do nonpolar covalent bonds differ from polar covalent bonds?

Answer: In a nonpolar covalent molecule, the nonmetals sharing electrons have nearly equal electronegativities.

The electrons are shared equally. In a polar covalent molecule, the more electronegative nonmetal does not share electrons equally with other nonmetal atoms participating in the bond.

84) Explain the difference between potential and kinetic energy.

Answer: Potential energy is energy that is stored, ready to be released and used to do work. Potential energy becomes kinetic energy when it is used to do work. Kinetic energy is energy of motion.

85) Predict the effect of a 101°F fever on reaction rate.

Answer: Increased temperature increases the kinetic energy of atoms involved in a chemical reaction. More forceful and effective collisions between atoms result in an increase in reaction rate.

86) Define activation energy (E<sub>a</sub>).

Answer: Activation energy is the energy input required to overcome the repulsion of the atom's electrons and to allow an adequately strong collision to occur. All reactions must overcome activation energy to proceed.

87) Explain how water interacts with hydrophobic and hydrophilic substances. Which type of substance is more likely to be dissolved by water?

Answer: Water is only able to dissolve substances that are hydrophilic. Hydrophilic substances have fully or partially charged ends that make it possible for water molecules to grab. Hydrophobic substances do not dissolve in water since they lack the charged ends necessary for water to grab. Water is more likely to dissolve hydrophilic substances.

88) Describe the organization of the pH scale, including the locations of acids, bases, and neutral chemicals.

Answer: The pH scale ranges from 0 to 14. Acids are situated below 7 while bases or alkaline substances are found above 7. The more hydrogen ions present in solution, the lower the pH of the chemical. At a pH of 7, a chemical is said to be neutral as equal amounts of hydrogen and hydroxide ions are released.

89) Dwain is drinking a cup of coffee which has a pH of 5. Compare Dwain's coffee to his friend's coffee which has a pH of 6.

Answer: Each single digit change on the pH scale corresponds to a 10-fold change in hydrogen ion concentration. Dwain's coffee, with a pH of 5, is 10 times more acidic than his friend's coffee, with a pH of 6. The hydrogen ion concentration increases 10-fold from a pH of 6 to a pH of 5.

90) What are isomers? Explain using a set of carbohydrate examples.

Answer: Isomers are compounds with the same molecular formula but with different structures. Glucose, fructose, and galactose are isomers. They have the same molecular formula, C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>, but have different arrangements of atoms.

91) Describe how animals store excess glucose in the body.

Answer: Animals store their excess glucose as glycogen. Glycogen is primarily stored in the liver and skeletal muscles.

92) Explain three differences between saturated and unsaturated fatty acids.

Answer: Saturated fatty acids:

- 1. have no double bonds between carbon atoms in their hydrocarbon chains.
- 2. are found predominantly in animal fats.
- 3. are solid at room temperature.

## Unsaturated fatty acids:

- 1. have one or more double bonds between carbon atoms in their hydrocarbon chains.
- 2. are commonly found in plant oils.
- 3. are generally liquid at room temperature.
- 93) Determine the type of reaction that occurs between fructose and glucose to form water and sucrose.

Answer: This chemical reaction is a dehydration synthesis reaction. Fructose and glucose are monosaccharides that are joined together through this chemical reaction. Water is formed as a product. Sucrose is a disaccharide formed from the union of these two monomers, glucose and fructose.

94) What is the role of ATP in the cell?

Answer: ATP stores chemical energy in its bonds and is the main source of chemical energy in the body.


TRUE/FALSE. Write 'T' if the statement is true and 'F' if the statement is false.

95) In a solution, the solute dissolves the solvent.				
Answer: True	False			
96) An atom with an ato	omic number of 13 has satisfied the octet rule and is inert.	96)		
Answer: True	<ul><li>False</li></ul>			
97) Hydrogen bonds ar	e strong attractions between nonpolar covalent molecules.	97)		
Answer: True	<ul><li>False</li></ul>			
98) The strongest type or more nonmetals.	of chemical bond is a covalent bond because electrons are shared between two	98)		
Answer: O True	False			
99) The two general typ	es of energy are potential energy and kinetic energy.	99)		
Answer: <a>O</a> True	False			
100) The digestion of foo	d is exergonic since chemical bonds are broken and energy is released.	100)		
Answer: O True	False			

101)	21) Enzymes bind with substrates at their active sites and are permanently altered by the binding process.					
	Answer:	True	0	False		
102)	Due to the I		cap	acity of water, the human body is resistant to overheating and cooling	102)	
	Answer:	True	0	False		
103)	A base is a	hydrogen	io	n acceptor while an acid is a hydrogen ion donor.	103)	
	Answer: 0	True		False		
104)	Solutions w	ith a pH	les	s than 7 are considered basic or alkaline.	104)	
	Answer:	True	0	False		
105)	Growing ne		e p	roteins through the assembly of amino acids is a type of dehydration	105)	
	Answer: 0	True		False		
106)	Like the car molecular s	•		lipids have twice the hydrogen atoms as carbon and oxygen atoms in their	106)	
	Answer:	True	0	False		
107)	Polypeptide secondary,			contribute to a protein's quaternary structure each have their own primary, structures.	107)	
	Answer: 0	True		False		
108)	Energy is re	eleased w	hei	n ATP is broken down into ADP.	108)	
	Answer: 0	True		False		

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Match the following information about the carbon atom using the figure.



## MATCHING. Choose the item in column 2 that best matches each item in column 1.

Match the following organic compounds with their descriptions.

113) Monomers are composed of carbon, hydrogen, and oxygen in a 1C:2H:1O	A) carbohydrate	113)
ratio	B) nucleic acid	
Answer: A	,	
	C) lipid	
114) Examples include phospholipids, triglycerides, and steroids		114)
Answer: C	D) protein	
Allswei. C		
115) Sucrose, glucose, galactose, and cellulose are examples		115)
Answer: A		
Allswei. A		
116) Amino acids are the monomers		116)
Answer: D		
117) Nucleotides are the monomers that form deoxyribonucleic acid and		117)
ribonucleic acid		
Answer: B		
7 11.500-51. 2		
118) Three-dimensional shape is known as		118)
the tertiary structure		, <u> </u>
Answer: D		
119) Monomers vary by an "R" group		110\
Answer: D		119)
· · · · =		
120) Monomer is the fatty acid		120)
Answer: C		, <u> </u>

ESSAY. Write your answer in the space provided or on a separate sheet of paper.

121) An atom of carbon has an atomic number of 6 and a mass number of 12. Predict how many hydrogen atoms must covalently bond with carbon to satisfy carbon's octet rule. Hydrogen has an atomic number of 1.

Answer: Carbon has an atomic number of 6. A neutral atom of carbon has 6 protons and 6 electrons. Four of those six electrons are situated in carbon's valence, or outermost, shell. Four more electrons would be needed to satisfy the octet rule. Hydrogen has an atomic number of 1. A neutral atom of hydrogen has 1 proton and 1 electron. The sole electron is situated in hydrogen's only shell. Each hydrogen atom can share one electron with the carbon atom. Four hydrogen atoms are needed to form four covalent bonds and share electrons with the carbon atom.

122) Blood pH exists within a narrow range of values. Describe the role of buffer systems in achieving blood pH homeostasis.

Answer: Buffers are chemical systems that resist changes in pH and prevent large swings in pH when an acid or a base is added to a solution. A buffer typically consists of a weak acid and its corresponding anion. When blood becomes too basic or alkaline, the weak acid releases hydrogen ions into the blood to lower the pH. When the blood becomes too acidic, the anion binds hydrogen ions in the blood. The removal of hydrogen ions from the blood offsets the decrease in pH.

123) The process of building protein from amino acids produces water. Describe the type of reaction used to build muscles.

Answer: Muscle contains protein built from amino acids. Dehydration synthesis is an anabolic reaction that links monomers, amino acids, through the removal of a water molecule to form a polymer, thus making new muscle proteins. Thus, muscle building generates water through the joining of amino acids.

124) Sophie is working in the lab with a chemical with the formula  $C_{12}H_{24}O_{12}$ . With what type of organic molecule does she work? Discuss how you came to your conclusion.

Answer: Sophie is working with a carbohydrate. Most carbohydrate monomers are composed of carbon, hydrogen, and oxygen atoms in the ratio 1C:2H:1O. This molecule satisfies the general pattern of atoms in a typical carbohydrate.

125) Sucrose and lactose are two common dietary disaccharides. Explain which one of these disaccharides a patient with fructosemia should avoid. Fructosemia is a disorder in which fructose cannot be metabolized.

Answer: Sucrose is formed through dehydration synthesis of a glucose and a fructose molecule. Lactose is formed through dehydration synthesis of a glucose and a galactose molecule. Patients who cannot breakdown fructose should avoid eating sucrose in their diets.

126) Catherine is confused by the information on food labels. Instruct her about the differences among the following three she sees on the label: polyunsaturated fat, saturated fat, and monounsaturated fat.

Answer: The polyunsaturated fat is the healthiest choice of the three that Catherine should choose to eat. The hydrocarbon chain of a polyunsaturated fatty acid has two or more double bonds between its carbon atoms. Although monounsaturated fats are often oils, the hydrocarbon chain has only one double bond between two carbons. The hydrocarbon chain of a saturated fat is full, or saturated with, hydrogen atoms.