

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

Multiple Choice. Choose the best answer.

1. What tag pair is used to create a new paragraph?

- a. **<new paragraph> </new paragraph>**
- b. **<paragraph> </paragraph>**
- c. **<p> </p>**
- d. **<para> </para>**

2. What tag pair is used to create the largest heading?

- a. **<h1> </h1>**
- b. **<h9> </h9>**
- c. **<h type="smallest"> </h>**
- d. **<h6> </h6>**

3. Which tag is used to force the browser to display the next text or element on a new line?

- a. **<new line>**
- b. **<p>**
- c. **<br>**
- d. **<line>**

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

4. The purpose of the \_\_\_\_\_ element is used to configure the main navigation area on a web page.

- a. header
- b. nav
- c. navigation
- d. main

5. Choose the true statement below.

- a. The content that displays in the browser is contained in the head section.
- b. The content that displays in the browser is contained in the body section.
- c. Information about the web page is contained in the body section.
- d. All of the above are true.

6. What type of HTML list will automatically place a number in front of the items?

- a. numbered list
- b. ordered list
- c. unordered list
- d. definition list

7. What type of HTML list will automatically place a bullet point indicator in front of each item?

- a. bullet list
- b. ordered list
- c. unordered list
- d. definition list

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

8. What type of HTML list would be good to use to display a list of terms and their definitions?

- a. bullet list
- b. ordered list
- c. unordered list
- d. description list

9. What tag pair contains the items in an ordered or unordered list?

- a. **<item> </item>**
- b. **<li> </li>**
- c. **<dd> </dd>**
- d. **<dt> </dt>**

10. Choose the tag pairs that are used in a description list.

- a. **<dt> </dt>**
- b. **<dl> </dl>**
- c. **<dd> </dd>**
- d. all of the above

11. Choose the tag pair configures text to be indented from both the left and right margins.

- a. **<blockquote>.. </blockquote>**
- b. **<p>.. </p>**
- c. **<h1>.. </h1>**

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

d. all of the above

12. Choose the special character that is used to indicate a blank space.

a. **&blank;**

b. **&nbsp;**

c. **&copy;**

d. **&space;**

13. Choose the preferred tag pair to use when emphasizing text that is displayed in italic font style.

a. **<i>...</i>**

b. **<strong>...</strong>**

c. **<em>...</em>**

d. **<italic>...</italic>**

14. Choose the preferred tag pair to use when displaying important text in bold font weight.

a. **<bold>...</bold>**

b. **<strong>...</strong>**

c. **<big>...</big>**

d. **<em>...</em>**

15. Choose the tag pair that is used to link web page documents to each other.

a. **<link>** tag

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

- b. **<hyperlink>** tag
  - c. **<a>** tag
  - d. **<body>** tag
16. When do you need to use a fully qualified URL in a hyperlink?
- a. when creating a link to the same web page
  - b. when linking to a page in another folder on the same site
  - c. when linking to a page on an external web site
  - d. never
17. Select the function of an e-mail link from the choices below.
- a. automatically send you an e-mail message with the visitor's e-mail address as the reply-to field
  - b. launch the default e-mail application for the visitor's browser with your e-mail address as the recipient
  - c. display your e-mail address so that the visitor can send you a message later
  - d. link to your mail server
18. Choose the best-designed link from below.
- a. **<a href="news.html">Click to read our important news!</a>**
  - b. Click to read our **<a href="news.html">important news!</a>**
  - c. **<a href="news.html">Important News</a>**
  - d. **<a href="news.html">Click here to read our important news</a>**
19. The text contained between title tags is:

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

- a. Not displayed by browsers
  - b. Displayed in the title bar of the browser window
  - c. Not used by search engines
  - d. Never seen by your web page visitor.
20. The <meta> tag is coded in the \_\_\_\_\_ section of a web page document.
- a. body
  - b. header
  - c. footer
  - d. DOCTYPE
21. Which of the following tags does not require a closing tag?
- a. <p>
  - b. <br>
  - c. <i>
  - d. <a>
22. Which of the following tags should NOT be located in the head section?
- a. <title>
  - b. <h1>
  - c. <meta>
  - d. All the tags listed above should be coded in the head section.
23. Which of the following attributes would configure an ordered list to display uppercase letters?
- a. **type="a"**
  - b. **type="U"**

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

- c. `type="letter"`
  - d. `type="A"`
24. The purpose of the \_\_\_\_\_ element is used to configure the headings for a web page document or section of a web page document.
- a. headings
  - b. nav
  - c. header
  - d. head
25. The purpose of the \_\_\_\_\_ element is to configure the footer information on a web page document.
- a. headings
  - b. foot
  - c. div
  - d. footer
26. The purpose of the \_\_\_\_\_ element is to contain the main content of a web page document.
- a. content
  - b. footer
  - c. div
  - d. main
27. Choose the HTML5 element below that is used to configure an area on a web page that can stand on its own and could potentially be syndicated.
- a. div
  - b. section
  - c. article
  - d. aside

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

28. The \_\_\_\_\_ HTML5 element is used to contain tangential or supplemental content.

- a. header
- b. main
- c. aside
- d. section

29. The \_\_\_\_\_ attribute of the anchor tag can cause the new web page to open in its own browser window.

- a. target
- b. window
- c. id
- d. href

**True or False.**

30. The title element configures large, bold text at the beginning of the web page document.

- a. True
- b. False

31. Web pages have two sections: a head and a body.

- a. True
- b. False



Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

Answers.

1. c

2. a

3. c

4. b

5. b

6. b

7. c

8. d

9. b

10. d

11. a

12. b

13. c

14. b

15. c

16. c

17. b

18. c

19. b

20. b

21. b

22. b

Web Development & Design Foundations with HTML5, 10<sup>th</sup> Edition  
Instructor Materials Chapter 2 Test Bank

23. d

24. c

25. d

26. d

27. c

28. c

29. a

30. False

31. True