Module 10 Exam

Question 1 2.5 / 2.5 pts
Multiple Choice:
Each of the following are true of gout <u>except</u> :
⊙
Uric acid dissolves readily in synovial fluid
Q
Typically occurs at the first metatarsophalangeal joint
Typically occurs at the mist metatarsophialangear joint
Q
Anyone can get gout
Q
Uric acid is a byproduct of purine metabolism
2
Question 2
2.5 / 2.5 pts
Multiple Choice:
Which of the following would a patient likely report if you suspect they have OA?
O .
Pain in their MCP joint
⊙
Stiffness in the morning that resolves in less than 30 minutes
Q
Pain that would be described as "acute"
Tail that would be described as deate
Q
They feel "looser" after they move around
Question 3
2.5 / 2.5 pts
Which of the following are true regarding syndesmoses? (mark all that apply)
They allow limited movement between them

They allow no movement between them
▽
They allow a small degree of movement between them
▽
They are separated by a fibrous disc
They are separated by a horous disc
They are joined by dense connective tissue
Question 4
2.5 / 2.5 pts Blood circulates through bone by what means? (mark all that apply)
blood circulates through bone by what means: (mark air that appry)
Via the central Haversian and Volkmann canals
▽
An anastomosis between perforating and nutrient arteries
An anastomosis between periorating and nutrient arteries
Diffusion through the endosteal surface of the bone and the canaliculi
Question 5 0 / 2.5 pts
Multiple Choice:
Which of the following drugs is most commonly prescribed to treat osteoporosis?
C
C Raloxifene
Naioxiiche
Correct Answer
Alendronate
©
Calcitonin

Question 6
2.5 / 2.5 pts Multiple Choice:
Which of the following cells are stimulated by PTH?
C C
Osteocytes
⊙
Osteoclasts
C C
Osteoblasts
Osleoniasis
Q
Osteoprogenitor cells
Question 7
2.5 / 2.5 pts
Multiple Choice:
Which of the following is false regarding OA?
Q
It is characterized by the gradual deterioration of weight bearing joints
⊙
Males over the age of 55 have the highest incidence of OA
C C
Age, gender, history of trauma, and weight all contribute to the risk of developing OA
Q
Males have a higher incidence of developing OA at younger ages
Question 8 2.5 / 2.5 pts
Multiple Choice:

A patient has low serum calcium levels. Which of the following is true given this scenario?