NURS 629 exam 2

Weight changes in 1st year of life Ans- Weight increases 6-8lbs, up to 20lbs in the 1st year of life

When does the posterior fontanelle close? Anterior? Ans- posterior- 2 months, anterior- 9-18 mo

when do the abdominal muscles close? Ans- 3 years

When are the testicles descended? Ans- usually descended at birth, but spontaneous descent may occur in the first year after birth. (usually 6 months)

what do you assess for with infants musculoskeletal system? Ans- leg fold symmetry hib abduction- no clicks

Ortolani maneuver Ans- check hips for congenital dislocation, done until 1 yr old, should be smooth with no sounds

, abnormal= feels like a clunk as head of femur pops back into place- positive ortolani sign

Barlow maneuver Ans- place your index and middle finger over the greater tronchanter. Gently push both knees together at midline downwards. Positive:"Clunk" sounds or palpating trochangter being displaced by the index/middle finger

Infantile eczema Ans- atopic dermatitis is an inflammation of genetically hypersensitive skin

- local vasodilation in affected areas spongiosis or breakdown of dermal cells and formation of intradermal vesicles
- rarely seen in breastfed infants until they begin to eat additional food
- it is a symptom rather than a disorder
- infant is oversensitive to certain substances

Worse in winter

why is acid reflux common in infants? Ans- their sphincters are not mature, break up feedings ~15mL, burp, then return.

When does colic usually resolve? Ans- by 6 months

Toddler weight gain per year Ans- 4-6lbs per year, grow 3 inches pe ryear

In toddler always assess for? Ans- anterior fontanel (should be closed by 18 m-2 yrs. screen for strabismus

tooth eruption- if no teeth by 18 mo= xray assess for hip dysplasia, gait, bowlegged

-DTRs

-Babinski + (dorsiflex) normal in infant less than 24 mo

what age do you screen for hearing and vision? Ans- at 3 years

School age children grow more steadily? Ans- 2 in/year 4-6lbs/ year

In adolescence when does puberty begin in girls? Ans- 9-13 years

when does puberty begin in boys? Ans- 11-14 years

At what ages do puberty changes develop in girls? Ans- breast enlargement 8-13 yr axillary hair 11-13 yrs

pubic hair 10-12 years menarche 10-16 years

at what ages do puberty changes develop in boys? Ans- genital enlargement 9-13 yrs axiallary hair 12-14 yrs

facial hair 11-14 yrs

pubic hair 12-15 yrs

Tanner Stages Girls Ans- 1. Preadolescent breasts, breast papilla elevated above breast wall. no pubic hair.

- 2. *puberty starts* Breast buds with areolar enlargement, papilla forms small mound. scant pubic hair, light pigment.
- 3. Breast and areola grow together in one mound. no separation. pubic hair more abundant.
- 4. Areola and nipple project as secondary mound. pubic hair abundant but smaller area than adult. menstruation starts.
- 5. Adult breast: Areola recedes, nipple retracts

Tanner stages boys Ans- 1 prepubertal- no pubic hair, scrotum and pedis are childhood size

2 enlargement of scrotum- puberty starts. age11-13. increased testicular size, pubic hair scant and lightly pigmented. scrotum reddened and textured

3 (age 13-14) enlargement of penis (length). testicular growth. increase in pubic hair and pigment

4 (14-15) enlargement of penis (breadth). acne. voice changes.

5 (15-16) adult genitalia, mature pubic hair distribution.

Red flags of neonate? Ans- Jaundice at birth (hemolysis). High-pitched cry. Irritable. "Floppy" (hypotonic). Poor reflexes

red flags of 3 month Ans- inability to hold head. avoids eye contact, floppy.

red flags at 6 months Ans- lack of babbling. does not laugh. inability to turn head past 180 degrees

Red flags at 9 months Ans- Cannot sit without support, not indicating wants (Niner needs recliner, but doesn't want it)

if infantile reflexes remain strong.

does not bable

does not bear weight on legs

2 year red flags Ans- Unable to speak meaningful two-word "sentences." Does not understand simple commands. Loss of speech, social skills, previously learned behaviors and/or does not say words by 16 months (autism).