

ATI Maternal Newborn Proctored EXAM 2023/2024 300 QUESTIONS AND ANSWERS

A nurse is providing care to a client who is in labor. A fetal heart tracing shows early decelerations. Which of the following actions should the nurse take? -

CORRECT ANSWER Continue to monitor the fetal heart tracing.

A nurse is assessing a client who is 14 hours postpartum and has a third-degree perineal laceration. The client's temperature is 37.8°C (100°F), and her fundus is firm and slightly deviated to the right. The client reports a gush of blood when she ambulates and no bowel movement since delivery. Which of the following actions should the nurse take? - **CORRECT ANSWER** Assist the client to empty her bladders

A nurse on the antepartum unit is caring for a client who is at 28 weeks gestation and reports dizziness when lying on her back. Into which of the following positions should the nurse assess the client? - **CORRECT ANSWER** Lateral

A nurse is providing teaching for a client at seven weeks of gestation who is experiencing nausea and vomiting. Which of the following client statements indicates to the nurse an understanding of the teaching? - **CORRECT ANSWER** I should have a small snack before bedtime

A nurse is assessing a client who is at 36 weeks of gestation. Which of the following manifestations should the nurse recognize as a potential prenatal complication and report to the provider? - **CORRECT ANSWER** Double vision

A nurse is assessing a client who is at 34 weeks gestation and has a cardiac disorder the nurse should notify the provider about which of the following assessment findings? - **CORRECT ANSWER The client reports a frequent cough**

A nurse is caring for a client who is in labor the client speaks a different language than the nurse and he's been missing. Which of the following actions should the nurse take while waiting for an interpreter? - **CORRECT ANSWER Change the clients position**

A nurse is providing teaching for a client who is pregnant and has type one diabetes mellitus. Which of the following statements should the nurse include in the teaching? - **CORRECT ANSWER You should expect to decrease your insulin dosage immediately after you deliver your baby**

A nurse is caring for a client in labor and observes a pattern of early decelerations on the fetal monitor. Which of the following actions should the nurse take? - **CORRECT ANSWER Document the findings and continue to monitor**

A nurse is preparing to administer naloxone to a newborn. Which of the following conditions can require administration of this medication? - **CORRECT ANSWER IV narcotics administered to the mother during labor**

A nurse is caring for a client labor who has an epidural for pain relief. Which of the following is a complication of the epidural block? - **CORRECT ANSWER Hypotension**

A nurse at a prenatal clinic is teaching a client how to perform a kick count. Which of the following statements should the nurse include in the teaching? - **CORRECT ANSWER Before bedtime is a good time to start counting the kicks**

A nurse is teaching a group of clients who are pregnant about vitamin K for newborns. Vitamin K helps prevent which of the following conditions in a newborn? - **CORRECT ANSWER Intracranial hemorrhage**

A nurse is caring for a newborn who has neonatal abstinence syndrome which of the following Clinical findings should the nurse expect? - **CORRECT ANSWER Exaggerated reflexes**

A nurse is creating a plan of care for a client who is in the active stage of labor and expresses a desire to use nonpharmacological methods of pain relief. Which of the following intervention should the nurse include? - **CORRECT ANSWER Assist the client into a warm shower**

A nurse is providing teaching to a client who has come to the family planning clinic requesting an intrauterine device IUD. Which of the following pieces of information should the nurse provide to the client? - **CORRECT ANSWER Your risk for ectopic pregnancy increases with an IUD**

A nurse is teaching a client who is pregnant and has pre-gestational diabetes about dietary changes. Which of the following statements should the nurse include in the teaching? - **CORRECT ANSWER Carbohydrates should make up 55% of your diet**

A provider does a client at 12 weeks gestation who practices Hinduism that she needs more protein in her diet and suggest eating more meat after the provider leaves the examination room the client tells the nurse that eating animal products

will cause her to miscarry. Which of the following responses should the nurse make? - **CORRECT ANSWER** Let's discuss other foods that are also high in protein that you can substitute for meat

A nurse is caring for a client who is in labor. A vaginal examination reveals the following findings: 2 cm, 50%, +1, right occiput anterior (ROA). Based on this information, which of the following fetal position should the nurse document in the medical record? - **CORRECT ANSWER** Vertex

A nurse is teaching a client about squatting exercises during pregnancy. Which of the following statements should the nurse include? - **CORRECT ANSWER** These exercises should be done for 15 minutes each day to strengthen the peroneal muscles

A nurse is providing care to a client who is 12 hours postpartum and is receiving oxytocin IV. The client asked the nurse, why is there so little bleeding? Which of the following responses should the nurse make? - **CORRECT ANSWER** The bleeding is minimal until I discontinue your IV medication

A nurse is planning care for a Client who is post partum and has cardiac disease. For which of the following prescriptions should the nurse seek clarification? - **CORRECT ANSWER** Monitor the clients weights weekly

A nurse is caring for a client who is at 35 weeks of gestation and he scheduled to undergo an amniocentesis. Which of the following statements should the nurse make? - **CORRECT ANSWER** You will feel so much discomfort during this procedure

A nurse is caring for a client who had a vaginal delivery 24 hours ago. Which of the following findings should the nurse report to the provider? - **CORRECT ANSWER 3+ deep tendon reflexes**

A nurse is providing teaching about exercise for a client who is pregnant which of the following pieces of information should the nurse include? - **CORRECT ANSWER Vigorous exercise it should be limited and should not be performed in hot humid weather**

A nurse is caring for several clients. Which of the following clients should the nurse identify as a candidate for oral contraceptives a - **CORRECT ANSWER A client who is breast-feeding a seven month old infant**

A nurse is caring for a newborn who was born to a client with a narcotic use disorder. Which of the following nursing actions is contraindicated in the care of this newborn - **CORRECT ANSWER Frequent simulation**

A nurse is discussing epidural anesthesia with a client who is receiving oxytocin to induce labor which of the following statements should the nurse make? - **CORRECT ANSWER An epidural given to early can prolong labor**

A nurse is caring for a client who is in labor. The client questions application of an internal fetal scalp monitor. Which of the following responses should the nurse provide? - **CORRECT ANSWER We need to observe your baby more closely**

A nurse is providing teaching about newborn bath to a client who is two days postpartum which of the following pieces of information should the nurse include? - **CORRECT ANSWER Watch the newborns face with plain warm water**

A nurse is teaching a postpartum client how to swaddle her newborn. Which of the following assessments by the parent demonstrates an understanding of the teaching? - **CORRECT ANSWER I should stop swaddling my baby once she is able to roll over by herself**

A nurse is receiving a report for a client who is in labor and is experiencing contractions that are four minutes apart. Which of the following patterns to the nurse expect on the fetal monitor tracing? - **CORRECT ANSWER Contractions that last for 60 seconds each with a three minute rest between the contractions**

A nurse is reviewing the laboratory for it for a client with suspected HELLP Syndrome. Which of the following findings should the nurse report to the provider as an indication of this Disorder? - **CORRECT ANSWER Elevated liver enzymes**

A nurse is caring for a client who is in labor and has received epidural analgesia. The clients blood pressure is 88/50, and the fetal heart tracing so is late decelerations. Which of the following actions should the nurse take? - **CORRECT ANSWER Increase the rate of the primary IV infusion**

A nurse is assessing a client who is receiving morphine Via a patient controlled analgesia pump PCA Following a cesarean birth. Which of the following findings should the nurse report to the provider? - **CORRECT ANSWER Urine output 20 mL per hour**

A nurse is planning care for a newborn who has hyperbilirubinemia And a new prescription for photo therapy. Which of the following intervention should the nurse include in the plan? - **CORRECT ANSWER Reposition the newborn every three hours**

A nurse is teaching the guardian of a newborn about caring for the newborn's umbilical cord. For which of the following reasons should the nurse instruct the guardian to avoid using antibacterial agents on the cord? - **CORRECT ANSWER They can cause delayed cord separation**

A nurse is caring for a client who states, I think I am pregnant, which of the following findings should the nurse identify as a positive sign of pregnancy? - **CORRECT ANSWER Fetal heart Tones auscultated by Doppler**

A nurse is assessing a postpartum client who has preeclampsia and notes a boggy uterus and excessive uterine bleeding. The nurse should plan to administer which of the following medications? - **CORRECT ANSWER Oxytocin**

A nurse in the clinic is caring for a client who is pregnant and reports a last menstrual period that began on December 7. Which of the following dates would be the client's estimated date of birth? - **CORRECT ANSWER September 14**

A nurse is providing teaching to a client who is planning to breast-feed her newborn. Which of the following statements by the client indicates an understanding of the teaching? - **CORRECT ANSWER My baby may sometimes feed every hour for several hours in a row**

A nurse is providing education for a parent of a premature infant on interventions to promote optimal development. Which of the following actions should the nurse instruct the parent to perform? - **CORRECT ANSWER Provide kangaroo care for the infant**

A nurse is caring for a client who is 24 years old and at 13 weeks of gestation. The client's history includes a BMI of 31 prior to pregnancy, a prior post term delivery,

and a newborn birthweight of 9 lbs. 3 oz. Which of the following laboratory values should the nurse expect to collect? - **CORRECT ANSWER HB A1c**

A nurse is assessing a client who is at 12 weeks gestation and has a hydatidiform mole. Which of the following findings should the nurse expect? - **CORRECT ANSWER Dark brown vaginal discharge**

A nurse is counseling a female client who Expresses a desire to conceive in the near future. Which of the following dietary recommendations should the nurse make to prevent neural tube deficits? - **CORRECT ANSWER Begin taking a folic acid supplement**

A nurse is developing a plan of care for a newborn who has hyperbilirubinemia and a prescription for photo therapy. Which of the following intervention should the nurse include in the plan? - **CORRECT ANSWER Change the newborns position every 2 to 3 hours**

A nurse is assessing a newborn who was Circumcised 24 hours ago. Which of the following findings should the nurse report to the provider? - **CORRECT ANSWER The newborn has urinated once since the circumcision**

A nurse is Assisting a client who is four hours postpartum to get out of bed for the first time. The client becomes frightened by gusher of dark red blood from her vagina. Which of the following statements should the nurse make in the response? - **CORRECT ANSWER Blood pools in the vagina when you're lying in bed**

A nurse is providing a nutritional teaching for a pregnant client who had a pre-pregnancy body mass index of 38. Which of the following statements by the client demonstrates an understanding of the teaching about recommended weight gain

during pregnancy? - **CORRECT ANSWER I should plan to gain 5 to 9.1 kg during my pregnancy**

A nurse is caring for a term newborn 90 minutes after the scheduled cesarean birth. The newborn's one minute Apgar score was nine. The newborn's heart rate is 120 per minute, and his respiration rate is 70 per minute. There are no indications of retractions, grunting, or nasal flaring. Which of the following actions should the nurse take? - **CORRECT ANSWER Initiate close observation of the newborn for indications of respiratory distress**

A nurse is assessing a postpartum client and observes a steady trickle of bright red blood from the client's vagina. The uterus is palpated as firm, midline, located 1 cm below the umbilicus. Which of the following actions should the nurse take? - **CORRECT ANSWER Notify the provider**

A nurse is caring for a client at 35 weeks gestation who has severe preeclampsia. Which of the following assessment provides the most accurate information regarding the client's fluid and electrolyte status? - **CORRECT ANSWER Daily weight**

A nurse is assessing a client at 34 weeks to station who has a mild placental abruption. Which of the following findings should the nurse expect? - **CORRECT ANSWER Dark red vaginal bleeding**

A nurse is providing teaching to a client who has one hour postpartum about using the perineal squeeze bottle. Which of the following instructions should the nurse include? - **CORRECT ANSWER Fill the perineal bottle with warm water prior to use**

A nurse is performing a physical assessment of a newborn. Which of the following action should the nurse take? - **CORRECT ANSWER Measure the circumference of a newborns head with a tape measure just above the eyebrows**

A nurse is providing teaching for a client about hormonal changes during pregnancy. The nurse identifies that which of the following hormones please a key role in preventing miscarriage? - **CORRECT ANSWER Progesterone**

A nurse is caring for a client who has a prescription for an election. Which of the following is intended action of the medication in relation to the central nervous system? - **CORRECT ANSWER Block the facts of narcotics in the CNS**

A nurse and a prenatal clinic is performing telephone triage for several clients. Which is the following clients to ports Sheraton nursing identifying as an expected Physiological adaptation to pregnancy? - **CORRECT ANSWER Breast tenderness**

A nurse is caring for a client in the third trimester of pregnancy who reports difficulty sleeping. Which of the following instruction should the nurse provide? - **CORRECT ANSWER Use additional pillows to support extremities and abdomen**

A nurse is using Naegele's rule to determine the estimated date of birth for a client whose first day of her last menstrual period was February 2, 2018. The nurse should identify which of the following as a client estimated date of birth? - **CORRECT ANSWER November 9, 2018**

A nurse is assisting with fetal heart monitoring during labor for a client who is at 40 weeks of gestation. The nurse should identify that which of the following findings on the fetal monitoring tracing requires intervention? - **CORRECT ANSWER A fetal heart rate of 180 per minute for 15 minutes**

A nurse is providing postpartum discharge teaching to a client who is non-lactating about breast discomfort and relief measures. Which of the following pieces of information should the nurse include? - CORRECT ANSWER Place fresh cabbage leaves on your breasts

A nurse is planning care for a client in active labor his fetus is in an occipital brow presentation. Which of the following complications should the nurse anticipate as a result of this video presentation? - CORRECT ANSWER Prolonged labor

A nurse is caring for a client who is an active labor and receiving in oxytocin infusion. The nurse notes tachysystole with a category one fetal heart rate tracing. Which of the following actions should the nurse take? - CORRECT ANSWER Reposition the client and the side lying position and continue to monitor

A nurse is providing education for a pregnant client about symptoms that should be reported immediately to the provider. Which of the following client responses indicate an understanding of the teaching? - CORRECT ANSWER If I notice that my eyes are puffy, I should call my provider

A nurse is planning care for a client in labor who is positive for HIV. Which of the following action should the nurse take after the baby is born? - CORRECT ANSWER Administer the hepatitis B vaccine prior to discharge

A nurse is caring for a client who is in labor. Which of the following assessment findings should the nurse report to the provider? - CORRECT ANSWER Fetal heart rate baseline of 90 bpm

A nurse is preparing to administer routine medications to a newborn following birth. Which of the following action should the nurse take? - CORRECT ANSWER Administer vitamin K in the newborn thigh

A nurse is reviewing the medical record of a client at 39 weeks gestation who has polyhydramnios. Which of the following findings should the nurse expect? - CORRECT ANSWER Fetal gastrointestinal anomaly

A nurse is reviewing the providers admission Orders for a client who is at 37 weeks so just station and is HIV positive. Which of the following orders should the nurse clarify with the provider? - CORRECT ANSWER Fetal scalp electrode

A nurse is providing teaching about newborn care to the parents of a newborn. Which of the following statements by the parent indicates an understanding of the teaching? - CORRECT ANSWER I will place a hat on my babies hair prior to going outside

A nurse is reviewing recent laboratory values during a prenatal visit for a client who is pregnant. The nurse notes a hemoglobin level of 10 G/DL. Which of the following actions should the nurse take - CORRECT ANSWER Request in order for sickle cell anemia screening

A nurse is reviewing the laboratory findings for a 24 hour old newborn which of the following findings should the nurse report to the provider? - CORRECT ANSWER Hemoglobin 12g/dL

A nurse is caring for a client who is post partum and is having difficulty voiding. Which of the following actions should the nurse take first? - CORRECT ANSWER Assist the client to the bathroom

A nurse is reviewing the laboratory findings for four clients. Which of the following infections should be reported to the public health department? - CORRECT

ANSWER Gonorrhea

A nurse is providing teaching to the parents of a newborn about how to care for his circumcision at home. Which of the following instructions should the nurse include in the teaching? - CORRECT ANSWER Encourage non-nutritive sucking for pain relief

A nurse is caring for a client who is in labor and is receiving an infusion of oxytocin. The nurse should monitor the client for which of the following potential adverse effects? - CORRECT ANSWER Fetal asphyxia

A nurse is caring for a client who is receiving magnesium sulfate IV. Which of the following medications should the nurse have available as an antidote for magnesium sulfate? - CORRECT ANSWER Calcium gluconate

A nurse is discussing diaphragm use with a client. Which of the following statements by the client indicates an understanding of the teaching? - CORRECT ANSWER I should replace my diaphragm every two years

A nurse is assessing a client who is pregnant and reports increased nasal stuffiness. The nurse should inform the client that which of the following hormones is responsible for this discomfort? - CORRECT ANSWER Estrogen

A nurse is teaching a client who is in labor about the use of nitrous oxide analgesia for pain control. Which of the following statements by the client indicates an

understanding of the teaching? - CORRECT ANSWER I will feel the affects of the nitrous oxide almost immediately

A nurse is assessing a newborn which of the following findings should the nurse report to the provider? - CORRECT ANSWER Central cyanosis

A nurse is assessing a client who is at 35 weeks of gestation and has preeclampsia without severe features which of the following findings should the nurse identify as a priority? - CORRECT ANSWER 480 mL of urine output in 24 hours

A nurse is caring for a client in active labor who is fetus is in a persistent occiput Posterior position. Which of the following actions should the nurse take to promote rotation of the fetal head? - CORRECT ANSWER Instruct the client to squat during contractions

A nurse is providing education to a client who is at 34 weeks of gestation about a nonstress test. Which of the following pieces of information should the nurse include? - CORRECT ANSWER You might have to drink orange juice during the test

A nurse is caring for a newborn immediately following delivery. Which of the following actions should the nurse perform first? - CORRECT ANSWER Please the newborn directly on the clients chest

A nurse is teaching a client about physiological changes that can Occur with menopause. Which of the following changes to the nurse include? - CORRECT ANSWER Stress incontinence

A nurse is caring for a client at 12 weeks gestation who has a BMI of 45. Which of the following pieces of information should the nurse provide for the client

regarding the recommended weight gain during her pregnancy? - CORRECT
ANSWER You should plan to gain no more than 20 pounds during your pregnancy

A nurse is caring for a client who is in active labor and he was a birth plan request on nonpharmacological pain relief strategies. Which of the following strategies should the nurse offer as a form of cutaneous stimulation - CORRECT ANSWER
Counter pressure

A nurse is caring for a client who is experiencing prolonged labor. Which of the following fetal monitoring results indicates fetal compromise? - CORRECT
ANSWER Late decelerations with fetal bradycardia

A nurse is providing teaching about calcium intake to a client who is breast-feeding. Which of the following is recommended daily calcium intake for a client who is breast-feeding? - CORRECT ANSWER 1000 mg

A nurse is assessing a client at 27 Weeks of gestation the client has placenta previa reports vaginal bleeding Which of the following additional manifestations should the nurse expect? - CORRECT ANSWER The fundal height measures greater than gestational age

A nurse is providing discharge instructions for a client who had a cesarean birth four days ago. The clients hemoglobin level is 9.2 G/DL, and the provider has prescribed an iron supplement. Which of the following foods should the nurse recommend to help increase the clients iron intake - CORRECT ANSWER Citrus fruit

A nurse is assessing a newborn. For which of the following findings should the nurse notify the provider? - CORRECT ANSWER Mottling

A nurse enters a postpartum client room and notices many visitors in the room, conversing loudly and taking turns holding a newborn. The newborn intimately cries and attempts to suck on his hand. After a few minutes, the newborn quiet, stairs, and turned her head away when someone talks to her. What teaching should the nurse provide for this family? - CORRECT ANSWER The newborn would benefit from skin to skin contact in a quiet environment

A nurse is caring for a client in active labor who has meconium staining of the amniotic fluid. The nurse notes a reassuring fetal heart rate tracing from the external Fetal monitor. Which of the following actions should the nurse perform? - CORRECT ANSWER Prepare equipment needed for newborn resuscitation

A nurse is talking with a client at 20 weeks of gestation who is scheduled for a sonogram. The client states, I am here to have my regular parental check up, But I do not want any pictures taken of my baby. Which of the following responses should the nurse make? - CORRECT ANSWER I would like to hear more about why you did not want the sonogram, including any cultural reasons

A nurse is caring for a client who is pregnant and has a rupture of membranes. The nurse notes the presence of meconium stained fluid. Which of the following actions should the nurse take? - CORRECT ANSWER Gather equipment for a neonatal resuscitation

A nurse is caring for a client who is at 38 weeks of gestation and in the active phase of the first stage of labor. The nurse notes Too late decelerations of the fetal heart rate during the last five contractions. Which of the following actions should the nurse take? - CORRECT ANSWER Assisted client to lateral position

A nurse is providing teaching about formula feeding to the guardian of a newborn. Which of the following pieces of information should the nurse include? - CORRECT ANSWER Mix one scoop of powdered formula with 2 ounces of water

A nurse in a prenatal clinic is reviewing the laboratory results of a client who is at 33 weeks of gestation period for which of the following results should the nurse notify the provider? - CORRECT ANSWER Platelet count of 135,000/mm³

A nurse is evaluating a client who has just received instructions about breast-feeding. Which of the following statements should the nurse identify as an indication that the client understands how to prevent mastitis - CORRECT ANSWER I should avoid waiting too long between feedings

A nurse is teaching a client at 13 weeks gestation about the treatment of incompetent cervix with cervical cerclage. Which of the following statements by the client indicates an understanding of the teaching? - CORRECT ANSWER I should go to the hospital if I think I may be in labor

A nurse is assessing a client who has hyper emesis gravidarum. Which of the following findings should the nurse expect? - CORRECT ANSWER Presence of ketones in the urine

A nurse is assessing a client who is in the fourth stage of labor which of the following findings should the nurse expect? - CORRECT ANSWER Urinary retention

A postpartum nurse is caring for a client who reports excessive sweating during the first night after delivery. Which of the following statements should the nurse make? - CORRECT ANSWER This is the source of your fluid loss after delivery

A nurse is caring for a client who is in preterm labor and is receiving magnesium sulfate. The client begins to show indications of magnesium sulfate toxicity. Which of the following medication should the nurse prepared to administer? - CORRECT ANSWER Calcium gluconate

A nurse is teaching a client with preeclampsia who is scheduled to receive magnesium sulfate via continuous IV infusion about expected adverse effects. Which of the following adverse effects should the nurse include in the teaching? - CORRECT ANSWER Feeling of warmth

A nurse is caring for a client who is receiving IV oxytocin for the induction of labor and notes repetitive early decelerations on the electronic fetal heart rate tracing. Which of the following actions should the nurse take? - CORRECT ANSWER Reevaluate the fetal heart rate tracing in 15 minutes

A nurse is caring for a client who is in the Latent phase of labor and is experiencing low back pain. Which of the following actions should the nurse take? - CORRECT ANSWER Apply pressure to the client sacral area during contractions

A nurse is assessing a client at 37 weeks gestation who has a Suspected pelvic fracture due to blunt abdominal trauma. Which of the following findings should the nurse expect? - CORRECT ANSWER Uterine contractions

A nurse is providing breast-feeding education to a client who delivered 12 hours ago which of the following client statements indicates an understanding of the teaching? - CORRECT ANSWER I should breast-feed at least 8 to 12 times in a 24 hour period

A nurse is talking with a client during her initial prenatal visit. The client reports a history of trisomy 13 syndrome in her family and is concerned her fetus might be at risk. Which of the following statements should the nurse provide? - CORRECT ANSWER If you sign an informed consent form we can perform genetic screening to see if your baby has this disorder

A nurse is assessing a client on the first postpartum day. Findings include the following: Fundus firm and one fingerbreadth above and to the right of the umbilicus, moderate lochia rubra with small clots, temperature 99.2°F, and pulse rate 52 bpm. Which of the following actions should the nurse take? - CORRECT ANSWER Ask the client when she last voided

A nurse is caring for a client who is at 20 weeks gestation. The client asks the nurse what a baby looks like at this point. Which of the following answers the nurse provides an accurate response? - CORRECT ANSWER The fetus resembles a human

A nurse is administering a rubella immunization to a client who is two days postpartum. Which of the following client statements indicates a need for further instruction? - CORRECT ANSWER I can conceive anytime I want to after 10 days

A nurse is assessing a client who is in the first stage of labor and has preeclampsia. Which of the following findings should the nurse expect? - CORRECT ANSWER Proteinuria

A nurse is teaching the guardians of a newborn about the facility's safety measures. Which of the following pieces of information should the nurse include? - CORRECT ANSWER Check for a photo identification badge before allowing a nurse to remove the newborn from the room

A nurse is caring for a client whose last menstrual period began on July 8. Using Nagel's rule, what is the client's estimated date of birth - CORRECT ANSWER April 15

A nurse is assessing a newborn who is two hours old. Which of the following findings should the nurse report to the provider? - CORRECT ANSWER Generalized petechiae

A nurse is assisting with monitoring the fetal heart rate tracing of a client who is in labor. Which of the following findings should the nurse report to the provider? - CORRECT ANSWER Late decelerations with fetal bradycardia

A nurse is teaching a client who is at 10 weeks gestation about self-care management for common discomfort during pregnancy. Which of the following instructions should the nurse include? - CORRECT ANSWER Consume frequent snacks to decrease episodes of nausea

A nurse is providing teaching about waking during pregnancy for a client who is a primigravida of normal pre-pregnancy weight. Which of the following statements should the nurse include? - CORRECT ANSWER You should plan to gain 25 to 35 pounds during your pregnancy

A nurse is caring for newborns. Which of the following newborns is at greatest risk for hypoglycemia - CORRECT ANSWER A newborn who is large for gestational weight

A nurse in the clinic is assessing a client who is at 13 weeks of gestation and has hyperemesis gravidarum. Which of the following findings should the nurse identify as a priority? - CORRECT ANSWER Ketones 2+