NURS: NURSING CARE OF CHILDREN ATI 2019 PROCTORED EXAM COMPLETE A+ GUIDE

Nursing care of Children ATI 2019

• A nurse is providing teaching to the guardians of a school age child who has a seizure disorder. Which of the following factors should the nurse include as a common trigger that increases the risk of seizures?

Prolonged headache

Lack of sleep

Decreased

temperature

Exposure to secondhand smoke

• A nurse is planning to teach an adolescent who is lactose intolerant about dietary guidelines. Which of the following instructions should the nurse include in the teaching?

You can replace milk with nondairy sources of

calcium

You can drink milk on an empty stomach

You should consume flavored yogurt instead of plain

yogurtYou might tolerate plain milk better than chocolate

milk

• A nurse is caring for an infant who has rotavirus. Which of the following findings indicates thatthe infant is moderately dehydrated?

Respiratory rate 28/min

Weight loss 7%

Capillary refill 1 secondBradycardia

• A nurse is caring for an adolescent who is 1 hr postoperative following an appendectomy. Which of the following findings should the nurse report to the provider?

Muscle rigidity

Heart rate 63/min

Temperature 36.4 c

(97.5F)Abdominal pain

• A nurse is planning care for an 8-month-old infant who has heart failure. Which of the followingactions should the nurse include in the plan of care?

Place the infant in a prone position

Provide less frequent higher volume feedings

Repeat a digoxin dosage if the infant vomits within 1hr of administration

Administer cool humidified oxygen via nasal cannula

• A nurse is caring for a preschooler who is postoperative following a tonsillectomy. The child is now ready to resume oral intake. Which of the following dietary choices should the nurse offer the child?

Chocolate milk

Sugar free cherry

gelatinVanilla ice

cream

Lime flavored ice pop

• A nurse is planning care for an adolescent who has sickle cell anemia. Which of the followingimmunizations should the nurse include in the plan?

Measles mumps and rubella (MMR)

Pneumococcal conjugate (PCV13)

Rotavirus

Respiratory syncytial virus (RSV)

• A nurse is reviewing the medical record of school age child who has cystic fibrosis. Which of thefollowing findings should the nurse report to the provider? (Click on the Exhibit) button for additional information about the client. There are three tabs that contain separate categories of data}

Heart rate WBC count

Oxygen

saturation

HbA1c

• A charge nurse is planning care for an infant who has failure to thrive. Which of the followingactions should the nurse include in the plan of care?

Use half strength formula when feeding the

infantGive the infant fruit juice between

feedings

Assign consistent nursing staff to care for the

infant

Keep the infant in a visually stimulating

environment

• A nurse is teaching the parent of school age child about bicycle safety. Which of the followinginstructions should the nurse include in the teaching?

Your child should keep the bicycle at least 3 feet from the curb while riding in the

street

Your child should walk the bicycle through intersections

Your child's feet should be 3 to 6 inches off the group when seated on the

bicycleYour child should ride the bicycle against the flow of traffic

• A nurse is providing discharge teaching to the parents of an infant who is at risk for suddeninfant death syndrome (SIDS). Which of the following statements by the parents indicates an understanding of the teaching?

I will move my baby's stuffed animal to the corner of her crib while she

sleepsI will have my baby sleep next to me in bed during the night

I will dress my baby in lightweight clothing to

sleep

I will lay my baby on her side to sleep for naps

• A nurse in a PACU is caring for a school age child immediately following a tonsillectomy. Which of the following actions should the nurse take?

Place the child in a side lying position

Instruct the child to drink fluids through a

strawOffer the child ice cream when alert

Encourage the child to deep breath and cough

• A nurse in the emergency department is caring for an adolescent who is requesting testing forSTIs. Which of the following actions is appropriate for the nurse to take?

Contact the clients' parents to obtain phone

consent

Obtain written consent from the client

Request verbal consent from the social worker

Postpone the testing until the clients' parents are present

• A nurse is prioritizing care for four clients. Which of the following clients should the nurse assessfirst?