Organ Systems Overview



Time Allotment: 11/2 hours (rat dissection: 1 hour; if performing reproductive system dissection,

1/2 hour each for male and female; dissectible human torso model: 1/2 hour).



Multimedia Resources: See Appendix B for Guide to Multimedia Resource Distributors.

Homeostasis (FHS: 20 minutes, VHS, DVD, 3-year streaming webcast) Homeostasis: The Body in Balance (HRM: 26 minutes, VHS, DVD)

Practice Anatomy LabTM 3.0 (PAL) (PE: DVD, website)



Solutions:

Bleach Solution, 10%

Measure out 100 milliliters of household bleach. Add water to a final volume of 1 liter.

Laboratory Materials

Ordering information is based on a lab size of 24 students, working in groups of 4. A list of supply house addresses appears in Appendix A.

Dissectible human torso model or cadaver

6-12 forceps

6–12 forceps

6–12 blunt probes

Disposable gloves, soap, and sponges 6–12 freshly killed or preserved rats

Twine or large dissecting pins

6–12 dissecting trays

Lab disinfectant or 10% bleach

solution

Advance Preparation

- 1. Make arrangements for appropriate storage and disposal of dissection materials. Check with the Department of Health or the Department of Environmental Protection, or their counterparts, for state regulations.
- 2. Designate a disposal container for organic debris, set up a dishwashing area with hot soapy water and sponges, and provide lab disinfectant such as Wavicide-01 (Carolina) or bleach solution for washing down the lab benches.
- 3. Set out safety glasses and disposable gloves for dissection of freshly killed animals (to protect students from parasites) and for dissection of preserved animals.
- 4. Decide on the number of students in each dissecting group (a maximum of four is suggested, two is probably best). Each dissecting group should have a dissecting pan, dissecting pins, scissors, blunt probe, forceps, twine, and a preserved or freshly killed rat.
- 5. Preserved rats are more convenient to use unless small mammal facilities are available. If live rats are used, they may be killed a half-hour or so prior to the lab by administering an overdose of ether or chloroform. To do this, remove each rat from its cage and hold it firmly by the skin at the back of its neck. Put the rat in a container with cotton soaked in ether or chloroform. Seal the jar tightly and wait until the rat ceases to breathe.
- 6. Set out dissectible human torso models and a dissected human cadaver if available.

Comments and Pitfalls

- Remind students that the rats are serving as model organisms for the human body. It is therefore important when working
 with rats to model the same types of behaviors we would use if working with a human cadaver. While excitement and
 enthusiasm are encouraged, students should be careful not to act in ways that might appear inappropriate or disrespectful of
 the specimens in the classroom.
- 2. Students may be overly enthusiastic when using the scalpel and cut away organs they are supposed to locate and identify. Therefore, use scissors to open the body. Have blunt probes available as the major dissecting tool.
- 3. Be sure the lab is well ventilated, and encourage students to take fresh air breaks if the preservative fumes are strong. If the dissection animal will be used only once, it can be rinsed to remove most of the excess preservative.
- 4. Organic debris may end up in the sinks, clogging the drains. Remind the students to dispose of all dissection materials in the designated container.
- 5. Inferior vena cava and aorta may be difficult to distinguish in uninjected specimens.

Answers to Pre-Lab Quiz (p. 15)

1. The cell

4. urinary

2. c, organ

5. diaphragm

3. nervous

Answers to Activity Questions

Activity 5: Examining the Human Torso Model (pp. 23-24)

- 2. From top to bottom, the organs pointed out on the torso model are: *brain, thyroid gland, trachea, lung, heart, diaphragm, liver, stomach, spleen, large intestine, greater omentum, small intestine*
- 3. Dorsal body cavity: brain, spinal cord

Thoracic cavity: aortic arch, bronchi, descending aorta (thoracic region), esophagus, heart, inferior vena cava, lungs, trachea

Abdominopelvic cavity: adrenal gland, descending aorta (abdominal region), greater omentum, inferior vena cava, kidneys, large intestine, liver, mesentery, pancreas, rectum, small intestine, spleen, stomach, ureters, urinary bladder

Note: The diaphragm separates the thoracic cavity from the abdominopelvic cavity.

4. Digestive: esophagus, liver, stomach, pancreas, small intestine, large intestine (including rectum)

Urinary: kidneys, ureters, urinary bladder

Cardiovascular: aortic arch, heart, descending aorta, inferior vena cava

Endocrine: pancreas, adrenal gland, thyroid gland

Reproductive: none

Respiratory: lungs, bronchi, trachea

Lymphatic/Immunity: *spleen* Nervous: *brain*, *spinal* cord

Answers to Group Challenge (p. 24)

Some possible answers to the questions are listed below. Student answers may vary.

1. Which is the "odd organ"?		Why is it the odd one out?				
Stomach	Small intestine	The teeth are an accessory structure of the digestive system whereas				
Teeth	Oral cavity	the oral cavity, stomach, and small intestine are part of the digestive tract.				
2. Which is the "odd organ"?		Why is it the odd one out?				
Thyroid gland	Spleen	The thyroid gland is not an organ of the lymphatic system.				
Thymus	Lymph nodes					
3. Which is the "odd organ"?		Why is it the odd one out?				
Ovaries Uterus		The prostate gland is not a part of the female reproductive system.				
Prostate gland	Uterine tubes					
4. Which is the "odd organ"?		Why is it the odd one out?				
Stomach	Esophagus	The esophagus is in the thorax whereas the stomach, small intestine,				
Small intestine	Large intestine	and large intestine are in the abdominopelvic cavity.				

NAME	
LAB TIME/DATE	

REVIEW SHEET EXERCISE


Organ Systems Overview

1.	Use the key below to indicate the body systems that perform the following functions for the body; note that some responses
	are used more than once. Then, circle the organ systems (in the key) that are present in all subdivisions of the ventral body
	cavity.

Key: a. cardiovascular	d. integumentary g. nervous j. skeletal						
b. digestive	e. lymphatic/immunity h. reproductive k. urinary						
c. endocrine	f. muscular i. respiratory						
K; urinary	1. rids the body of nitrogen-containing wastes						
c; endocrine	2. is affected by removal of the thyroid gland						
j; skeletal	3. provides support and the levers on which the muscular system acts						
a; cardiovascular	4. includes the heart						
h; reproductive	5. has a menstrual cycle in females						
d; integumentary	6. protects underlying organs from drying out and from mechanical damage						
e; lymphatic/immunity	7. protects the body; destroys bacteria and tumor cells						
b; digestive	8. breaks down ingested food into its building blocks						
i; respiratory	9. removes carbon dioxide from the blood						
a; cardiovascular	10. delivers oxygen and nutrients to the tissues						
f; muscular	11. moves the limbs; facilitates facial expression						
k; urinary	12. conserves body water or eliminates excesses						
c; endocrine	h; reproductive 13. facilitate conception and childbearing						
c; endocrine	14. controls the body by means of chemical molecules called hormones						
d; integumentary	15. is damaged when you cut your finger or get a severe sunburn						

۷.	Using the above key, cho		9 ,		iich each of ti	ie ioliov	Č		structure	s belongs.	
	e; lymphatic/immunity	1.	thymus, spl lymphatic v	•	d; integum	ontarı,	5.	epidermis, dermis, and cutaneous sense	organs		
	c, tymphatic/immunity	2.	bones, carti		u, integum	critar y		testis, ductus deferen			
	j; skeletal	۷.	tendons	iages,	h; reprodu	ctive	0.	urethra	15,		
•		3.	pancreas, p	ituitary			 7.	esophagus, large			
	c; endocrine		adrenals,		b; digestive	b; digestive		intestine, rectum			
		4.	trachea, bro	onchi,			8.	muscles of the thigh,			
	i; respiratory		lungs		f; muscular	•	_	postural mutscles			
3.	Using the key, place the f	ollo	wing organs	in their pr	oper body ca	vity. So	me res	ponses may be used n	nore than	once.	
	Key: a. abdominopelvic		b. cr	anial	c. sp	inal		d thoracic			
	a; abdominopelvic 1	. sto	omach	a; abdo	ominopelvic	4. live	r	d; thoracic	7.	heart	
	_d; thoracic 2	. es	ophagus	c; spine	al	5. spir	nal cor	d; thoracic	8.	trachea	
	a; abdominopelvic 3	. la	rge intestine	abdomin	opelvic	6. urir	ary bl	adder a; abdominope	elvic 9.	rectum	
1.	Using the organs listed in below.	que	stion 3 above	e, record,	by number, w	hich wo	ould be	e found in the abdomin	opelvic	regions listed	
	3, 6, 9	1.	hypogastri	c region		1, 3,	4	4. epigastri	c region		
	3	2.	right lumbar region			3,		5. left iliac	5. left iliac region		
	3	3.	umbilical r	egion		1, 3		6. left hypo	chondri	ac region	
5.	The levels of organization	of a	of a living body include <u>cell</u>		ell	, tissue		issue			
	organ	,	organ syste	em	, a	nd orga	nism.				
5.	Define organ. <u>A body par</u>	<u>rt (01</u>	r structure) ti	hat is mad	le up of two o	r more	tissue	types and performs a	specific .	body function	
	(e.g., the stomach, the kidney)										

7. Using the terms provided, correctly identify all of the body organs provided with leader lines in the drawings shown below. Then name the organ systems by entering the name of each on the answer blank below each drawing.



8. Why is it helpful to study the external and internal structures of the rat? <u>Many of the external and internal structures are</u> similar to those in the human. Studying the rat can help you to understand your own structure.