

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Solve the problem.

- 1) The amount spent on textbooks for the fall term was recorded for a sample of five hundred university students. The mean expenditure was calculated to be \$500 and the standard deviation of the expenditures was calculated to be \$100. Suppose a randomly selected student reported that their textbook expenditure was \$700. Calculate the z-score for this student's textbook expenditure. 1) _____
- A) +3 B) +2 C) -2 D) -3

Answer: B

- Explanation: A)
B)
C)
D)


- 2) The amount of time workers spend commuting to their jobs each day in a large metropolitan city has a mean of 70 minutes and a standard deviation of 20 minutes. Assuming nothing is known about the shape of the distribution of commuting times, what percentage of these commuting times are between 30 and 110 minutes? 2) _____
- A) at least 0% B) at least 95% C) at least 89% D) at least 75%

Answer: D

- Explanation: A)
B)
C)
D)

3) One of the questions posed to a sample of 286 incoming freshmen at a large public university was, "Do you have any tattoos?" Their responses are shown below in the pie chart. Please note that the values shown represent the number of responses in each category.

3) _____



Based on the responses shown in the pie chart, what percentage of the freshmen responded with "Yes?"


- A) 76%
- B) 76
- C) 73.4%
- D) 26.6%

Answer: D

Explanation: A)
B)
C)
D)

4) The box plot shown below was constructed for the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local soda bottling company.

4) _____



We see that one soda can received 12.30 ounces of soda on the plot above. Based on the box plot presented, how would you classify this observation?

- A) expected observation
- B) highly suspect outlier
- C) suspect outlier
- D) it has a lot of soda

Answer: B

Explanation: A)
B)
C)
D)

5) The amount spent on textbooks for the fall term was recorded for a sample of five university students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample range for the data.

5) _____

- A) \$250
- B) \$450
- C) \$99.37
- D) \$98.75

Answer: A

Explanation: A)
B)
C)
D)

6) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 100 miles per hour (mph) and the standard deviation of the serve speeds was 15 mph. Using the z-score approach for detecting outliers, which of the following serve speeds would represent outliers in the distribution of the player's serve speeds? 6) _____

Speeds: 50 mph, 80 mph, and 105 mph

- A) 50, 80, and 105 are all outliers.
- B) 50 is the only outlier.
- C) None of the three speeds are outliers.
- D) 50 and 80 are both outliers, 105 is not.

Answer: B

Explanation: A)
B)
C)
D)

7) Calculate the standard deviation of a sample for which $n = 6$, $\sum x^2 = 830$, $\sum x = 60$. 7) _____

- A) 164.00
- B) 6.19
- C) 6.78
- D) 46.00

Answer: C

Explanation: A)
B)
C)
D)

8) In an eye color study, 25 out of 50 people in the sample had brown eyes. In this situation, what does the number .50 represent? 8) _____

- A) a class relative frequency
- B) a class percentage
- C) a class frequency
- D) a class

Answer: A

Explanation: A)
B)
C)
D)

9) Which of the following is a measure of the variability of a distribution? 9) _____

- A) range
- B) median
- C) sample size
- D) skewness

Answer: A

Explanation: A)
B)
C)
D)

10) The amount spent on textbooks for the fall term was recorded for a sample of five university students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample mean for the data. 10) _____

- A) \$465
- B) \$450
- C) \$600
- D) \$400

Answer: A

Explanation: A)
B)
C)
D)

- 11) Calculate the variance of a sample for which $n = 5$, $\sum x^2 = 1320$, $\sum x = 80$. 11) _____
- A) 8.00 B) 326.00 C) 3.16 D) 10.00

Answer: D
 Explanation: A)
 B)
 C)
 D)

- 12) The amount spent on textbooks for the fall term was recorded for a sample of five university students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample median for the data. 12) _____
- A) \$465 B) \$400 C) \$600 D) \$450

Answer: D
 Explanation: A)
 B)
 C)
 D)

- 13) Parking at a university has become a problem. University administrators are interested in determining the average time it takes a student to find a parking spot. An administrator inconspicuously followed 90 students and recorded how long it took each of them to find a parking spot. Which of the following types of graphs should not be used to display information concerning the students parking times? 13) _____
- A) pie chart B) histogram
 C) box plot D) stem-and-leaf display

Answer: A
 Explanation: A)
 B)
 C)
 D)

- 14) The total points scored by a basketball team for each game during its last season have been summarized in the table below. Which statement following the table must be true? 14) _____

Score	Frequency
41-60	3
61-80	8
81-100	12
101-120	7

- A) The range is at least 81 but at most 100. B) The range is at least 41 but at most 79.
 C) The range is at least 41 but at most 120. D) The range is 79.

Answer: B
 Explanation: A)
 B)
 C)
 D)

- 15) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed was 100 miles per hour (mph) and the standard deviation of the serve speeds was 15 mph. Assume that the statistician also gave us the information that the distribution of serve speeds was mound-shaped and symmetric. What percentage of the player's serves were between 115 mph and 145 mph? 15) _____
- A) at most 2.5% B) at most 34%
 C) at most 13.5% D) approximately 16%

Answer: D

Explanation: A)
 B)
 C)
 D)

- 16) A survey was conducted to determine how people feel about the quality of programming available on television. Respondents were asked to rate the overall quality from 0 (no quality at all) to 100 (extremely good quality). The stem-and-leaf display of the data is shown below. 16) _____

Stem	Leaf
3	1 6
4	0 3 4 7 8 9 9 9
5	0 1 1 2 3 4 5
6	1 2 5 6 6
7	1 4
8	
9	5

What percentage of the respondents rated overall television quality as very good (regarded as ratings of 80 and above)?


- A) 1% B) 4% C) 20% D) 5%

Answer: B

Explanation: A)
 B)
 C)
 D)

17) A sample of professional golfers was taken and their driving distance (measured as the average distance as their drive off the tee) and driving accuracy (measured as the percentage of fairways that their drives landed in) were recorded. A scatterplot of the variables is shown below.

17) _____



What relationship do these two variables exhibit?

- A) They exhibit a positive linear relationship
- B) They exhibit a negative linear relationship
- C) They exhibit a curvilinear relationship
- D) They exhibit no relationship

Answer: B

Explanation: A)
B)
C)
D)

18) The box plot shown below was constructed for the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local soda bottling company.

18) _____



We see that one soda can received 12.15 ounces of soda on the plot above. Based on the box plot presented, how would you classify this observation?

- A) it has a lot of soda
- B) suspect outlier
- C) highly suspect outlier
- D) expected observation

Answer: B

Explanation: A)
B)
C)
D)

19) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 96 miles per hour. Suppose that the statistician indicated that the serve speed distribution was skewed to the left. Which of the following values is most likely the value of the median serve speed?

19) _____

- A) 96 mph
- B) 91 mph
- C) 86 mph
- D) 101 mph

Answer: D

Explanation: A)
B)
C)
D)

20) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$100 and a standard deviation of \$14. Three solar homes reported monthly utility bills of \$51, \$48, and \$56. Which of the following statements is true?

20) _____

- A) Homes using solar power may actually have higher utility bills than homes using only gas and electricity.
- B) Homes using solar power always have lower utility bills than homes using only gas and electricity.
- C) Homes using solar power may have lower utility bills than homes using only gas and electricity.
- D) The utility bills for homes using solar power are about the same as those for homes using only gas and electricity.

Answer: C

- Explanation: A)
 B)
 C)
 D)

21) 252 randomly sampled college students were asked, among other things, to estimate their college grade point average (GPA). The responses are shown in the stem-and-leaf plot shown below. Notice that a GPA of 3.65 would be indicated with a stem of 36 and a leaf of 5 in the plot. How many of the students who responded had GPA's that exceeded 3.55?

21) _____

Stem and Leaf Plot of GPA

Leaf Digit Unit = 0.01
 19 9 represents 1.99

Minimum 1.9900
 Median 3.1050
 Maximum 4.0000

	Stem	Leaves
1	19	9
5	20	0668
6	21	0
11	22	05567
15	23	0113
20	24	00005
33	25	0000000000067
46	26	0000005577789
61	27	000000134455578
79	28	000000000144667799
88	29	002356777
116	30	000000000000000000011344559
(19)	31	0000000000112235666
117	32	0000000000000000345568
95	33	00000000025557
80	34	000000000000000333444566677889
49	35	000003355566677899
31	36	000005
25	37	022235588899
13	38	00002579
5	39	7
4	40	0000

252 cases included

A) 19

B) 49

C) 39

D) 31

Answer: C

Explanation: A)
B)
C)
D)

22) The range of scores on a statistics test was 42. The lowest score was 57. What was the highest score? 22) _____

A) cannot be determined

B) 70.5

C) 78

D) 99

Answer: D

Explanation: A)
B)
C)
D)

23) The amount of time workers spend commuting to their jobs each day in a large metropolitan city has a mean of 70 minutes and a standard deviation of 20 minutes. Assuming the distribution of commuting times is known to be moundshaped and symmetric, what percentage of these commuting times are between 50 and 110 minutes? 23) _____

A) approximately 95%

B) approximately 97.5%

C) approximately 68%

D) approximately 81.5%

Answer: D

Explanation: A)
B)
C)
D)

24) What class percentage corresponds to a class relative frequency of .37? 24) _____

A) 63%

B) .63%

C) .37%


D) 37%

Answer: D

Explanation: A)
B)
C)
D)

25) 260 randomly sampled college students were asked, among other things, to state their year in school (freshman, sophomore, junior, or senior). The responses are shown in the bar graph below. How many of the students who responded would be classified as upperclassmen (e.g., juniors or seniors)?

25) _____



- A) Approximately 125 B) Approximately 10
 C) Approximately 25 D) Approximately 100

Answer: A

Explanation: A)
 B)
 C)
 D)

26) The amount spent on textbooks for the fall term was recorded for a sample of five hundred university students. It was determined that the 75th percentile was the value \$500. Which of the following interpretations of the 75th percentile is correct?

26) _____

- A) 25% of the students sampled had textbook costs that exceeded \$500.
 B) 75% of the students sampled had textbook costs that exceeded \$500.
 C) The average of the 500 textbook costs was \$500.
 D) 75% of the students sampled had textbook costs equal to \$500.

Answer: A

Explanation: A)
 B)
 C)
 D)

27) Which number on the screen below is the sample standard deviation of the data?

27) _____

```
1-Var Stats
x̄=5.8
Σx=58
Σx²=408
Sx=2.82055944
σx=2.675817632
↓n=10
```

- A) 2.82 B) 2.67 C) 408 D) 5.8

Answer: A

Explanation: A)
B)
C)
D)

28) The amount spent on textbooks for the fall term was recorded for a sample of five university students - \$400, \$350, \$600, \$525, and \$450. Calculate the value of the sample standard deviation for the data.

28) _____

- A) \$99.37 B) \$98.75 C) \$250 D) \$450

Answer: A

Explanation: A)
B)
C)
D)

29) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed was 100 miles per hour (mph) and the standard deviation of the serve speeds was 15 mph. If nothing is known about the shape of the distribution, what percentage of the player's serve speeds are less than 70 mph?

29) _____

- A) at most 12.5%
B) at most 25%
C) approximately 5%
D) at most 11%
E) approximately 2.5%

Answer: B

Explanation: A)
B)
C)
D)
E)

- 30) The temperature fluctuated between a low of 73°F and a high of 89°F. Which of the following could be calculated using just this information? 30) _____
- A) variance
B) range
C) standard deviation
D) median

Answer: B


- Explanation: A)
B)
C)
D)

- 31) The amount spent on textbooks for the fall term was recorded for a sample of five hundred university students. The mean expenditure was calculated to be \$500 and the median expenditure was calculated to be \$425. Which of the following interpretations of the mean is correct? 31) _____
- A) 50% of the students sampled had textbook costs equal to \$500
B) The average of the textbook costs sampled was \$500
C) 50% of the students sampled had textbook costs that were less than \$500
D) The most frequently occurring textbook cost in the sample was \$500

Answer: B

- Explanation: A)
B)
C)
D)

- 32) A dot plot of the speeds of a sample of 50 cars passing a policeman with a radar gun is shown below. 32) _____



- What proportion of the motorists were driving above the posted speed limit of 55 miles per hour?
A) 7 B) 0.50 C) 0.64 D) 0.14

Answer: B

- Explanation: A)
B)
C)
D)

- 33) The amount spent on textbooks for the fall term was recorded for a sample of five hundred university students. The mean expenditure was calculated to be \$500 and the median expenditure was calculated to be \$425. Which of the following interpretations of the median is correct?
- A) 50% of the students sampled had textbook costs that were less than \$425
 - B) The most frequently occurring textbook cost in the sample was \$425
 - C) The average of the textbook costs sampled was \$425
 - D) 50% of the students sampled had textbook costs equal to \$425


33) _____

Answer: A

Explanation: A)
B)
C)
D)

- 34) The payroll amounts for all teams in an international hockey league are shown below using a graphical technique from chapter 2 of the text. How many of the hockey team payrolls exceeded \$20 million (Note: Assume that no payroll was exactly \$20 million)?

34) _____



- A) 18 teams
- B) 8 teams
- C) 10 teams
- D) 23 teams

Answer: D

Explanation: A)
B)
C)
D)

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 35) Parking at a university has become a problem. University administrators are interested in determining the average time it takes a student to find a parking spot. An administrator inconspicuously followed 190 students and recorded how long it took each of them to find a parking spot. The times had a distribution that was skewed to the left. Based on this information, discuss the relationship between the mean and the median for the 190 times collected.

35) _____

Answer: Since the distribution is skewed to the left, we know that the median time will exceed the mean time.

Explanation:

36) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 310 and a standard deviation of 50 on a standardized test. Find and interpret the z-score of a student who scored 490 on the standardized test.

36) _____

Answer: The z-score is $z = \frac{x - \mu}{\sigma}$.

$$\text{For a score of 49, } z = \frac{490 - 310}{50} = 3.60.$$

This student's score falls 3.60 standard deviations above the mean score of 310.

Explanation:

37) The following data represent the scores of 50 students on a statistics exam. The mean score is 80.02, and the standard deviation is 11.9.

37) _____

39 51 59 63 66 68 68 69 70 71
 71 71 73 74 76 76 76 77 78 79
 79 79 79 80 80 82 83 83 83 85
 85 86 86 88 88 88 88 89 89 89
 90 90 91 91 92 95 96 97 97 98

Find the z-scores for the highest and lowest exam scores.

Answer: highest: $z = 1.51$; lowest: $z = -3.45$

Explanation:

38) The calculator screens summarize a data set.

38) _____

```
1-Var Stats
x̄=79.95238095
Σx=1679
Σx²=138471
Sx=14.54467666
σx=14.19415101
↓n=21
```

```
1-Var Stats
↑n=21
minX=30
Q1=75
Med=82
Q3=90
maxX=97
```

- Identify the smallest measurement in the data set.
- Identify the largest measurement in the data set.
- Calculate the range of the data set.

Answer: a. $\text{min}X=30$
 b. $\text{max}X=97$
 c. $97 - 30 = 67$

Explanation:

39) The following data represent the scores of 50 students on a statistics exam. The mean score is 80.02, and the standard deviation is 11.9. 39) _____

39 51 59 63 66 68 68 69 70 71
 71 71 73 74 76 76 76 77 78 79
 79 79 79 80 80 82 83 83 83 85
 85 86 86 88 88 88 88 89 89 89
 90 90 91 91 92 95 96 97 97 98

Use the z-score method to identify potential outliers among the scores.


Answer: The z-score of 39 is -3.46. Since this z-score is less than -3, the score of 39 is an outlier. All other scores have z-scores between -3 and 3, so there are no other outliers.

Explanation:

40) Use a graphing calculator or software to construct a box plot for the following data set. 40) _____

12 18 14 17 19 16 14 18 15 17 11
 13 14 11 16 18 15 13 17 15 14 19
 12 16 17

Answer: The horizontal axis extends from 10 to 20, with each tick mark representing one unit.



Explanation:

41) The following data represent the scores of 50 students on a statistics exam. 41) _____

39 51 59 63 66 68 68 69 70 71
 71 71 73 74 76 76 76 77 78 79
 79 79 79 80 80 82 83 83 83 85
 85 86 86 88 88 88 88 89 89 89
 90 90 91 91 92 95 96 97 97 98

- Find the lower quartile, the upper quartile, and the median of the scores.
- Find the interquartile range of the data and use it to identify potential outliers.
- In a box plot for the data, which scores, if any, would be outside the outer fences? Which scores, if any, would be outside the inner fences but inside the outer fences?

Answer: a. The lower quartile is 73, the upper quartile is 89, and the median is 81.
 b. The interquartile range is $89 - 73 = 16$. The score of 39 is a potential outlier since it is less than $73 - 1.5(16) = 49$.
 c. No scores fall outside the outer fences, 25 and 137. Only the score of 39 lies between the inner and outer fences.

Explanation:

42) The calculator screens summarize a data set.

42) _____

```
1-Var Stats
x̄=79.95238095
Σx=1679
Σx²=138471
Sx=14.54467666
σx=14.19415101
↓n=21
```

```
1-Var Stats
↑n=21
minX=30
Q1=75
Med=82
Q3=90
maxX=97
■
```

- a. How many data items are in the set?
- b. What is the sum of the data?
- c. Identify the mean, median, and mode, if possible.

Answer: a. $n = 21$

b. $\sum x = 1679$

c. mean: $\bar{x} \approx 79.95$; median: Med=82; mode: not possible

Explanation:

43) For a given data set, which is typically greater, the range or the standard deviation?

43) _____

Answer: range

Explanation:

44) In a summary of recent real estate sales, the median home price is given as \$325,000. What percentile corresponds to a home price of \$325,000?

44) _____

Answer: 50th percentile

Explanation:

45) Each year advertisers spend billions of dollars purchasing commercial time on network television. In the first 6 months of one year, advertisers spent \$1.1 billion. Who were the largest spenders? In a recent article, the top 10 leading spenders and how much each spent (in million of dollars) were listed:

45) _____

Company A	\$71	Company F	\$25.9
Company B	63.7	Company G	24.6
Company C	54.5	Company H	23.1
Company D	54.1	Company I	23.6
Company E	28.5	Company J	19.8

Calculate the mean and median for the data.

Answer: The mean of the data is $x = \frac{\sum x}{n}$

$$\frac{71 + 63.7 + 54.5 + 54.1 + 28.5 + 25.9 + 24.6 + 23.1 + 23.6 + 19.8}{10}$$

$$= \frac{388.8}{10}$$

$$= 38.88 \Rightarrow \$38.88 \text{ million}$$

The median is the average of the middle two observations.

$$M = \frac{28.5 + 25.9}{2} = 27.20 \Rightarrow \$27.20 \text{ million}$$

Explanation:

46) Various state and national automobile associations regularly survey gasoline stations to determine the current retail price of gasoline. Suppose one such national association contacts 200 stations in the United States to determine the price of regular unleaded gasoline at each station. In the context of this problem, define the following descriptive measures: μ , σ , \bar{x} , s .

46) _____

Answer: μ is the mean price of the regular unleaded gasoline prices of all retail gas stations in the United States.

σ is the standard deviation of the regular unleaded gasoline prices of all retail gas stations in the United States.

\bar{x} is the mean price of the regular unleaded gasoline prices collected from the 200 stations sampled.

s is the standard deviation of the regular unleaded gasoline prices collected from the 200 stations sampled.

Explanation:

47) Which is expressed in the same units as the original data, the variance or the standard deviation?

47) _____

Answer: standard deviation

Explanation:

48) The output below displays the mean and median for the state high school dropout rates in year 1 and in year 5. 48) _____

	Year 1	Year 5
N	51	51
MEAN	28.22	26.56
MEDIAN	27.53	25.18

Use the information to determine the shape of the distributions of the high school dropout rates in year 1 and year 5.

Answer: In both year 1 and year 5, the mean dropout rates exceed the median dropout rates. This indicates that both the year 1 and year 5 high school dropout rates have distributions that are skewed to the right.

Explanation:

49) The calculator screens summarize a data set. 49) _____

```

1-Var Stats
x̄=5.5
Mx=5.5
Σx²=385
Sx=3.027650354
σx=2.872281323
↓n=10

```

```

1-Var Stats
↑n=10
minX=1
Q1=3
Med=5.5
Q3=8
maxX=10

```

- Identify the mean and the sample standard deviation. Round to one place after the decimal, where necessary.
- Find the interval that corresponds to measurements within two standard deviations of the mean.

Answer: a. mean: $\bar{x} = 5.5$; sample standard deviation: $S_x \approx 3.0$
 b. $(5.5 - 2 \times 3.0, 5.5 + 2 \times 3.0) = (-.5, 11.5)$

Explanation:

50) Suppose that 50 and 75 are two elements of a population data set and their z-scores are -3 and 2, respectively. Find the mean and standard deviation. 50) _____

Answer: mean: 65; standard deviation: 5
 Explanation:

51) The ages of five randomly chosen professors are 58, 61, 62, 69, and 44. Calculate the sample variance of these ages. 51) _____

Answer: $s^2 = \frac{\sum(x - \bar{x})^2}{n - 1}$

$$\bar{x} = \frac{\sum x}{n} = \frac{58 + 61 + 62 + 69 + 44}{5} = 58.8$$

$$s^2 = \frac{(58 - 58.8)^2 + (61 - 58.8)^2 + (62 - 58.8)^2 + (69 - 58.8)^2 + (44 - 58.8)^2}{5 - 1} = 84.70$$

Explanation:

52) The scores for a statistics test are as follows:

52) _____

87 76 92 77 92 96 88 85 66 89
79 96 50 98 83 88 82 51 10 69

Create a stem-and-leaf display for the data.

Answer:

Stem	Leaf
1	0
2	
3	
4	
5	0 1
6	6 9
7	6 7 9
8	2 3 5 7 8 8 9
9	2 2 6 6 8

Explanation:

53) Given the sample variance of a distribution, explain how to find the standard deviation.

53) _____

Answer: Take the square root of the sample variance to find the sample standard deviation.


Explanation:

54) An annual survey sent to retail store managers contained the question "Did your store suffer any losses due to employee theft?" The responses are summarized in the table for two years. Compare the responses for the two years using side-by-side bar charts. What inferences can be made from the charts?

54) _____

Employee Theft	Percentage in year 1	Percentage in year 2
Yes	34	23
No	51	68
Don't know	15	9
Totals	100	100

Answer:



Losses due to employee theft have decreased from year 1 to year 2.

Explanation:

- 55) What is a time series plot? 55) _____
 Answer: A scatterplot with the measurements on the vertical axis and time (or the order in which the measurements were made) on the horizontal axis.
 Explanation:
- 56) A sample of 100 e-mail users were asked whether their primary e-mail account was a free account, an institutional (school or work) account, or an account that they pay for personally. Identify the classes for the resulting data. 56) _____
 Answer: free account, institutional account, account paid for personally
 Explanation:
- 57) Explain how it can be misleading to report only the mean of a distribution without any measure of the variability. 57) _____
 Answer: When comparing means from two different distributions, the difference between them may be insignificant if the variability in one or both of the distributions is large.
 Explanation:
- 58) For a given data set, the lower quartile is 45, the median is 50, and the upper quartile is 57. The minimum value in the data set is 32, and the maximum is 81. 58) _____
- a. Find the interquartile range.
 - b. Find the inner fences.
 - c. Find the outer fences.
 - d. Is either of the minimum or maximum values considered an outlier? Explain.
- Answer: a. The interquartile range is $57 - 45 = 12$.
 b. The inner fences are $45 - 1.5(12) = 27$ and $57 + 1.5(12) = 75$.
 c. The outer fences are $45 - 3(12) = 9$ and $57 + 3(12) = 93$.
 d. The maximum of 81 is a potential outlier since it lies outside the inner fences. The minimum is within the inner fence and is not considered to be an outlier.
 Explanation:
- 59) A retail store's customer satisfaction rating is at the 88th percentile. What percentage of retail stores has higher customer satisfaction ratings than this store? 59) _____
 Answer: 12%
 Explanation:

60) The data below show the types of medals won by athletes representing the United States in the Winter Olympics. 60) _____

gold gold silver gold bronze silver silver
 bronze gold silver silver bronze silver gold
 gold silver silver bronze bronze gold silver
 gold gold bronze bronze

- a. Construct a frequency table for the data.
- b. Construct a relative frequency table for the data.
- c. Construct a frequency bar graph for the data.


Answer: a.

Medal	Frequency
Gold	9
Silver	9
Bronze	7

b.

Medal	Relative Frequency
Gold	.36
Silver	.36
Bronze	.28

c.



Explanation:

61) The total points scored by a basketball team for each game during its last season have been summarized in the table below. Identify the modal class of the distribution of scores. 61) _____

Score	Frequency
41-60	3
61-80	8
81-100	12
101-120	7

Answer: The modal class is the class with the greatest frequency: 81-100 points.

Explanation:

62) The calculator screens summarize a data set.

62) _____

```

1-Var Stats
x̄=79.95238095
Σx=1679
Σx²=138471
Sx=14.54467666
σx=14.19415101
↓n=21
    
```

```

1-Var Stats
↑n=21
minX=30
Q1=75
Med=82
Q3=90
maxX=97
    
```

- Identify the lower and upper quartiles of the data set.
- Find the interquartile range.
- Is there reason to suspect that the data may contain an outlier? Explain.

Answer: a. lower quartile: Q1=75; upper quartile: Q3=90
 b. interquartile range: 90 - 75 = 15
 c. Yes; the smallest measurement, 30, is three times the interquartile range less than the lower quartile, so it is a suspected outlier.

Explanation:

63) Explain how using a scale break on the vertical axis of a histogram can be misleading.

63) _____

Answer: Using a scale break on the vertical axis may make the shorter bars look disproportionately shorter than the taller bars.

Explanation:

64) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics. Find the range, sample variance, and sample standard deviation of the numbers of medals won by these countries.

64) _____

1 2 3 3 4 9 9 11 11
 11 14 14 19 22 23 24 25 29

Answer: The range is 29 - 1 = 28 medals.

$$\text{The variance is } s^2 = \frac{\sum x^2 - \frac{(\sum x)^2}{n}}{n - 1} = \frac{4372 - \frac{(234)^2}{18}}{17} = \frac{1330}{17} \approx 78.24$$

$$\text{The standard deviation is } s = \sqrt{s^2} = \sqrt{\frac{1330}{17}} \approx 8.85$$

Explanation:

65) What characteristic of a Pareto diagram distinguishes it from other bar graphs?

65) _____

Answer: In a Pareto diagram, the bars are arranged by height in a descending order from left to right.

Explanation:

66) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 98 miles per hour (mph) and the standard deviation of the serve speeds was 13 mph. Assume that the statistician also gave us the information that the distribution of serve speeds was mound-shaped and symmetric. Find the percentage of serves that were hit faster than 72 mph. 66) _____

Answer: We use the Empirical Rule to determine the percentage of serves with speeds faster than 72 mph. We do this by first finding the percentage of serves with speeds between 72 and 98 mph. The Empirical Rule states that approximately 34.0% (68%/2) fall between 72 and 98 mph. Because the distribution is symmetric about the mean speed of 98 mph, we know 50% of the serve speeds were faster than 98 mph. We add these findings together to determine that 34.0% + 50% = 84.0% of the serves were hit faster than 72 mph.

Explanation:

67) Explain how stretching the vertical axis of a histogram can be misleading. 67) _____

Answer: Stretching the vertical axis may overemphasize the differences in the heights of the bars making the taller bars look much taller than the shorter bars.

Explanation:

68) Calculate the mean of a sample for which $\sum x = 196$ and $n = 8$. 68) _____

Answer: The mean is divided by n:

$$\frac{\sum x}{n} = \frac{196}{8} = 24.5.$$

Explanation:

69) The amount of television viewed by today's youth is of primary concern to Parents Against Watching Television (PAWT). Three hundred parents of elementary school-aged children were asked to estimate the number of hours per week that their child watches television. The upper quartile for the distribution was given as 20 hours. Interpret this value. 69) _____

Answer: 75% of the TV viewing times are less than 20 hours per week. 25% of the times exceed 20 hours per week.


Explanation:

70) The scores of nine members of a women's golf team in two rounds of tournament play are listed below. 70) _____

Player	1	2	3	4	5	6	7	8	9
Round 1	85	90	87	78	92	85	79	93	86
Round 2	90	87	85	84	86	78	77	91	82

Construct a scattergram for the data.

Answer:



Explanation:

71) The table shows the number of each type of book found at an online auction site during a recent search.

71) _____


Type of Book	Number
Children's	51,033
Fiction	141,114
Nonfiction	253,074
Educational	67,252

- Construct a relative frequency table for the book data.
- Construct a pie chart for the book data.

Answer: a.

Type of Book	Relative Frequency
Children's	.10
Fiction	.28
Nonfiction	.49
Educational	.13

b.



Explanation:

72) The following data represent the scores of 50 students on a statistics exam. The mean score is 80.02, and the standard deviation is 11.9.

72) _____

39 51 59 63 66 68 68 69 70 71
 71 71 73 74 76 76 76 77 78 79
 79 79 79 80 80 82 83 83 83 85
 85 86 86 88 88 88 88 89 89 89
 90 90 91 91 92 95 96 97 97 98

What percentage of the scores lies within one standard deviation of the mean? two standard deviations of the mean? three standard deviations of the mean? Based on these percentages, do you believe that the distribution of scores is mound-shaped and symmetric? Explain.

Answer: 74% of the scores lie within one standard deviation of the mean, 96% within two standard deviations, and 98% within three standard deviations. These percentages are close to those given in the Empirical Rule, so the distribution is roughly mound-shaped and symmetric, though obviously skewed slightly to the left.

Explanation:

73) Test scores for a history class had a mean of 79 with a standard deviation of 4.5. Test scores for a physics class had a mean of 69 with a standard deviation of 3.7. One student earned a 55 on the history test and a 70 on the physics test. Calculate the z-score for each test. On which test did the student perform better? 73) _____

Answer: history z-score = -5.33; physics z-score = 0.27; The student performed better on the physics test.

Explanation:

74) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics. Find the mean, median, and mode of the numbers of medals won by these countries. 74) _____

1 2 3 3 4 9 9 11 11
 11 14 14 19 22 23 24 25 29

Answer: The mean is the sum of the numbers divided by 18:

$$\frac{1 + 2 + 3 + 3 + 4 + 9 + 9 + 11 + 11 + 11 + 14 + 14 + 19 + 22 + 23 + 24 + 25 + 29}{18}$$

$$= \frac{234}{18} = 13 \text{ medals.}$$

The median is the mean of the two middle numbers: $\frac{11 + 11}{2} = 11$ medals.

The mode is the most frequent number of medals: 11 medals.

Explanation:

75) Which measures variability about the mean, the range or the standard deviation? 75) _____

Answer: standard deviation

Explanation:


76) The total points scored by a basketball team for each game during its last season have been summarized in the table below. 76) _____

Score	Frequency
41-60	3
61-80	8
81-100	12
101-120	7

- Explain why you cannot use the information in the table to construct a stem-and-leaf display for the data.
- Construct a histogram for the scores.

Answer: a. The exact scores would be needed to construct a stem-and-leaf display but the exact scores are not available in the table given.

b.



Explanation:

77) Complete the frequency table for the data shown below. 77) _____

green blue brown orange blue
 brown orange blue red green
 blue brown green red brown
 blue brown blue blue red

Color	Frequency
Green	_____
Blue	_____
Brown	_____
Orange	_____

Answer:

Color	Frequency
Green	3
Blue	7
Brown	5
Orange	2
Red	3

Explanation:

78) The data show the total number of medals (gold, silver, and bronze) won by each country winning at least one gold medal in the Winter Olympics.

78) _____

1 2 3 3 4 9 9 11 11

11 14 14 19 22 23 24 25 29

a. Complete the class frequency table for the data.


Total Medals	Frequency
1-5	
6-10	
11-15	
16-20	
21-25	
26-30	

b. Using the classes from the frequency table, construct a histogram for the data.

Answer: a.

Total Medals	Frequency
1-5	5
6-10	2
11-15	5
16-20	1
21-25	4
26-30	1

b.



Explanation:

79) By law, a box of cereal labeled as containing 24 ounces must contain at least 24 ounces of cereal. The machine filling the boxes produces a distribution of fill weights that is mound-shaped and symmetric, with a mean equal to the setting on the machine and with a standard deviation equal to 0.02 ounce. To ensure that most of the boxes contain at least 24 ounces, the machine is set so that the mean fill per box is 24.06 ounces. What percentage of the boxes do, in fact, contain at least 24 ounces? 79) _____

Answer: The value of 24 ounces falls three standard deviations below the mean. The Empirical Rule states that approximately all of the boxes will contain cereal amounts between 24.00 ounces and 24.12 ounces. Therefore, approximately 100% of the boxes contain at least 24 ounces.

Explanation:

80) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$124.00 and a standard deviation of \$15.00. Assuming the distribution is mound-shaped and symmetric, would you expect to see a 3-bedroom house using gas or electric energy with a monthly utility bill of \$236.50? Explain. 80) _____

Answer: The z-score for the value \$236.50 is:

$$z = \frac{x - \bar{x}}{s} = \frac{236.5 - 124}{15} = 7.5$$

An observation that falls 7.5 standard deviations above the mean is very unlikely. We would not expect to see a monthly utility bill of \$236.50 for this home.

Explanation:

81) Explain how it can be misleading to draw the bars in a histogram so that the width of each bar is proportional to its height rather than have all bars the same width. 81) _____

Answer: The reader may think that the area of the bar represents the quantity rather than the height of the bar, giving a disproportionate emphasis on the taller bars.

Explanation:

82) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 76 and 4, respectively, and the distribution of scores is mound-shaped and symmetric. If a firm wanted to give the best 2.5% of the trainees a big promotion, what test score would be used to identify the trainees in question? 82) _____

Answer: The Empirical Rule states that 95% of the data will fall between 68 and 84. Because the distribution is symmetric, half of the remaining 5%, or 2.5%, will have test scores above 84. Thus, 84 is the cutoff point that will identify the trainees who will receive the promotion.

Explanation:

83) The z-score for a value x is -2.5. State whether the value of x lies above or below the mean and by how many standard deviations. 83) _____

Answer: The value of x lies 2.5 standard deviations below the mean.


Explanation:

84) The data below represent the numbers of absences and the final grades of 15 randomly selected students from a statistics class. Construct a scattergram for the data. Do you detect a trend?

84) _____

Student	Number of Absences	Final Grade as a Percent
1	5	79
2	6	78
3	2	86
4	12	56
5	9	75
6	5	90
7	8	78
8	15	48
9	0	92
10	1	78
11	9	81
12	3	86
13	10	75
14	3	89
15	11	65

Answer:



There appears to be a trend in the data. As the number of absences increases, the final grade decreases.

Explanation:

85) The calculator screens summarize a data set.

85) _____

```

1-Var Stats
x̄=73.65217391
Σx=1694
Σx²=138696
Sx=25.16239744
σx=24.60931018
↓n=23

```

```

1-Var Stats
↑n=23
minX=0
Q1=73
Med=81
Q3=90
maxX=97

```

- a. Identify the mean and the median.
- b. Based only on the mean and the median, do you expect that the data set is skewed to the right, symmetric, or skewed to the left? Explain.

Answer: a. mean: $\bar{x} \approx 73.65$; median: Med=81

b. We expect the data to be skewed to the left because the mean is less than the median.

Explanation:

86) What is the primary advantage of a time series plot?

86) _____

Answer: A time series plot describes behavior over time and reveals movement (trend) and changes (variation) in the variable being monitored.

Explanation:

87) A radio station claims that the amount of advertising each hour has an a mean of 17 minutes and a standard deviation of 2.5 minutes. You listen to the radio station for 1 hour and observe that the amount of advertising time is 11.75 minutes. Based on your observation, what would you infer about the radio station's claim?

87) _____

Answer: The z-score for the value 11.75 is -2.1

Since the z-score would not indicate that 11.75 minutes represents an outlier, there is no evidence that the station's claim is incorrect.

Explanation:

88) The mean \bar{x} of a data set is 18, and the sample standard deviation s is 2. Explain what the interval (12, 24) represents.

88) _____

Answer: measurements within three standard deviations of the mean

Explanation:

89) A small computing center has found that the number of jobs submitted per day to its computers has a distribution that is approximately mound-shaped and symmetric, with a mean of 93 jobs and a standard deviation of 8. On what percentage of days do the number of jobs submitted exceed 101?

89) _____

Answer: The value 101 falls one standard deviation above the mean in the distribution. Using the Empirical Rule, 68% of the days will have between 85 and 101 jobs submitted. Of the remaining 32% of the days, half, or $32\%/2 = 16\%$, of the days will have more than 101 jobs submitted.

Explanation:

90) The table shows the number of each type of car sold in June.

90) _____


Car	Number
compact	7,204
sedan	9,089
small SUV	20,418
large SUV	13,691
minivan	15,837
truck	15,350
Total	81,589

- a. Construct a relative frequency table for the car sales.
- b. Construct a Pareto diagram for the car sales using the class percentages as the heights of the bars.

Answer: a.

Car	Relative Frequency
compact	0.09
sedan	0.11
small SUV	0.25
large SUV	0.17
minivan	0.19
truck	0.19

b.




Explanation:

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Answer the question True or False.

91) The scatterplot below shows a negative relationship between two variables.

91) _____



A) True

B) False

Answer: A

Explanation: A)
B)

Solve the problem.

92) Compute s^2 and s for the data set: $\frac{1}{10}, \frac{7}{10}, \frac{1}{10}, \frac{3}{5}, \frac{1}{10}, \frac{1}{5}$.

92) _____

A) 7.6; 2.757

B) 0.045; 0.213

C) 0.076; 0.276

D) 0.617; 0.786

Answer: C

Explanation: A)
B)
C)
D)

Answer the question True or False.

93) Box plots are used to detect outliers in qualitative data sets, while z-scores are used to detect outliers in quantitative data sets.

93) _____

A) True

B) False

Answer: B

Explanation: A)
B)

94) The slices of a pie chart must be arranged from largest to smallest in a clockwise direction.

94) _____

A) True

B) False

Answer: B

Explanation: A)
B)

Solve the problem.

95) A radio station claims that the amount of advertising each hour has a mean of 15 minutes and a standard deviation of 1.5 minutes. You listen to the radio station for 1 hour and observe that the amount of advertising time is 9 minutes. Calculate the z-score for this amount of advertising time.

95) _____

A) $z = -4.00$

B) $z = -9$

C) $z = 4.00$

D) $z = 0.50$

Answer: A

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 96) In general, the sample mean is a better estimator of the population mean for larger sample sizes. 96) _____
A) True B) False

Answer: A

Explanation: A)
B)

Solve the problem.

- 97) The speeds of the fastballs thrown by major league baseball pitchers were measured by radar gun. 97) _____
The mean speed was 86 miles per hour. The standard deviation of the speeds was 5 mph. Which of the following speeds would be classified as an outlier?
A) 81 mph B) 102 mph C) 76 mph D) 94 mph

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 98) A histogram can be constructed using either class frequencies or class relative frequencies as the heights of the bars. 98) _____
A) True B) False

Answer: A

Explanation: A)
B)

- 99) Class relative frequencies must be used, rather than class frequencies or class percentages, when constructing a Pareto diagram. 99) _____
A) True B) False

Answer: B

Explanation: A)
B)

- 100) Chebyshev's rule applies to qualitative data sets, while the empirical rule applies to quantitative data sets. 100) _____
A) True B) False

Answer: B

Explanation: A)
B)

Solve the problem.

101) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$90 and a standard deviation of \$15. If nothing is known about the shape of the distribution, what percentage of homes will have a monthly utility bill of less than \$60?

101) _____

- A) at most 11.1% B) at most 25% C) at least 88.9% D) at least 75%

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

102) According to the empirical rule, z-scores of less than -3 or greater than 3 occur very infrequently for data from a mound and symmetric distribution

102) _____

- A) True B) False


Answer: A

Explanation: A)
B)

Solve the problem.

103)

103) _____



For the distribution drawn here, identify the mean, median, and mode.

- A) A = mean, B = mode, C = median B) A = mode, B = median, C = mean
C) A = median, B = mode, C = mean D) A = mode, B = mean, C = median

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

104) Both Chebyshev's rule and the empirical rule guarantee that no data item will be more than four standard deviations from the mean.

104) _____

- A) True B) False

Answer: B

Explanation: A)
B)

105) In a symmetric and mound shaped distribution, we expect the values of the mean, median, and mode to differ greatly from one another. 105) _____
A) True B) False

Answer: B
Explanation: A)
B)

Solve the problem.

106) The mean \bar{x} of a data set is 36.71, and the sample standard deviation s is 3.22. Find the interval representing measurements within one standard deviation of the mean. 106) _____
A) (35.71, 37.71) B) (30.27, 43.15) C) (27.05, 46.37) D) (33.49, 39.93)

Answer: D
Explanation: A)
B)
C)
D)

107) The top speeds for a sample of five new automobiles are listed below. Calculate the standard deviation of the speeds. Round to four decimal places. 107) _____

195, 100, 165, 130, 145

A) 130.01 B) 168.0982 C) 35.8120 D) 235.1702

Answer: C
Explanation: A)
B)
C)
D)

Answer the question True or False.

108) Chebyshev's rule applies to large data sets, while the empirical rule applies to small data sets. 108) _____
A) True B) False

Answer: B
Explanation: A)
B)

Solve the problem.

- 109) The amount of television viewed by today's youth is of primary concern to Parents Against Watching Television (PAWT). 300 parents of elementary school-aged children were asked to estimate the number of hours per week that their child watches television. The mean and the standard deviation for their responses were 17 and 3, respectively. PAWT constructed a stem-and-leaf display for the data that showed that the distribution of times was a symmetric, mound-shaped distribution. Give an interval where you believe approximately 95% of the television viewing times fell in the distribution.
- A) less than 14 and more than 20 hours per week
B) less than 23
C) between 11 and 23 hours per week
D) between 8 and 26 hours per week

Answer: C

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 110) Scatterplots are useful for both qualitative and quantitative data. 110) _____
- A) True B) False

Answer: B

Explanation: A)
B)

Solve the problem.

- 111) During one recent year, U.S. consumers redeemed 6.52 billion manufacturers' coupons and saved themselves \$2.16 billion. Calculate and interpret the mean savings per coupon. 111) _____
- A) Half of all coupons were worth more than 301.9 cents in savings.
B) Half of all coupons were worth more than \$0.33 in savings.
C) The average savings was 301.9 cents per coupon.
D) The average savings was \$0.33 per coupon.

Answer: D

Explanation: A)
B)
C)
D)

- 112) A sociologist recently conducted a survey of citizens over 60 years of age who have net worths too high to qualify for Medicaid but have no private health insurance. The ages of the 25 uninsured senior citizens were as follows: 112) _____

68 73 66 76 86 74 61 89 65 90 69 92 76
62 81 63 68 81 70 73 60 87 75 64 82

Find the upper quartile of the data.

- A) 73 B) 81.5 C) 92 D) 65.5

Answer: B

Explanation: A)
B)
C)
D)

- 113) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean of the test scores is 70. Additional information indicated that the median of the test scores was 80. What type of distribution most likely describes the shape of the test scores? 113) _____
- A) skewed to the left
 - B) unable to determine with the information given
 - C) skewed to the right
 - D) symmetric

Answer: A

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 114) If a z-score is 0 or near 0, the measurement is located at or near the mean. 114) _____
- A) True
 - B) False

Answer: A

Explanation: A)
B)

- 115) A Pareto diagram is a pie chart where the slices are arranged from largest to smallest in a counterclockwise direction. 115) _____
- A) True
 - B) False

Answer: B

Explanation: A)
B)

Solve the problem.

- 116) Fill in the blank. _____ is a method of interpreting the standard deviation of data that have a mound-shaped, symmetric distribution. 116) _____
- A) The Empirical Rule
 - B) Chebyshev's Rule
 - C) both A and B
 - D) neither A nor B

Answer: A

Explanation: A)
B)
C)
D)

- 117) In a distribution that is skewed to the right, what is the relationship of the mean, median, and mode? 117) _____
- A) mode > mean > median
 - B) mean > median > mode
 - C) median > mean > mode
 - D) mode > median > mode

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 118) An outlier in a data set may have a simple explanation such as a scale was not working properly or the researcher inverted the digits of a number when recording a measurement. 118) _____
A) True B) False

Answer: A

Explanation: A)
B)

- 119) In practice, the population mean μ is used to estimate the sample mean \bar{x} . 119) _____
A) True B) False

Answer: B

Explanation: A)
B)

Solve the problem.

- 120) If nothing is known about the shape of a distribution, what percentage of the observations fall within 2 standard deviations of the mean? 120) _____
A) approximately 5% B) approximately 95%
C) at most 25% D) at least 75%

Answer: D

Explanation: A)
B)
C)
D)

- 121) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 470 with a standard deviation of 20 on a standardized test. Assuming no information concerning the shape of the distribution is known, what percentage of the students scored between 430 and 510? 121) _____
A) approximately 68% B) approximately 95%
C) at least 75% D) at least 89%

Answer: C

Explanation: A)
B)
C)
D)

- 122) Which of the following statements could be an explanation for the presence of an outlier in the data?
- A) The measurement belongs to a population different from that from which the rest of the sample was drawn.
 - B) The measurement is incorrect. It may have been observed, recorded, or entered into the computer incorrectly.
 - C) The measurement may be correct and from the same population as the rest but represents a rare event. Generally, we accept this explanation only after carefully ruling out all others.
 - D) All of the above are explanations for outliers.


122) _____

Answer: D

- Explanation:
- A)
 - B)
 - C)
 - D)

123)

123) _____



The pie chart shows the classifications of students in a statistics class.

What percentage of the class consists of freshman, sophomores, and juniors?

- A) 14%
- B) 54%
- C) 44%
- D) 86%

Answer: D

- Explanation:
- A)
 - B)
 - C)
 - D)

124) By law, a box of cereal labeled as containing 36 ounces must contain at least 36 ounces of cereal. 124) _____
The machine filling the boxes produces a distribution of fill weights with a mean equal to the setting on the machine and with a standard deviation equal to 0.02 ounce. To ensure that most of the boxes contain at least 36 ounces, the machine is set so that the mean fill per box is 36.06 ounces. Assuming nothing is known about the shape of the distribution, what can be said about the proportion of cereal boxes that contain less than 36 ounces.

- A) The proportion is at most 11%.
- B) The proportion is at least 89%.
- C) The proportion is less than 2.5%.
- D) The proportion is at most 5.5%.

Answer: A

Explanation: A)
B)
C)
D)

125) The scores for a statistics test are as follows: 125) _____

75 76 62 77 70 92 61 85 95 89
79 67 50 60 85 65 85 73 18 82

Compute the mean score.

- A) 75.50
- B) 72.30
- C) 75
- D) 63.25

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

126) In symmetric distributions, the mean and the median will be approximately equal. 126) _____

- A) True
- B) False

Answer: A

Explanation: A)
B)

Solve the problem.

127) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The lower quartile of a particular player's serve speeds was reported to be 99 mph. Which of the following interpretations of this information is correct? 127) _____

- A) 75% of the player's serves were hit at speeds greater than 99 mph.
- B) 99 serves traveled faster than the lower quartile.
- C) 25% of the player's serves were hit at 99 mph.
- D) 75% of the player's serves were hit at speeds less than 99 mph.

Answer: A

Explanation: A)
B)
C)
D)

128) Which of the following is a measure of relative standing? 128) _____
 A) variance B) mean C) z-score D) pie chart

Answer: C

Explanation: A)
 B)
 C)
 D)

129) A shoe retailer keeps track of all types of information about sales of newly released shoe styles. One newly released style was marketed to tall people. Listed below are the shoe sizes of 12 randomly selected customers who purchased the new style. Find the mode of the shoe sizes. 129) _____

$9\frac{1}{2}$ 11 12 $11\frac{1}{2}$

$8\frac{1}{2}$ $10\frac{1}{2}$ 8 11

10 11 $9\frac{1}{2}$ 10

A) 11 B) $10\frac{1}{2}$ C) $10\frac{1}{4}$ D) $9\frac{1}{2}$

Answer: A

Explanation: A)
 B)
 C)
 D)

130) A small computing center has found that the number of jobs submitted per day to its computers has a distribution that is approximately mound-shaped and symmetric, with a mean of 85 jobs and a standard deviation of 5. Where do we expect approximately 95% of the distribution to fall? 130) _____

A) between 95 and 100 jobs per day B) between 75 and 95 jobs per day
 C) between 80 and 90 jobs per day D) between 70 and 100 jobs per day

Answer: B

Explanation: A)
 B)
 C)
 D)

Answer the question True or False.

131) For any quantitative data set, $\sum(x - \bar{x}) = 0$. 131) _____
 A) True B) False

Answer: A

Explanation: A)
 B)

132) The process for finding a percentile is similar to the process for finding the median. 132) _____
 A) True B) False

Answer: A

Explanation: A)
 B)

133) If a sample has mean 0 and standard deviation 1, then for every measurement x in the sample the z-score of x is x itself. 133) _____
A) True B) False

Answer: A
Explanation: A)
B)

Solve the problem.

134) The test scores of 30 students are listed below. Which number could be the 30th percentile? 134) _____

31 41 45 48 52 55 56 56 63 65
67 67 69 70 70 74 75 78 79 79
80 81 83 85 85 87 90 92 95 99

A) 64 B) 67 C) 90 D) 56

Answer: A
Explanation: A)
B)
C)
D)

135) On a given day, the price of a gallon of milk had a mean price of \$2.16 with a standard deviation of \$0.07. A particular food store sold milk for \$2.09/gallon. Interpret the z-score for this gas station. 135) _____

- A) The milk price of this food store falls 1 standard deviation above the mean milk price of all food stores.
- B) The milk price of this food store falls 7 standard deviations below the mean milk price of all food stores.
- C) The milk price of this food store falls 1 standard deviation below the milk gas price of all food stores.
- D) The milk price of this food store falls 7 standard deviations above the mean milk price of all food stores.

Answer: C
Explanation: A)
B)
C)
D)

136) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 84 and 5, respectively, and the distribution of scores is mound-shaped and symmetric. What percentage of test-takers scored better than a trainee who scored 69? 136) _____

- A) approximately 97.5%
- B) approximately 100%
- C) approximately 84%
- D) approximately 95%

Answer: B
Explanation: A)
B)
C)
D)

Answer the question True or False.

- 137) The bars in a histogram should be arranged by height in descending order from left to right. 137) _____
A) True B) False

Answer: B

Explanation: A)
B)

Solve the problem.

- 138) Fill in the blank. _____ gives us a method of interpreting the standard deviation of any data set, regardless of the shape of the distribution. 138) _____
A) The Empirical Rule B) Chebyshev's Rule
C) both A and B D) neither A nor B

Answer: B

Explanation: A)
B)
C)
D)

- 139) The following is a list of 25 measurements: 139) _____

12 18 14 17 19 16 14 18 15 17 11
13 14 11 16 18 15 13 17 15 14 19
12 16 17

How many of the measurements fall within one standard deviation of the mean?

- A) 25 B) 16 C) 18 D) 13

Answer: B

Explanation: A)
B)
C)
D)

- 140) Find the z-score for the value 88, when the mean is 70 and the standard deviation is 1. 140) _____
A) $z = 1.24$ B) $z = 17.00$ C) $z = 18.00$ D) $z = -1.24$

Answer: C

Explanation: A)
B)
C)
D)

- 141) The distribution of salaries of professional basketball players is skewed to the right. Which measure of central tendency would be the best measure to determine the location of the center of the distribution? 141) _____

- A) range B) mean C) median D) mode

Answer: C

Explanation: A)
B)
C)
D)

142) Each year advertisers spend billions of dollars purchasing commercial time on network television. In the first 6 months of one year, advertisers spent \$1.1 billion. Who were the largest spenders? In a recent article, the top 10 leading spenders and how much each spent (in million of dollars) were listed: 142) _____

Company A	\$70.7	Company F	\$24.8
Company B	63.9	Company G	24
Company C	55.7	Company H	22.7
Company D	54.2	Company I	23.2
Company E	30.3	Company J	20.1

Calculate the sample variance.

- A) 2080.829 B) 389.965 C) 1864.521 D) 3763.035

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

143) Percentile rankings are of practical value only with large data sets. 143) _____

A) True B) False

Answer: A

Explanation: A)
B)

Solve the problem.

144) A sociologist recently conducted a survey of senior citizens who have net worths too high to qualify for Medicaid but have no private health insurance. The ages of the 25 uninsured senior citizens were as follows: 144) _____

72	77	70	80	90
78	65	93	69	94
73	96	80	66	85
67	72	85	74	77
64	91	79	68	86

Find the median of the observations.

- A) 74 B) 78 C) 77.5 D) 77

Answer: D

Explanation: A)
B)
C)
D)

145) Which of the graphical techniques below can be used to summarize qualitative data? 145) _____
A) bar graph B) dot plot
C) box plot D) stem-and-leaf plot

Answer: A
Explanation: A)
B)
C)
D)

146) Given a data set, which of the following is most likely to be the percentage of data within three standard deviations of the mean? 146) _____
A) 70% B) 85% C) 65% D) 95%

Answer: D
Explanation: A)
B)
C)
D)

147) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 97 miles per hour (mph) and the standard deviation of the serve speeds was 13 mph. Assume that the statistician also gave us the information that the distribution of the serve speeds was mound-shaped and symmetric. What proportion of the player's serves was between 110 mph and 136 mph? 147) _____
A) 0.997 B) 136 C) 0.1585 D) 0.317

Answer: C
Explanation: A)
B)
C)
D)

148)

148) _____



The manager of a store conducted a customer survey to determine why customers shopped at the store. The results are shown in the figure. What proportion of customers responded that merchandise was the reason they shopped at the store?

- A) $\frac{3}{7}$ B) $\frac{1}{2}$ C) $\frac{2}{7}$ D) 30

Answer: A

Explanation: A)
B)
C)
D)

149) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 350 with a standard deviation of 40 on a standardized test. Assuming a mound-shaped and symmetric distribution, what percentage of scores exceeded 270?

149) _____

- A) approximately 84% B) approximately 95%
C) approximately 100% D) approximately 97.5%

Answer: D

Explanation: A)
B)
C)
D)

150) The distribution of scores on a test is mound-shaped and symmetric with a mean score of 78. If 68% of the scores fall between 72 and 84, which of the following is most likely to be the standard deviation of the distribution?

150) _____

- A) 2 B) 3 C) 12 D) 6

Answer: D

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 151) The mean and the median are useful measures of central tendency for both qualitative and quantitative data. 151) _____
A) True B) False

Answer: B
Explanation: A)
B)

- 152) The range is an insensitive measure of data variation for large data sets because two data sets can have the same range but be vastly different with respect to data variation. 152) _____
A) True B) False

Answer: A
Explanation: A)
B)

Solve the problem.

- 153) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 79 and 2, respectively, and the distribution of scores is mound-shaped and symmetric. Suppose the trainee in question received a score of 76. Compute the trainee's z-score. 153) _____
A) $z = -3$ B) $z = -6$ C) $z = 0.94$ D) $z = -1.50$

Answer: D
Explanation: A)
B)
C)
D)

- 154) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 105 miles per hour (mph) and the standard deviation of the serve speeds was 9 mph. If nothing is known about the shape of the distribution, give an interval that will contain the speeds of at least eight-ninths of the player's serves. 154) _____
A) 69 mph to 141 mph B) 87 mph to 123 mph
C) 132 mph to 159 mph D) 78 mph to 132 mph

Answer: D
Explanation: A)
B)
C)
D)

155) Summary information is given for the weights (in pounds) of 1000 randomly sampled tractor trailers. 155) _____

MIN:	3996	25%:	5596
MAX:	10,596	75%:	8596
AVE:	6996	Std. Dev.:	1400

Find the percentage of tractor trailers with weights between 5596 and 8596 pounds.

- A) 50% B) 25% C) 100% D) 75%

Answer: A

Explanation: A)
B)
C)
D)

156) A shoe company reports the mode for the shoe sizes of men's shoes is 12. Interpret this result. 156) _____

- A) Half of all men's shoe sizes are size 12
B) Most men have shoe sizes between 11 and 13.
C) Half of the shoes sold to men are larger than a size 12
D) The most frequently occurring shoe size for men is size 12

Answer: D

Explanation: A)
B)
C)
D)

157) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 390 with a standard deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 480? 157) _____

Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 390 with a standard deviation of 30 on a standardized test. Assuming a non-mound-shaped distribution, what percentage of the students scored over 480?

- A) at most 5.5% B) at least 89%
C) at most 11% D) approximately 2.5%

Answer: C

Explanation: A)
B)
C)
D)

158) Which of the following statements concerning the box plot and z-score methods for detecting outliers is false? 158) _____

- A) The z-score method is less affected by an extreme observation in the data set.
B) The box plot method is less affected by an extreme observation in the data set.
C) The box plot method uses the quartiles as a basis for detecting outliers.
D) The z-score method uses the mean and standard deviation as a basis for detecting outliers.

Answer: A

Explanation: A)
B)
C)
D)

159) A standardized test has a mean score of 500 points with a standard deviation of 100 points. Five students' scores are shown below. 159) _____

Adam: 575 Beth: 690 Carlos: 750 Doug: 280 Ella: 440

Which of the students have scores within two standard deviations of the mean?

- A) Carlos, Doug
- B) Adam, Beth, Ella
- C) Adam, Beth
- D) Adam, Beth, Carlos, Ella

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

160) A frequency table displays the proportion of observations falling into each class. 160) _____

- A) True
- B) False

Answer: B

Explanation: A)
B)

Solve the problem.

161) A sociologist recently conducted a survey of citizens over 60 years of age who have net worths too high to qualify for Medicaid but have no private health insurance. The ages of the 25 uninsured senior citizens were as follows: 161) _____

68 73 66 76 86 74 61 89 65 90 69 92 76
62 81 63 68 81 70 73 60 87 75 64 82

Suppose the mean and standard deviation are 74.04 and 9.75, respectively. If we assume that the distribution of ages is mound-shaped and symmetric, what percentage of the respondents will be between 64.29 and 93.54 years old?

- A) approximately 81.5%
- B) approximately 68%
- C) approximately 84%
- D) approximately 95%

Answer: A

Explanation: A)
B)
C)
D)

Answer the question True or False.

162) All class intervals in a histogram have the same width. 162) _____

- A) True
- B) False

Answer: A

Explanation: A)
B)

Solve the problem.

163) When Scholastic Achievement Test scores (SATs) are sent to test-takers, the percentiles associated with scores are also given. Suppose a test-taker scored at the 87th percentile on the verbal part of the test and at the 14th percentile on the quantitative part. Interpret these results. 163) _____

- A) This student performed better than 13% of the other test-takers on the verbal part and better than 86% on the quantitative part.
- B) This student performed better than 87% of the other test-takers on the verbal part and better than 86% on the quantitative part.
- C) This student performed better than 87% of the other test-takers on the verbal part and better than 14% on the quantitative part.
- D) This student performed better than 13% of the other test-takers on the verbal part and better than 14% on the quantitative part.

Answer: C

Explanation: A)
B)
C)
D)

164) The output below displays the mean and median for the state high school dropout rates in year 1 and in year 5. 164) _____

	Year 1	Year 5
N	51	51
MEAN	28.94	26.53
MEDIAN	27.78	25.64

Interpret the year 5 median dropout rate of 25.64.

- A) Half of the 51 states had a dropout rate below 25.64%.
- B) Half of the 51 states had a dropout rate of 25.64%.
- C) Most of the 51 states had a dropout rate close to 25.64%.
- D) The most frequently observed dropout rate of the 51 states was 25.64%.

Answer: A

Explanation: A)
B)
C)
D)

Answer the question True or False.

165) For large data sets, a stem-and-leaf display is a better choice than a histogram. 165) _____

- A) True
- B) False

Answer: B

Explanation: A)
B)

166) If 25% of your statistics class is sophomores, then in a pie chart representing classifications of the students in your statistics class the slice assigned to sophomores is 90° . 166) _____

- A) True
- B) False

Answer: A

Explanation: A)
B)

Solve the problem.

167) Which of the following is *not* a measure of central tendency?

- A) median B) mode C) range D) mean

167) _____

Answer: C

Explanation: A)
B)
C)
D)

168) What number is missing from the table?

168) _____

Year in College	Frequency	Relative Frequency
Freshman	600	.30
Sophomore	560	.28
Junior		.22
Senior	400	.20

- A) 440 B) 480 C) 520 D) 220

Answer: A

Explanation: A)
B)
C)
D)

169) Many firms use on-the-job training to teach their employees computer programming. Suppose you work in the personnel department of a firm that just finished training a group of its employees to program, and you have been requested to review the performance of one of the trainees on the final test that was given to all trainees. The mean and standard deviation of the test scores are 82 and 5, respectively. Assuming nothing is known about the distribution, what percentage of test-takers scored above 92?

169) _____

- A) approximately 97.5% B) at most 25%
C) at least 75% D) approximately 2.5%

Answer: B

Explanation: A)
B)
C)
D)

170) Calculate the range of the following data set:

170) _____

8, 8, 4, 1, 9, 12, 8, 5, 5

- A) 11 B) 1 C) 12 D) 13

Answer: A

Explanation: A)
B)
C)
D)

Answer the question True or False.

171) An outlier is defined as any observation that falls within the outer fences of a box plot.

171) _____

A) True

B) False

Answer: B

Explanation: A)

B)

Solve the problem.

172) What number is missing from the table?

172) _____

Grades on Test	Frequency	Relative Frequency
A	6	.24
B	7	
C	9	.36
D	2	.08
F	1	.04

A) .28

B) .70

C) .72

D) .07

Answer: A

Explanation: A)


B)

C)

D)

173)

173) _____



The bar graph shows the political affiliation of 1000 registered U.S. voters. What percentage of the voters belonged to one of the traditional two parties (Democratic or Republican)?

A) 40%

B) 25%

C) 35%

D) 75%

Answer: D

Explanation: A)

B)

C)

D)

Answer the question True or False.

174) The sample variance and standard deviation can be calculated using only the sum of the data, $\sum x$, and the sample size, n . 174) _____

A) True B) False

Answer: B

Explanation: A)
B)

175) The mean of a data set is at the 50th percentile. 175) _____

A) True B) False

Answer: B

Explanation: A)
B)

176) A larger standard deviation means greater variability in the data. 176) _____

A) True B) False

Answer: A

Explanation: A)
B)

177) Either vertical or horizontal bars can be used when constructing a bar graph. 177) _____

A) True B) False


Answer: A

Explanation: A)
B)

Solve the problem.

178) The box plot shown below displays the amount of soda that was poured by a filling machine into 12-ounce soda cans at a local bottling company.

178) _____



Based on the box plot, what shape do you believe the distribution of the data to have?

- A) approximately symmetric
- B) skewed to the center
- C) skewed to the right
- D) skewed to the left

Answer: D

Explanation: A)
B)
C)
D)

Answer the question True or False.

179) The sample variance is always greater than the sample standard deviation.

179) _____

- A) True
- B) False

Answer: B

Explanation: A)
B)

Solve the problem.

180) A study was designed to investigate the effects of two variables — (1) a student's level of mathematical anxiety and (2) teaching method — on a student's achievement in a mathematics course. Students who had a low level of mathematical anxiety were taught using the traditional expository method. These students obtained a mean score of 440 with a standard deviation of 50 on a standardized test. Assuming a mound-shaped and symmetric distribution, in what range would approximately 68% of the students score?

180) _____

- A) below 490
- B) below 390 and above 490
- C) above 490
- D) between 390 and 490

Answer: D

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 181) The bars in a bar graph can be arranged by height in ascending order from left to right. 181) _____
A) True B) False

Answer: A

Explanation: A)
B)

Solve the problem.

- 182) Compute s^2 and s for the data set: -2, 1, -4, -2, 1, -2 182) _____
A) 2.87; 1.69 B) 3.87; 1.97 C) 11.8; 3.44 D) 3.44; 1.85

Answer: B

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 183) An outlier may be caused by accidentally including the height of a six-year-old boy in a set of data representing the heights of 12-year-old boys. 183) _____
A) True B) False

Answer: A

Explanation: A)
B)

- 184) The outer fences of a box plot are three standard deviations from the mean. 184) _____
A) True B) False

Answer: B

Explanation: A)
B)

- 185) In skewed distributions, the mean is the best measure of the center of the distribution since it is least affected by extreme observations. 185) _____
A) True B) False

Answer: B

Explanation: A)
B)

- 186) Your teacher announces that the scores on a test have a mean of 83 points with a standard deviation of 4 points, so it is reasonable to expect that you scored at least 70 on the test. 186) _____
A) True B) False

Answer: A

Explanation: A)
B)

Solve the problem.

- 187) Fill in the blank. One advantage of the _____ is that the actual data values are retained in the graphical summarization of the data. 187) _____
A) stem-and-leaf plot B) pie chart C) histogram

Answer: A

Explanation: A)
B)
C)

- 188) A recent survey was conducted to compare the cost of solar energy to the cost of gas or electric energy. Results of the survey revealed that the distribution of the amount of the monthly utility bill of a 3-bedroom house using gas or electric energy had a mean of \$104 and a standard deviation of \$10. If the distribution can be considered mound-shaped and symmetric, what percentage of homes will have a monthly utility bill of more than \$94? 188) _____
A) approximately 16% B) approximately 84%
C) approximately 34% D) approximately 95%

Answer: B

Explanation: A)
B)
C)
D)

- 189) At the U.S. Open Tennis Championship a statistician keeps track of every serve that a player hits during the tournament. The statistician reported that the mean serve speed of a particular player was 100 miles per hour (mph) and the standard deviation of the serve speeds was 8 mph. Using the z-score approach for detecting outliers, which of the following serve speeds would represent outliers in the distribution of the player's serve speeds? 189) _____

Speeds: 72 mph, 108 mph, and 116 mph

- A) 72, 108, and 116 are all outliers.
B) 72 and 108 are both outliers, but 116 is not.
C) None of the three speeds is an outlier.
D) 72 is the only outlier.

Answer: D

Explanation: A)
B)
C)
D)

Answer the question True or False.

- 190) The z-score uses the quartiles to identify outliers in a data set. 190) _____
A) True B) False


Answer: B

Explanation: A)
B)

Answer Key
Testname: C2

- 1) B
- 2) D
- 3) D
- 4) B
- 5) A
- 6) B
- 7) C
- 8) A
- 9) A
- 10) A
- 11) D
- 12) D
- 13) A
- 14) B
- 15) D
- 16) B
- 17) B
- 18) B
- 19) D
- 20) C
- 21) C
- 22) D
- 23) D
- 24) D
- 25) A
- 26) A
- 27) A
- 28) A
- 29) B
- 30) B
- 31) B
- 32) B
- 33) A
- 34) D
- 35) Since the distribution is skewed to the left, we know that the median time will exceed the mean time.
- 36) The z-score is $z = \frac{X - \mu}{\sigma}$.
For a score of 49, $z = \frac{490 - 310}{50} = 3.60$.
This student's score falls 3.60 standard deviations above the mean score of 310.
- 37) highest: $z = 1.51$; lowest: $z = -3.45$
- 38) a. $\min X = 30$
b. $\max X = 97$
c. $97 - 30 = 67$
- 39) The z-score of 39 is -3.46 . Since this z-score is less than -3 , the score of 39 is an outlier. All other scores have z-scores between -3 and 3 , so there are no other outliers.

40) The horizontal axis extends from 10 to 20, with each tick mark representing one unit.



- 41) a. The lower quartile is 73, the upper quartile is 89, and the median is 81.
 b. The interquartile range is $89 - 73 = 16$. The score of 39 is a potential outlier since it is less than $73 - 1.5(16) = 49$.
 c. No scores fall outside the outer fences, 25 and 137. Only the score of 39 lies between the inner and outer fences.

- 42) a. $n = 21$
 b. $\sum x = 1679$
 c. mean: $\bar{x} \approx 79.95$; median: $\text{Med} = 82$; mode: not possible

43) range

44) 50th percentile

45) The mean of the data is $x = \frac{\sum x}{n}$

$$\frac{71 + 63.7 + 54.5 + 54.1 + 28.5 + 25.9 + 24.6 + 23.1 + 23.6 + 19.8}{10}$$

$$= \frac{388.8}{10}$$

$$= 38.88 \Rightarrow \$38.88 \text{ million}$$

The median is the average of the middle two observations.

$$M = \frac{28.5 + 25.9}{2} = 27.20 \Rightarrow \$27.20 \text{ million}$$

46) μ is the mean price of the regular unleaded gasoline prices of all retail gas stations in the United States.

σ is the standard deviation of the regular unleaded gasoline prices of all retail gas stations in the United States.

\bar{x} is the mean price of the regular unleaded gasoline prices collected from the 200 stations sampled.

s is the standard deviation of the regular unleaded gasoline prices collected from the 200 stations sampled.

47) standard deviation

48) In both year 1 and year 5, the mean dropout rates exceed the median dropout rates. This indicates that both the year 1 and year 5 high school dropout rates have distributions that are skewed to the right.

49) a. mean: $\bar{x} = 5.5$; sample standard deviation: $S_x \approx 3.0$

b. $(5.5 - 2 \times 3.0, 5.5 + 2 \times 3.0) = (-.5, 11.5)$

50) mean: 65; standard deviation: 5

$$51) s^2 = \frac{\sum(x - \bar{x})^2}{n-1}$$

$$\bar{x} = \frac{\sum x}{n} = \frac{58 + 61 + 62 + 69 + 44}{5} = 58.8$$

$$s^2 = \frac{(58 - 58.8)^2 + (61 - 58.8)^2 + (62 - 58.8)^2 + (69 - 58.8)^2 + (44 - 58.8)^2}{5 - 1}$$


$$= 84.70$$

52)

Stem	Leaf
1	0
2	
3	
4	
5	0 1
6	6 9
7	6 7 9
8	2 3 5 7 8 8 9
9	2 2 6 6 8

53) Take the square root of the sample variance to find the sample standard deviation.

54)



Losses due to employee theft have decreased from year 1 to year 2.

55) A scatterplot with the measurements on the vertical axis and time (or the order in which the measurements were made) on the horizontal axis.

56) free account, institutional account, account paid for personally

57) When comparing means from two different distributions, the difference between them may be insignificant if the variability in one or both of the distributions is large.

58) a. The interquartile range is $57 - 45 = 12$.

b. The inner fences are $45 - 1.5(12) = 27$ and $57 + 1.5(12) = 75$.

c. The outer fences are $45 - 3(12) = 9$ and $57 + 3(12) = 93$.

d. The maximum of 81 is a potential outlier since it lies outside the inner fences. The minimum is within the inner fence and is not considered to be an outlier.

59) 12%


60) a.

Medal	Frequency
Gold	9
Silver	9
Bronze	7

b.

Medal	Relative Frequency
Gold	.36
Silver	.36
Bronze	.28

c.



- 61) The modal class is the class with the greatest frequency: 81 - 100 points.
 62) a. lower quartile: Q1=75; upper quartile: Q3=90
 b. interquartile range: 90 - 75 = 15
 c. Yes; the smallest measurement, 30, is three times the interquartile range less than the lower quartile, so it is a suspected outlier.
 63) Using a scale break on the vertical axis may make the shorter bars look disproportionately shorter than the taller bars.
 64) The range is 29 - 1 = 28 medals.

$$\text{The variance is } s^2 = \frac{\sum x^2 - \frac{(\sum x)^2}{n}}{n - 1} = \frac{4372 - \frac{(234)^2}{18}}{17} = \frac{1330}{17} \approx 78.24$$

$$\text{The standard deviation is } s = \sqrt{s^2} = \sqrt{\frac{1330}{17}} \approx 8.85$$


- 65) In a Pareto diagram, the bars are arranged by height in a descending order from left to right.
 66) We use the Empirical Rule to determine the percentage of serves with speeds faster than 72 mph. We do this by first finding the percentage of serves with speeds between 72 and 98 mph. The Empirical Rule states that approximately 34.0% (68%/2) fall between 72 and 98 mph. Because the distribution is symmetric about the mean speed of 98 mph, we know 50% of the serve speeds were faster than 98 mph. We add these findings together to determine that 34.0% + 50% = 84.0% of the serves were hit faster than 72 mph.
 67) Stretching the vertical axis may overemphasize the differences in the heights of the bars making the taller bars look much taller than the shorter bars.

68) The mean is divided by n:

$$\frac{\sum x}{n} = \frac{196}{8} = 24.5.$$

69) 75% of the TV viewing times are less than 20 hours per week. 25% of the times exceed 20 hours per week.


70)



71) a.

Type of Book	Relative Frequency
Children's	.10
Fiction	.28
Nonfiction	.49
Educational	.13

b.



72) 74% of the scores lie within one standard deviation of the mean, 96% within two standard deviations, and 98% within three standard deviations. These percentages are close to those given in the Empirical Rule, so the distribution is roughly mound-shaped and symmetric, though obviously skewed slightly to the left.

Answer Key
 Testname: C2

73) history z-score = -5.33; physics z-score = 0.27; The student performed better on the physics test.

74) The mean is the sum of the numbers divided by 18:

$$\frac{1 + 2 + 3 + 3 + 4 + 9 + 9 + 11 + 11 + 11 + 14 + 14 + 19 + 22 + 23 + 24 + 25 + 29}{18}$$

$$= \frac{234}{18} = 13 \text{ medals.}$$


The median is the mean of the two middle numbers: $\frac{11 + 11}{2} = 11$ medals.

The mode is the most frequent number of medals: 11 medals.

75) standard deviation

76) a. The exact scores would be needed to construct a stem-and-leaf display but the exact scores are not available in the table given.

b.




77)

Color	Frequency
Green	3
Blue	7
Brown	5
Orange	2
Red	3

78) a.

Total Medals	Frequency
1-5	5
6-10	2
11-15	5
16-20	1
21-25	4
26-30	1

b.




- 79) The value of 24 ounces falls three standard deviations below the mean. The Empirical Rule states that approximately all of the boxes will contain cereal amounts between 24.00 ounces and 24.12 ounces. Therefore, approximately 100% of the boxes contain at least 24 ounces.
- 80) The z-score for the value \$236.50 is:

$$z = \frac{x - \bar{x}}{s} = \frac{236.5 - 124}{15} = 7.5$$

An observation that falls 7.5 standard deviations above the mean is very unlikely. We would not expect to see a monthly utility bill of \$236.50 for this home.

- 81) The reader may think that the area of the bar represents the quantity rather than the height of the bar, giving a disproportionate emphasis on the taller bars.
- 82) The Empirical Rule states that 95% of the data will fall between 68 and 84. Because the distribution is symmetric, half of the remaining 5%, or 2.5%, will have test scores above 84. Thus, 84 is the cutoff point that will identify the trainees who will receive the promotion.
- 83) The value of x lies 2.5 standard deviations below the mean.

84)



There appears to be a trend in the data. As the number of absences increases, the final grade decreases.

85) a. mean: $\bar{x} \approx 73.65$; median: Med=81

b. We expect the data to be skewed to the left because the mean is less than the median.

86) A time series plot describes behavior over time and reveals movement (trend) and changes (variation) in the variable being monitored.

87) The z-score for the value 11.75 is -2.1

Since the z-score would not indicate that 11.75 minutes represents an outlier, there is no evidence that the station's claim is incorrect.


88) measurements within three standard deviations of the mean

89) The value 101 falls one standard deviation above the mean in the distribution. Using the Empirical Rule, 68% of the days will have between 85 and 101 jobs submitted. Of the remaining 32% of the days, half, or $32\%/2 = 16\%$, of the days will have more than 101 jobs submitted.

90) a.

Car	Relative Frequency
compact	0.09
sedan	0.11
small SUV	0.25
large SUV	0.17
minivan	0.19
truck	0.19

b.



- 91) A
- 92) C
- 93) B
- 94) B
- 95) A
- 96) A
- 97) B
- 98) A
- 99) B
- 100) B
- 101) B
- 102) A
- 103) B
- 104) B
- 105) B
- 106) D
- 107) C
- 108) B
- 109) C

Answer Key
Testname: C2

- 110) B
- 111) D
- 112) B
- 113) A
- 114) A
- 115) B
- 116) A
- 117) B
- 118) A
- 119) B
- 120) D
- 121) C
- 122) D
- 123) D
- 124) A
- 125) B
- 126) A
- 127) A
- 128) C
- 129) A
- 130) B
- 131) A
- 132) A
- 133) A
- 134) A
- 135) C
- 136) B
- 137) B
- 138) B
- 139) B
- 140) C
- 141) C
- 142) B
- 143) A
- 144) D
- 145) A
- 146) D
- 147) C
- 148) A
- 149) D
- 150) D
- 151) B
- 152) A
- 153) D
- 154) D
- 155) A
- 156) D
- 157) C
- 158) A
- 159) B

Answer Key
Testname: C2

- 160) B
- 161) A
- 162) A
- 163) C
- 164) A
- 165) B
- 166) A
- 167) C
- 168) A
- 169) B
- 170) A
- 171) B
- 172) A
- 173) D
- 174) B
- 175) B
- 176) A
- 177) A
- 178) D
- 179) B
- 180) D
- 181) A
- 182) B
- 183) A
- 184) B
- 185) B
- 186) A
- 187) A
- 188) B
- 189) D
- 190) B