MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

			•
List the elements in the set.			
1) $\{x \mid x \text{ is a whole number between the setue of } x \in X \}$	en 1 and 5}		
A) {2, 3, 4}	B) {1, 2, 3, 4}	C) {1, 2, 3, 4, 5}	D) {2, 3, 4, 5}
Answer: A			,
2) {x \mid x is an integer between -8	and -4}		
A) {-8, -7, -6, -5, -4}		C) {-8, -7, -6, -5}	D) {-7, -6, -5, -4}
Answer: B			2)(1) 0) 0) 1)
Allswel. D			
3) {x \mid x is a negative multiple of	51		
A) {-5, -10, -15,}	B) {5, 10, 15,}	C) {-5, -25, -125,}	D) {0, -5, -10,}
	D) [3, 10, 13,]	C) (-3, -23, -123,)	D (0, -0, -10,)
Answer: A			
4) {x \mid x is an integer greater than	6		
A) {-5, -4, -3,}		C) {-5, -4, -3, -2}	D) {-7, -8, -9}
	$D) \{-7, -6, -9,\}$	(-3, -4, -3, -2)	$D) \{-7, -0, -9\}$
Answer: A			
5) The set of all whole numbers g	reator there (and loss there 10		
A) $\{6, 7, 8, 9, 10\}$	B) {6, 7, 8, 9}	C) {7, 8, 9, 10}	D) {7, 8, 9}
, ,	D $\{0, 7, 8, 9\}$	C) { <i>1</i> , 0, 9, 10}	D)(7, 0, 9)
Answer: D			
() (y y is a sounding number mu	ltiple of 2)		
6) {x x is a counting number mu A) {4, 6, 8,}	B) Ø	C) {0, 2, 4, 6,}	D) {2, 4, 6,}
·	B) ©	$C) \{0, 2, 4, 0,\}$	$D) \{2, 4, 0,\}$
Answer: D			
7) $(y \mid y \mid a = counting number loss$	sthan 2		
7) {x x is a counting number less A) {-1, 0, 1,}	B) {, -5, -4, -3}	C) Ø	D) {-3, -4, -5,}
·	D {, -3, -4, -3}	6,0	D (-3, -4, -3,)
Answer: C			
(\mathbf{x}) The set of all second time interests			
8) The set of all positive integer p (A) (2, 0, 27, 81, 242,)	owers of 5.	R) (1 8 27 64 125)	
A) {3, 9, 27, 81, 243,} C) {1, 3, 9, 27, 81, 243,}		B) {1, 8, 27, 64, 125,} D) {3, 6, 9, 12, 15,}	
		D (3, 0, 9, 12, 13,)	
Answer: A			
$(x \mid y \mid a)$ and $(x \mid a)$ in the part of the line $(x \mid a)$	an the are (0)		
9) { x x is an even integer smalle	er than of	B) {, -6, -4, -2, 0, 2, 4, 6}	
A) {, -6, -4, -2, 2, 4, 6} C) {2, 4, 6}		D) {0, 2, 4, 6}	
		$D_{1}\{0, 2, 4, 0\}$	
Answer: B			
10) The set of the days of the week			
A) {Sunday, Monday, Tuesd			
Friday, Sunday}	ay, weathesday, mursday,		
B) {Friday, Monday, Saturda	ay Sunday Thursday		
Tuesday, Wednesday}	ay, canaay, maroady,		
C) {Saturday, Sunday}			
D) {Tuesday, Thursday}			
Answer: B			
Allswei. D			

Write the set in set-builder notation.

11) {9} A) {x is a constant} B) { $x \mid x$ is the natural number 9} C) { $x \mid x \text{ is a natural number}$ } D) $\{x\}$ Answer: B 12) {2, 4, 6, 8} A) $\{x \mid x \text{ is an even natural number less than } 10\}$ B) { $x \mid x \text{ is any even integer less than 10}}$ C) { $x \mid x \text{ is any even natural number}$ } D) {2, 4, 6, 8} Answer: A 13) {15, 16, 17, 18} A) {15, 16, 17, 18} B) { $x \mid x \text{ is an integer between 14 and 19}}$ C) { $x \mid x \text{ is an integer less than 19}$ D) $\{x \mid x \text{ is an integer between } 15 \text{ and } 18\}$ Answer: B 14) $\{-6, -5, -4, -3, ...\}$ A) $\{x \mid x \text{ is an integer between } -7 \text{ and } -2\}$ B) { $x \mid x \text{ is an integer greater than } -7$ } C) { $x \mid x \text{ is any integer}$ } D) {-6, -5, -4, -3} Answer: B 15) {..., -3, -2, -1, 0, 1, 2, 3, ...} A) $\{x \mid x \text{ is an integer}\}$ B) $\{-3, -2, -1, 0, 1, 2, 3\}$ C) { $x \mid x \text{ is any integer greater than } -3$ } D) { $x \mid x \text{ is a natural number}$ } Answer: A 16) {18, 24, 30, 36, ..., 78} A) $\{x \mid x \text{ is a multiple of } 6\}$ B) { $x \mid x \text{ is a multiple of 6 between 12 and 84}}$ C) $\{x \mid x \text{ is a multiple of 6 greater than 18}\}$ D) $\{x \mid x \text{ is a multiple of 6 between 18 and 78}\}$ Answer: B 17) {-3, -1, 1, 3, 5, ...} A) {x | x is an odd integer between -4 and 6} B) {x | x is an odd integer greater than -4} C) {x | x is an integer greater than -4} D) $\{x \mid x \text{ is an odd integer}\}$ Answer: B 18) {2, 4, 8, 16, 32, ...} A) $\{x \mid x \text{ is a positive integer power of } 2\}$ B) $\{x \mid x \text{ is a positive multiple of } 2\}$ C) {x | x is an integer power of 2} D) {x | x is a positive multiple of 4} Answer: A 19) The set of all calculus books A) {a calculus book} B) {x is a calculus book} C) { $x \mid x \text{ is a calculus book}$ } D) {any calculus book} Answer: C

20) 7	The set of all cars owned by stu	idents	\mathbf{P} (with a com)	
A) {x is a student with a car}C) {x x is a student with a car}		B) {x is a car} D) {x x is a car owned by a student}		
	Answer: D	, ar j		studentj
1				
-	e set as finite or infinite.			
21) {	7, 8, 9,, 28}			
	A) Infinite		B) Finite	
I	Answer: B			
22)	$\left\{1, \frac{1}{4}, \frac{1}{16}, \frac{1}{64}, \ldots\right\}$			
	A) Finite		B) Infinite	
	Answer: B		2) 1111110	
Ι	IIISWEI. D			
23) {	x x is a counting number larg A) Infinite	ger than 815}	B) Finite	
I	Answer: A			
24) {	x x is an odd counting numb A) Finite	er}	B) Infinite	
I	Answer: B			
25) {	x x is a 12-headed lizard} A) Infinite		B) Finite	
I	Answer: B			
	x x is a fraction between 60 a A) Finite	nd 61}	B) Infinite	
I	Answer: B			
	x x is a prime number} A) Infinite Answer: A		B) Finite	
	$\left\{ \begin{array}{l} 1, \frac{2}{7}, \frac{4}{49}, \frac{8}{343}, \dots, \frac{32}{16807} \right\}$ A) Infinite Answer: B		B) Finite	
Find n(A) f	or the set.			
29) A	$A = \{0, 2, 4, 6, 8\}$			
	A) $n(A) = 8$	B) $n(A) = 5$	C) $n(A) = 4$	D) $n(A) = 2$
I	Answer: B			
	A = $\{200, 201, 202,, 2000\}$ A) n(A) = 4 Answer: C	B) n(A) = 2000	C) n(A) = 1801	D) n(A) = 1800
1				

31) $A = \{x \mid x \text{ is a month in the yea} A$ A) $n(A) = 24$ Answer: C	ar} B) n(A) = 52	C) n(A) = 12	D) n(A) = 1
32) $A = \{x \mid x \text{ is a number on a clo} A$ A) $n(A) = 24$ Answer: C	bck face} B) $n(A) = 6$	C) n(A) = 12	D) n(A) = 3
33) $A = \{x \mid x \text{ is a second in a minimal} A$) $n(A) = 60$ Answer: A	ute} B) n(A) = Infinite	C) n(A) = 12	D) n(A) = 120
34) A = {2, 2, 3, 3,, 6, 6} A) n(A) = 10 Answer: B	B) n(A) = 5	C) n(A) = 6	D) n(A) = 3
35) A = {-7, -6, -5,, 0} A) n(A) = 7 Answer: D	B) n(A) = 1	C) n(A) = 4	D) n(A) = 8
36) A = $\left\{ \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \dots, \frac{1}{29}, \frac{1}{30} \right\}$ A) n(A) = Infinite Answer: C	B) n(A) = 31	C) n(A) = 29	D) n(A) = 30
37) A = $\begin{cases} \frac{1}{2}, -\frac{1}{2}, \frac{2}{3}, -\frac{2}{3}, \frac{3}{4}, -\frac{3}{4}, \dots \\ A \end{cases}$ n(A) = 38 Answer: A	$\left(\frac{19}{20}, -\frac{19}{20}\right)$ B) n(A) = Infinite	C) n(A) = 19	D) n(A) = 40
Determine whether or not the set is well 38) {x x is a tennis player who ha A) Well defined Answer: A		B) Not well defined	
39) {x x is a low-fat ice cream} A) Well defined Answer: B		B) Not well defined	
40) {x x is a football team that ha A) Not well defined Answer: B	as won the Super Bowl}	B) Well defined	
41) {x x is a adventure book in th A) Not well defined Answer: A	ne library}	B) Well defined	

42) {x x is a stock on the AmEx today} A) Not well defined Answer: B	B) Well defined
43) {x x is an expensive boat on the Great Lakes} A) Not well defined Answer: A	B) Well defined
44) {x x is a four-year college in Utah} A) Well defined	B) Not well defined
Answer: A	
Complete the blank with either ϵ or ϵ to make the statement true. 45) -5 _ {5, 7, 9,, 17} A) ϵ	B) ∈
Answer: A	
46) 0 _ {-1, 1, 3, 12, 22} A) ∈ Answer: B	B) ∉
47) $\{7\} = \{\{4\}, \{5\}, \{6\}, \{7\}, \{8\}\}$ A) \in Answer: A	B) ∉
48) 5 _ {10, 9, 8, 7} A) ∉ Answer: A	B) <
49) 7 _ {6, 11, 5, 7, 15} A) ∈ Answer: A	B) ∉
50) 12 _ {10, 11, 12, 13} A) ∈ Answer: A	B) ∉
51) a _ {A, B, C,, Z} A) ∈ Answer: B	B) ∉
52) 7 $_ \{2, 3, 4,, 7\}$ A) \notin Answer: B	B)
53) {6} _ {7 - 3, 8 - 3, 9 - 3, 10 - 3} A) ∉ Answer: A	B) <

54) 7 _ {8 + 5, 6 + 5, 4 + 5, 2 + 5} A) \in Answer: A	B) ∉
Tell whether the statement is true or false. 55) 10 ∈ {20, 30, 40, 50, 60} A) True Answer: B	B) False
56) {4, 6, 13} = {0, 4, 6, 13} A) True Answer: B	B) False
57) 17 ∉ {16, 14, 13,, 1} A) True Answer: A	B) False
 58) {8} = {x x is an even counting number between 10 and 16} A) True Answer: B 	B) False
59) {59, 60, 59, 60} = {59, 60} A) True Answer: A	B) False
60) {2, 12, 28, 10, 31} = {31, 12, 10, 82, 2} A) True Answer: B	B) False
61) {x x is a counting number greater than 35} = {35, 36, 37,} A) True Answer: B	B) False
62) 13 ∉ {x x is an even counting number} A) True Answer: A	B) False
63) k ∉ {p, a, k, h, v} A) True Answer: B	B) False
64) {s, q, y, o, d} = {o, d, q, s, y} A) True Answer: A	B) False

$\mathbf{B} = \{3, 5, 9, 11\}$	
C = {5, 9, 13}	
65) 13 ∉ C	
A) True	B) False
Answer: B	
66) 9 ∈ B	
A) True	B) False
Answer: A	
67) Every element of B is also an element of C	
A) True	B) False
Answer: B	
68) A = {x x is an odd counting number greater $A = \{x \mid x \text{ is an odd counting number greater } x \in X\}$	ter than 1 and less than 15}
A) True	B) False
Answer: A	
69) 0 ∈ A	
A) True	B) False
Answer: B	
70) Every element of C is also an element of A	ι.
A) True	B) False
Answer: A	
71) {x \mid x is an odd counting number less that	n 15} = A
A) True	B) False
Answer: B	
72) {13} ∈ B	
A) True	B) False
Answer: B	
Use ⊆ or ≰ in the blank to make a true statement.	
73) {4, 6, 8} {3, 4, 5, 6, 8}	
A) ⊆	B) ⊈
Answer: A	
74) {16, 23, 28} {14, 23, 28, 38}	
A) ⊄	B) ⊆
Answer: A	
75) {e, d, j, h} {e, d, j, h, p}	
A) ∉	B) ⊆
Answer: B	

76) ∅ ∅ A) ⊆ Answer: A		B) ⊄	
77) {1, 3, 5} {x x is an odd co A) ∉ Answer: B	unting number}	B) ⊆	
78) {k, m, i} {k, k, m, m, i, i} A) ⊆ Answer: A		B) ∉	
79) {x x is a counting number l A) ⊆ Answer: B	arger than 5} {7, 8, 9,}	B) ⊄	
Decide whether ⊆, ⊂, both, or neither c	an be placed in the blank to	make a true statement.	
80) {11, 12, 13} {10, 11, 12, 13} A) < Answer: C	B) Neither	C) Both ⊂ and ⊆	D) ⊆
81) ∅ {3, 19, 26, 32} A) Neither Answer: B	B) Both ⊂ and ⊆	С) с	D) ⊆
82) {7, 8, 9} {7, 8, 9} A) < Answer: C	B) Neither	C) ⊆	D) Both ⊂ and ⊆
83) {0}ø A) Both ⊂ and ⊆ Answer: C	В) с	C) Neither	D) ⊆
84) {a, b} {z, a, y, b, x, c} A) Both ⊂ and ⊆ Answer: A	B) ⊆	C) Neither	D) c
85) {s, r, t} {s, r, t} A) < Answer: D	B) Both ⊆ and ⊂	C) Neither	D) ⊆

Determine whether the statement is true or false. Let $A = \{1, 3, 5, 7\}$ $\mathbf{B} = \{5, \, 6, \, 7, \, 8\}$ $C = \{5, 8\}$ $D = \{2, 5, 8\}$ $U=\{1,\,2,\,3,\,4,\,5,\,6,\,7,\,8\}$ 86) C ⊂ D A) True B) False Answer: A 87) Ø ⊆ A B) False A) True Answer: A 88) {6, 5, 8, 7} ⊆ B A) True B) False Answer: A 89) D ⊆ B A) True B) False Answer: B 90) A ≠ {7, 5, 3, 1} A) True B) False Answer: B 91) {5} ⊆ D B) False A) True Answer: A 92) {0} ⊆ U A) True B) False Answer: B 93) {8, 5, 2} ⊂ D A) True B) False Answer: B 94) C ⊈ B B) False A) True Answer: B 95) C ⊈ A A) True B) False Answer: A

Find the number of subsets of the	set.		
96) {9, 10, 11}	D) 2		
A) 8	B) 3	C) 7	D) 6
Answer: A			
97) {x x is an even number A) 5	between 19 and 31} B) 29	C) 64	D) 32
Answer: C			
98) {0}			
A) 2	B) 0	C) 4	D) 1
Answer: A			
99) {mom, dad, son, daughte	er}		
A) 12	B) 16	C) 8	D) 14
Answer: B			
100) {math, English, history, s	cience artl		
A) 16	B) 28	C) 24	D) 32
Answer: D			
101) {x \mid x is a day of the weel	۶)		
A) 124	B) 127	C) 256	D) 128
Answer: D	,	,	,
102) {1, 2, 3,, 9} A) 512	B) 1024	C) 508	D) 16
Answer: A	<i>b</i>) 1021	C) 000	2)10
Find the number of proper subset 103) {12, 13, 14}	s of the set.		
A) 6	B) 7	C) 5	D) 2
Answer: B			
104) {x \mid x is an even number	between 11 and 25)		
A) 64	B) 128	C) 24	D) 127
Answer: D	,	,	
105) {0}			
A) 0	B) 1	C) 2	D) 4
Answer: B	_) _	-) -	_,_
106) {car, boat, truck, train} A) 8	B) 15	C) 16	D) 14
Answer: B	0,10	C) 10	D_{j} 14
107) {poetry, drama, speech, a		C) 21	
A) 24	B) 16	C) 31	D) 32
Answer: C			

108) {x x is a day of the week} A) 128 Answer: C	B) 256	C) 127	D) 64
109) {1, 2, 3,, 6} A) 58 Answer: B	B) 63	C) 64	D) 127
Let U = {1, 2, 4, 5, a, b, c, d, e}. Find the o 110) T = {2, 4, b, d} A) {1, 3, 5, a, c, e} C) {1, 5, a, e} Answer: D	complement of the set.	B) {1, 2, 4, 5, a, b, c, d, e} D) {1, 5, a, c, e}	
111) W = {1, 5, e, d, a} A) {2, 3, 4, a, b, c} Answer: B	B) {2, 4, b, c}	C) {2, 3, 4, b, c}	D) {1, 2, 4, b, c}
112) V = {1, 2, 4, 5, a, b, c, e} A) {3, d} Answer: D	B) {u}	C) Ø	D) {d}
113) T = {a, b, c, d} A) {e} Answer: C	B) {1, 2, 3, 4, 5, e}	C) {1, 2, 4, 5, e}	D) {1, 2, 4, 5}
114) G = {a} A) {1, 2, 4, 5, b, c, d, e} C) {1, 2, 3, 4, 5, b, c, d, e} Answer: A		B) {u, v} D) {1, 2, 5, b, c, d, e}	
115) $P = \emptyset$ A) {0} Answer: C	B) Ø	C) U	D) Ø'
116) P = {a, b, d, e, 1, 2, 4, 5} A) \emptyset Answer: D	B) U	C) {c, 3}	D) {c}
117) R = {1, 2, 5, b, d} A) {3, 4, a, c, e} Answer: C	B) {4, a, b, c, e}	C) {4, a, c, e}	D) {3, 4, a, b, c, e}
118) $T = U$ A) \emptyset Answer: A	B) {U – T'}	C) U	D) T
119) P = {e, a, c, 4, 5} A) {1, 2, 3, b, d} Answer: C	B) {b, d, 1, 2, 3}	C) {1, 2, b, d}	D) {1, 2, b, c, d}

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

<u>Alabama</u>	<u>Arkansas</u>	<u>Louisiana</u>
soybeans (s)	soybeans (s)	soybeans (s)
peanuts (p)	rice (r)	sugarcane (n)
corn (c)	cotton (t)	rice (r)
hay (h)	hay (h)	corn (c)
wheat (w)	wheat (w)	cotton (t)

Let U be the smallest possible universal set that includes all of the crops listed, and let A, K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets. 120) The set of crops in U.

120) The set of crops in U.			
A) {c, h, n, p, r, s, t, w}		B) {s, p, c, w, r, t, n}	
C) {s, p, c, h, w, s, r, t, h,	w, s, n, r, c, t}	D) {s, p, c, h, w, r, t, n, c}	
Answer: A			
121) The set of crops in A'.			
A) {h, n, r, t}	B) {n, r, t}	C) {r, t}	D) {c, h, n, r, s, t, w}
Answer: B			
122) The set of crops in both A a	and K		
A) {c, h, p, r, s, t, w}	B) {c, p, r, t}	C) {c, h, s, t, w}	D) {h, s, w}
Answer: D			
123) The set of crops in both L a	ind K		
A) {r, s, t}	B) {c, n, r, s, t}	C) {c, h, n, w}	D) {c, h, n, r, s, t, w}
Answer: A			
124) The set of crops in both L a	ind K'		
A) {h, w}	B) {c, n, p}	C) {r, s, t}	D) {c, n}
Answer: D			
125) The set of crops in both A a	and L'		
A) {n, r, t}	B) {c, s}	C) {h, n, t, w}	D) {h, p, w}
Answer: D			
126) The set of crops in both A'	and K'		
A) $\{c, p, r, t\}$	B) {n}	C) {c, n, p, r, t}	D) Ø
Answer: B			
127) The set of crops common to	o A, K, and L		
A) {c, h, n, p, r, s, t, w}	B) {n, p, s}	C) {n, p}	D) {s}
Answer: D			
128) The set of crops in either A	or L or both		
A) {h, n, p, r, t, w}	B) {c, n, p}	C) {c, h, n, p, r, s, t, w}	D) {c,s}
Answer: C			

129) The set of crops in either A	' or L or both		
A) {h, n, p, r, t, w}	B) {c, n, r, s, t}	C) {n, r, t}	D) {h, p, w}
Answer: B			
Solve the problem.			
130) List all possible subsets of t	the set {m, n}.		
A) {m}, {n}		B) {m}, {n}, ∅	
C) {m}, {n}, {m, n}		D) {m}, {n}, {m, n},	Ø
Answer: D			
131) List all possible proper sub	sets of the set {2, 6, 7}.		
A) Ø, {2}, {6}, {7}, {2, 6}, {2	2, 7}, {6, 7}	B) {2}, {6}, {7}, {2, 6}	, {2, 7}, {6, 7}, {2, 6, 7}
C) \emptyset , {2}, {6}, {7}, {2, 6}, {2	2, 7}, {6, 7}, {2, 6, 7}	D) {2}, {6}, {7}, {2, 6}	, {2, 7}, {6, 7}
Answer: A			

132) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees of two people (ie list all possible subsets of size two).

B) {e, f}, {e, g}, {f, g}, {g, j}

D) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}

A) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {f, e}, {g, e} C) {e, f}, {e, g}, {e, j}, {f, j}, {g, j} Answer: D

133) A committee is to be formed. Possible candidates for the committee are Eric, Frances, Greg, and Jose. Denoting these four people by e, f, g, j, list all possible committees if the committee is to contain at least two people and may contain up to four people.

A) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {f, g, j}, {e, f, g, j} B) {e, f}, {e, g}, {e, j}, {f, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}, {e, f, g, j} C) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}, {e, f, g, j} D) {e, f}, {e, g}, {e, j}, {f, g}, {f, j}, {g, j}, {e, f, g}, {e, f, j}, {e, g, j}, {f, g, j}

Answer: C

134) An adventure travel company has reservations from four people (Lee, Maria, Nancy, and Pablo) for its white water rafting trip on June 1st. However the company knows that any of these people may fail to show up on the day of the trip. Denoting these four people by l, m, n, p, list all possibilities for the group of people who show up on June 1st for the rafting trip (ie list all possible subsets of {l, m, n, p}).

A) Ø, {l}, {m}, {n}, {p}, {l, m}, {l, n}, {m, n}, {m, p}, {n, p}, {l, m, n}, {l, m, p}, {l, n, p}, {m, n, p}

C) Ø, {1}, {m}, {n}, {p}, {1, m}, {1, n}, {1, p}, {m, n}, {m, p}, {n, p}, {1, m, n}, {1, m, p}, {m, n, p}, {1, m, n, p}

 $D) \{l\}, \{m\}, \{n\}, \{p\}, \{l, m\}, \{l, n\}, \{l, p\}, \{m, n\}, \{m, p\}, \{n, p\}, \{l, m, n\}, \{l, m, p\}, \{l, n, p\}, \{m, n, p\}, \{l, m, n, p$

Answer: C

135) A committee is to be formed. Possible candidates for the committee are Anne, Daniel, Raul, Sarah, and Teresa. Denoting these five people by a, d, r, s, t, list all possible committees of three people (ie list all possible subsets of size three).

A) $\{a, d, r\}, \{a, d, s\}, \{a, d, t\}, \{a, r, s\}, \{a, r, t\}, \{a, s, t\}, \{d, r, s\}, \{d, r, t\}, \{d, s, t\}, \{r, s, t\}, \{d, a, r\}, \{s, t, d\}$

B) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {d, r, s}, {d, r, t}, {d, s, t}, {r, s, t}

C) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {a, r, t}, {a, s, t}, {d, r, s}, {d, r, t}, {d, s, t}, {r, s, t}

D) {a, d, r}, {a, d, s}, {a, d, t}, {a, r, s}, {a, r, t}, {a, s, t}, {d, r, t}, {d, s, t}, {r, s, t}

Answer: C

List the elements in the set . Let $U = \{q, r, s, t, u, v, w, x, y, z\}$ $A = \{q, s, u, w, y\}$ $B = \{q, s, y, z\}$ $C = \{v, w, x, y, z\}$.			
136) A ∪ C A) {q, s, u, v, w, x, y, z} C) {q, s, u, v, w, y, z} Answer: A		B) {w, y} D) {q, s, u, w, y, v, w, x, y,	z}
137) B ∩ C A) {q, s, v, w, x, y, z} Answer: D	B) {y}	C) {w, y, z}	D) {y, z}
138) A ∩ B' A) {r, s, t, u, v, w, x, z} C) {u, w} Answer: C		B) {t, v, x} D) {q, s, t, u, v, w, x, y}	
139) (A ∪ B)' A) {r, s, t, u, v, w, x, z} Answer: D	B) {s, u, w}	C) {t, v, x}	D) {r, t, v, x}
140) (A ∩ B)' A) {s, u, w} C) {q, s, t, u, v, w, x, y} Answer: D		B) {t, v, x} D) {r, t, u, v, w, x, z}	
141) A' ∪ B A) {q, r, s, t, v, x, y, z} C) {r, s, t, u, v, w, x, z} Answer: A		B) {s, u, w} D) {q, s, t, u, v, w, x, y}	
142) C' ∪ A' A) {q, s, u, v, w, x, y, z} C) {w, y} Answer: B		B) {q, r, s, t, u, v, x, z} D) {s, t}	
143) C' ∩ A' A) {q, r, s, t, u, v, x, z} C) {q, s, u, v, w, x, y, z} Answer: D		B) {w, y} D) {r, t}	
144) C – A A) {w, y} Answer: B	B) {v, x, z}	C) {q, s, u, v, x, z}	D) {q, s, u}

145) A' – C A) {q, s, u, v, x, z} Answer: B	B) {r, t}	C) {v, x, z}	D) {q, s, u}
146) A ∪ (B ∩ C) A) {q, w, y} Answer: C	B) {q, r, w, y, z}	C) {q, s, u, w, y, z}	D) {q, y, z}
147) A ∩ (B ∪ C) A) {q, r, w, y, z} Answer: C	B) {q, y, z}	C) {q, s, w, y}	D) {q, s, u, w, y, z}
148) (A' ∪ C) ∩ B' A) {v, x} Answer: D	B) {y, z}	C) {r, t, u, v, w, s, y, z}	D) {r, t, v, w, x}
149) (B' ∩ C)' ∪ A A) {q, r, s, t, u, w, y, z} C) {q, r, s, t, u, v, w, x, y} Answer: A		B) {q, s, u, v, w, x, y} D) {q, s, u, y}	
150) (A ∪ B')' ∩ C' A) {v, w, x, y} Answer: B	B) Ø	C) {q, r, s, t, u, z}	D) {q, r, s, t, u}
151) B ∩ (A – C) A) {q, s, u, y} C) {q, s} Answer: C		B) {q, s, u, y, z} D) {q, r, s, t, u, v, w, x, y}	
152) (A ∩ B') ∪ (B ∩ A') A) {u, w, z} Answer: A	B) {u, w, y, z}	C) {q, s, y}	D) {q, s, u, w, y, z}

Let U = {all soda pops}, A = {all diet soda pops}, B = {all cola soda pops}, C = {all soda pops in cans}, and D = {all caffeine-free soda pops}. Describe the set in words. 153) A \circ B

A) All diet cola soda pops	B) All soda pops
C) All diet or all cola soda pops	D) All diet and all cola soda pops
Answer: A	

154) A' ∩ C

A) All non-diet soda pops in cans

B) All diet soda pops in cans

C) All diet soda pops and all soda pops in cans

D) All non-diet soda pops and all soda pops in cans

Answer: A

155) $A \cap B \cap D$

A) All diet, caffeine-free cola pops in cans

B) All soda pops not in cans

C) All diet, caffeine-free cola soda pops

D) All diet and all cola and all caffeine-free soda pops

Answer: C

156) (A ∪ B) ∪ D

A) All diet or all cola or all caffeine-free soda pops

C) All diet, caffeine-free cola soda pops

Answer: A

157) (A \circ B) \circ C'

A) All non-diet, non-cola soda pops not in cans

C) All diet and all cola soda pops not in cans

Answer: D

B) All cola soda pops not in cans

B) All soda pops

D) All soda pops not in cans

D) All diet cola soda pops not in cans

158) (A ∪ D) ∩ C'

A) All non-cola soda pops not in cans

B) All non-diet, non-caffeine-free soda pops not in cans

C) All diet soda pops not in cans or all caffeine-free soda pops not in cans

D) All diet, caffeine-free soda pops not in cans

Answer: C

159) (A' ∩ B') ∪ C

A) All non-diet non-cola soda pops or all soda pops in cans

B) All non-diet soda pops and all non-cola soda pops in cans

C) All non-diet non-cola soda pops in cans

D) All non-diet non-cola soda pops and all soda pops not in cans

Answer: A

160) (A – D) \cap B

A) All diet caffeine-free cola soda pops

B) All non-diet, caffeine-free cola soda pops

C) All diet soda pops that contain caffeine and all cola soda pops

D) All diet cola soda pops that contain caffeine

Answer: D

161) $(B \cap C') \cup (C \cap B')$

A) All cola soda pops and all soda pops in cans

B) All cola soda pops in cans and all non-cola soda pops not in cans

C) All non-cola soda pops not in cans

D) All cola soda pops not in cans or all non-cola soda pops in cans

Answer: D

The lists below show five agricultural crops in Alabama, Arkansas, and Louisiana.

<u>Alabama</u>	<u>Arkansas</u>	<u>Louisiana</u>
soybeans (s)	soybeans (s)	soybeans (s)
peanuts (p)	rice (r)	sugarcane (n)
corn (c)	cotton (t)	rice (r)
hay (h)	hay (h)	corn (c)
wheat (w)	wheat (w)	cotton (t)

Let U be the smallest possible universal set that includes all of the crops listed, and let A, K and L be the sets of five crops in Alabama, Arkansas, and Louisiana, respectively. Find each of the following sets.

162) A ∩ K		C C	
A) {h, s, w}	B) {c, h, s, t, w}	C) {c, h, p, r, s, t, w}	D) {c, p, r, t}
Answer: A			
163) L ∩ K			
A) {c, n, r, s, t}	B) {c, h, n, w}	C) {r, s, t}	D) {c, h, n, r, s, t, w}
Answer: C			
164) K' ∩ L			
A) {r, s, t}	B) {c, n, p}	C) {c, n}	D) {h, w}
Answer: C			
165) L' ∩ A			
A) {n, r, t}	B) {h, n, t, w}	C) {h, p, w}	D) {c, s}
Answer: C			
166) A' ∩ K'			
A) {c, p, r, t}	B) Ø	C) {n}	D) {c, n, p, r, t}
Answer: C			
167) A ∩ K ∩ L			
A) {c, h, n, p, r, s, t, w}	B) {s}	C) {n, p}	D) {n, p, s}
Answer: B			
168) A ∪ L			
A) {h, n, p, r, t, w}	B) {c, s}	C) {c, h, n, p, r, s, t, w}	D) {c, n, p}
Answer: C			
169) K ∪ L			
A) {c, h, n, w}	B) {c, h, n, r, s, t, w}	C) {n, r, t}	D) {r, s, t}
Answer: B			
170) A' ∪ L			
A) {h, p, w}	B) {c, n, r, s, t}	C) {h, n, p, r, t, w}	D) {n, r, t}
Answer: B			
171) L' ∪ K'			
A) {p}	B) {r, s, t}	C) {c, h, p, s, w}	D) {c, h, n, p, w}
Answer: D			


Let A and B be sets with cardinal numbers, n(A) = a and n(B) = b, respectively. Decide whether the statement is true or false. 172) $n(A \cup B) = n(A) - n(B)$ B) False A) True Answer: B 173) n(A - B) = n(B - A)A) True B) False Answer: B 174) If $B \subseteq A$, n(B) = n(A - B). A) True B) False Answer: B 175) If $B \subseteq A$, n(B) = n(A) - n(A - B). B) False A) True Answer: A 176) $n(A \cap B) = n(B \cap A)$ A) True B) False Answer: A 177) $n(A \cup B) = n(A) + n(B) - n(A \cap B)$ B) False A) True Answer: A 178) $n(A \cap B) = n(A) - n(B)$ A) True B) False Answer: B 179) $n(A \cup B) + n(A \cap B) = n(A) + n(B)$ A) True B) False Answer: A Tell whether the statement is true or false. 180) $\{2, 9, 15\} = \{0, 2, 9, 15\}$ A) True B) False Answer: B 181) $\{53, 54, 53, 54\} = \{53, 54\}$ B) False A) True Answer: A 182) $\{5, 16, 25, 8, 35\} = \{35, 16, 8, 52, 5\}$ B) False A) True Answer: B 183) (17, 1) = (1, 17)A) True B) False Answer: B


184) (1 – 10, 10 – 15) = (-9, -5) A) True Answer: A	B) False	
185) (13 + 16, 12 + 16) = (13, 12) A) True Answer: B	B) False	
186) {(3, 1), (0, 6), (-4, -2)} = {(-4, -2), (3, 1), (6, 0)} A) True Answer: B	B) False	
Find the Cartesian product. 187) $A = \{4, 6, 3\}$ $B = \{2, 6\}$ Find $A \times B$. A) $\{(2, 4), (2, 6), (2, 3), (6, 4), (6, 6), (6, 3)\}$ C) $\{(4, 2), (6, 3), (3, 2)\}$ Answer: B	B) {(4, 2), (4, 6), (6, 2), (6, 6) D) {(4, 2), (6, 6)}), (3, 2), (3, 6)}
188) $A = \{i, a\}$ $B = \{t, d, m\}$ Find $A \times B$. $A) \{(i, t), (i, d), (i, m), (a, t), (a, d), (a, m)\}$ $C) \{(i, t), (a, t), (i, d), (a, d)\}$ Answer: A	B) {(i, t), (t, a), (i, d), (d, a), D) {(t, i), (t, a), (d, i), (d, a),	. , . , .
189) $A = \{0\}$ $B = \{16, 26, 36\}$ Find $B \times A$. A) $\{(0, 16), (0, 26), (0, 36)\}$ C) $\{0\}$ Answer: D	B) {0, 0, 0} D) {(16, 0), (26, 0), (36, 0)}	
190) A = {4, 2, 6, 8} B = {0, 1} Find B × A. A) {(4, 0), (2, 0), (6, 0), (8, 0), (4, 1), (2, 1), (6, 1), (8, 1)} B) {0, 1, 4, 2, 6, 8} C) {(0, 4), (0, 2), (0, 6), (0, 8), (1, 4), (1, 2), (1, 6), (1, 8)} D) {(4, 0), (4, 1), (2, 0), (2, 1)}		
Answer: C		
Find the indicated cardinal number. 191) Find $n(A \times B)$ given that $A = \{2\}$ and $B = \{1, 3\}$. A) 3 B) 1 Answer: C	C) 2	D) 4

192) Find n(A × C) given that A = { A) 3 Answer: A	2} and C = {4, 5, 6}. B) 2	C) 4	D) 1
193) Find n(D × B) given that B = { A) 7 Answer: B	l, 3} and D = {7, 8, 9, 10}. B) 8	C) 12	D) 16
194) Find n(C × D) given that C = { A) 12 Answer: A	4, 5, 6} and D = {7, 8, 9, 10}. B) 7	C) 27	D) 81
195) Find n(E), given that n(C × E) A) 6 Answer: A	= 18 and C = {4, 5, 6}. B) 54	C) 3	D) 9
196) Find n(F), given that n(B × F) = A) 6 Answer: D	= 18 and B = {1, 3}. B) 36	C) 54	D) 9
197) Find n(G), given that n(D × G) A) 24 Answer: B	e = 20 and D = {7, 8, 9, 10}. B) 5	C) 4	D) 9
198) Find n(A × B) given that n(A) A) 279 Answer: A	= 31 and n(B) = 9. B) 22	C) 49	D) 40
199) Find n(B) given that n(A × B) A) 1 Answer: B	= 7 and n(A) = 1 . B) 7	C) 6	D) 8
200) Find n(A) given that n(A × B) A) 2 Answer: D	= 20 and n(B) = 2. B) 18	C) 22	D) 10


For the given sets, construct a Venn diagram and place the elements in the proper region.


201) Let $U = \{c, d, g, h, k, u, q\}$ $A = \{d, h, g, q\}$ $B = \{c, d, h, u\}$ u в A A) u С g d в A h q u k C) u С g d в A q h u






Answer: A










Answer: C

203) Let U = {c, e, g, f, n, m, t} A = {e, g, f, m} B = {c, e, g, t}







D)



Answer: A


204) U = {2, 4, 6, 8, 10, 12} A = {2, 6, 10} B = {2, 4, 8} C = {2, 8, 10, 12}










205) U = {a, b, c, d, e, f, g, h, i,j, k, l, m, n, o, p} A = {a, e, i, o} B = {b, c, d, f, g, h, j, k, l, m} C = {a, b, c, d, e, f, g}














Shade the regions representing the set. 206) $A^{\prime} \cap B^{\prime}$



Answer: A










Answer: D


208) (A \cup B) \cap (A \cap B)'





Answer: A

















Answer: B





B)




Answer: B









Answer: B













Answer: B








Answer: C




B)







Answer: A





Write a description of the shaded region using the symbols A, B, C, \cup , \cap , –, and ' as needed.






222)			
$A) (A' \cup B) \cap C$ Answer: A	B) (A' ∩ B) ∪ C	C) (A ∪ B') ∩ C	D) A' ∩ C
223)			
$A) A \cup B \cap C'$ Answer: B	B) (A ∪ B) ∪ C'	C) (A ∩ B) ∪ C'	D) (A ∪ B ∪ C)′
224)			
$ \begin{array}{c} A \\ U \\ C \\ A \\ B - (A \circ C) \\ Answer: C \\ \end{array} $	B) (B − A) ∪ C	C) A' ∩ C' ∩ B	$D) \ B \circ (A \circ C)'$
A) $B' \cap A \cup C$ Answer: B	B) $C \cap B' \cup A$	C) A ∪ C – B	D) A ∪ C
Decide whether the given statement	is always true or not always	ivs true.	
226) $A \circ A' = \emptyset$ A) Always true Answer: A	ÿ	B) Not always true	
227) (A ∪ B) ⊆ A A) Not always true Answer: A		B) Always true	

228) (A ∩ B) ⊆ B A) Not always true		B) Always true	
	Answer: B		, ,	
229)) (A ∩ B)' = A'∪B' A) Not always true Answer: B		B) Always true	
230)) (A ∪ B)' = A'∪B' A) Not always true Answer: A		B) Always true	
231)) If A ⊆ B, then A ∪ B = A A) Always true Answer: B 		B) Not always true	
232)) If B ⊆ A, then A ∩ B = A A) Always true Answer: B		B) Not always true	
233)) A – A' = A A) Always true Answer: A		B) Not always true	
234)) $A \cup (B \cap C)' = A \cup (B' \cup C')$ A) Not always true Answer: B		B) Always true	
235) $A \circ (B \circ C) = (A \circ B) \circ C$ A) Always true Answer: B		B) Not always true	
Describe	the conditions under which the	e statement is true.		
236)	$(A \circ B = A)$ $A) B = \emptyset$ Answer: B	B) A ⊆ B	C) B ⊆ A	D) Always true
237) $A \cup \emptyset = U$ A) $A = \emptyset$ Answer: D	B) Always true	C) A ≠ Ø	D) A = U
238)) A ∪ B = B A) Always true Answer: C	B) $A = \emptyset$	C) A ⊆ B	D) B ⊆ A
239)	$A \circ A' = A$ A) $A = \emptyset$ Answer: A	B) A = U	C) A ≠ Ø	D) Always true

240) A ∩ B' = A A) B ⊆ A Answer: D	B) Always true	C) $B = \emptyset$	D) $A \circ B = \emptyset$
241) $A \cup B = A$ A) $A \subseteq B$ Answer: D	B) Always true	C) B = \emptyset	D) B ⊆ A

Find the cardinal number of the set.


242) The numbers in the Venn Diagram below represent cardinalities.



Find $n(A \cup B)$.

A) 48	B) 24	C) 4	D) 52
Answer: A			

243) The numbers in the Venn Diagram below represent cardinalities.




Find $n(A \circ B')$.


A) 20 B) 4 C) 24 D) 28

Answer: C


244) The numbers in the Venn Diagram below represent cardinalities.




245) The numbers in the Venn Diagram below represent cardinalities.



246) The numbers in the Venn Diagram below represent cardinalities.








B) 23

C) 41

D) 12

249) Given:

Answer: C



B) 237


C) 247

D) 186

Answer: B

250) Given:	$n(A \circ B \circ C) = 69$ $n(A \circ B \circ C) = 10$ $n(A \circ B) = 22$ $n(A \circ C) = 19$ $n(B \circ C) = 17$ n(A) = 51 n(B) = 34 n(C) = 32			
Find n(A' ∩				
U A	B			
A) 7		B) 8	C) 9	D) 6
Answer: A				
		d set. Use the cardinal num	ber formula.	
	$n(B) = 11 \text{ and } n(A \cap A)$	B) = 3, what is $n(A \cup B)$?		
A) 13	$n(B) = 11 \text{ and } n(A \cap$	B) = 3, what is n(A ∪ B)? B) 16	C) 12	D) 14
	$n(B) = 11$ and $n(A \circ$		C) 12	D) 14
A) 13 Answer: A		B) 16		D) 14
A) 13 Answer: A				D) 14 D) 60
A) 13 Answer: A 252) If n(A) = 40		B) 16 • B) = 137, what is $n(A \circ B)$?	, ,	
A) 13 Answer: A 252) If n(A) = 40 A) 22 Answer: B	, n(B) = 117 and n(A	B) 16 • B) = 137, what is $n(A \circ B)$?	, ,	
A) 13 Answer: A 252) If n(A) = 40 A) 22 Answer: B	, n(B) = 117 and n(A	 B) 16 B) = 137, what is n(A ∩ B)? B) 20 	, ,	
A) 13 Answer: A 252) If n(A) = 40 A) 22 Answer: B 253) If n(B) = 24,	, n(B) = 117 and n(A	B) 16 $(B) = 137$, what is n(A \cap B)? B) 20 (A \cup B) = 42, find n(A).	C) 10	D) 60
A) 13 Answer: A 252) If $n(A) = 40$ A) 22 Answer: B 253) If $n(B) = 24$, A) 18 Answer: C	, n(B) = 117 and n(A , n(A ∩ B) = 5, and n(B) 16 $(B) = 137$, what is n(A \cap B)? B) 20 (A \cup B) = 42, find n(A).	C) 10	D) 60

Draw an appropriate Venn diagram and use the given information to fill in the number of elements in each region.




Answer: D

52


4


256) n(A) = 14, n(B) = 21, $n(A \cup B) = 25$, n(B') = 9






257) n(A') = 26, n(B) = 32, n(A \circ B) = 11, n(A' \circ B') = 35









Answer: A

258) n(A) = 30, n(B) = 28, n(C) = 35, $n(A \circ B) = 12$, $n(A \circ C) = 15$, $n(B \circ C) = 14$, n(U) = 67




Answer: B



Answer: B

260) n(A) = 35, $n(A \circ B') = 24$, $n(A \circ C) = 15$, $n(B \circ C) = 14$, $n(A' \circ B' \circ C') = 10$, $n(A \circ B \circ C) = 6$, $n(B \circ C) = 52$, $n(B \circ C') = 18$



Answer: B

Solve the problem.

261) Mrs. Bollo's second grade class of thirty students conducted a pet ownership survey. Results of the survey indicate that 8 students own a cat, 15 students own a dog, and 5 students own both a cat and a dog. How many of the students surveyed own only a cat?

A) 3
B) 15
C) 8
D) 18

Answer: A

262) Monticello residents were surveyed concerning their preferences for candidates Moore and Allen in an upcoming election. Of the 800 respondents, 300 support neither Moore nor Allen, 100 support both Moore and Allen, and 250 support only Moore. How many residents support only Allen?

A) 250
B) 100
C) 300
D) 150

Answer: D

 263) A local television station sent out questionnaires to determine if viewers would rather see a documentary, an interview show, or reruns of a game show. There were 850 responses with the following results: 255 were interested in an interview show and a documentary, but not reruns. 34 were interested in an interview show and reruns but not a documentary. 119 were interested in reruns but not an interview show. 204 were interested in an interview show but not a documentary. 85 were interested in a documentary and reruns. 51 were interested in an interview show and reruns. 68 were interested in none of the three. 				
How n A) 4		exactly one kind of show? B) 398	C) 408	D) 388
Answe	r: C			
 264) A survey of 160 families showed that 59 had a dog; 46 had a cat; 19 had a dog and a cat; 63 had neither a cat nor a dog nor a parakeet; 3 had a cat, a dog, and a parakeet. 				
How many had a parakeet only?				
A) 2	1	B) 26	C) 16	D) 11
Answe	r: D			
 265) A survey of a group of 112 tourists was taken in St. Louis. The survey showed the following: 60 of the tourists plan to visit Gateway Arch; 46 plan to visit the zoo; 11 plan to visit the Art Museum and the zoo, but not the gateway Arch; 12 plan to visit the Art Museum and the Gateway Arch, but not the zoo; 16 plan to visit the Gateway Arch and the zoo, but not the Art Museum; 7 plan to visit the Art Museum, the zoo, and the Gateway Arch; 16 plan to visit none of the three places. 				
How many plan to visit the Art Museum only?				
A) 4		B) 13	C) 96	D) 34
Answe	er: B			

266) In a survey of 280 people, a travel company asked people about places they plan to visit in the next 5 years. The results were as follows:
48 plan to visit Europe
58 plan to visit Latin America
34 plan to visit Asia
14 plan to visit Europe and Latin America
12 plan to visit Latin America and Asia
11 plan to visit Europe and Asia
4 plan to visit Europe and Asia
4 plan to visit all three
How many people plan to visit exactly two of these places?
A) 18
B) 29
C) 25
D) 37

267) A survey of 141 college students was done to find out what elective courses they were taking. Let A = the set of those taking art, B = the set of those taking basketweaving, and C = the set of those taking canoeing. The study revealed the following information.

 $\begin{array}{ll} n(A) = 45 & n(A \cap B) = 12 \\ n(B) = 55 & n(A \cap C) = 15 \\ n(C) = 40 & n(B \cap C) = 23 \\ n(A \cap B \cap C) = 2 \end{array}$

How many students were not taking any of these electives? A) 59 B) 51 C) 10 D) 49 Answer: D

44