

A nurse is reinforcing teaching with a client who plans to bottle feed her newborn. Which of the following statements indicates an understanding of the instructions?

I will feed my baby six to eight times a day

A nurse is reinforcing discharge teaching with a client who is postoperative following laser surgery for open-angle glaucoma. Which of the following statements by the client indicates an understanding of the instructions?

I will take a stool softener to prevent constipation

A nurse is preparing to administer a liquid medication to a 6-month-old infant who is crying. Which of the following actions should the nurse take to reduce the risk of aspiration?

Administer using a needleless syringe in the buccal cavity

A nurse is reinforcing teaching with a client who has peptic ulcer disease. Which of the following statements by the client indicates an understanding of the teaching?

I will plan to have my meals at regular intervals

A nurse in a urgent care clinic is collecting data from a client who reports having diarrhea for the past 3 days. Which of the following findings indicates hypokalemia?

Muscle weakness

A nurse is collecting data from a client who hgb is 8.8 mg/dL. Which of the following statements should the nurse expect?

I feel tired all the time

A nurse is assisting with an admission interview for a client who has schizophrenia. He tells the nurse that he is receiving special audible messages from the Central Intelligence Agency that no one else is able to hear. The nurse should identify that the client is having which of the following alterations in perception?

Hallucination

A nurse is reinforcing teaching about foot care with a client who has diabetes mellitus. Which of the following client statements indicates to the nurse a need for further teaching?

"I will be sure to wear cotton socks."

A nurse is assisting with triaging clients in a mass casualty situation. The nurse should recommend that which of the following clients receive care first?

A client who has diminished breath sounds and paradoxical chest movement

A nurse is caring for a child who has terminal cancer. Which of the following responses by the child's siblings should the nurse expect?

The school-age sister is concerned about the impact of her sibling's death on herself

A home health nurse is reinforcing teaching with a client about kitchen safety. Which of the following instructions should the nurse reinforce about using a fire extinguisher?

Sweep the extinguisher from side to side to put out the fire.

A nurse is reinforcing teaching with a client who has a new prescription for lithium carbonate. Which of the following client statements indicates an understanding of the teaching?

"I will notify my provider if I develop a tremor."

A nurse is caring for a client who is 5 days postoperative following abdominal surgery. The client tells the nurse that he was coughing and "felt a pop" at the incision site. The nurse examines the incision and finds wound dehiscence and evisceration. Which of the following actions should the nurse take?

Place the client in a side-lying position.

A nurse is caring for a postoperative client and obtains a pulse oximeter reading of 89%. Which of the following interventions should the nurse take first?

Repeat the test on another finger.

A nurse is observing the mother of a 12-hr-old newborn. Which of the following actions by the mother requires intervention by the nurse?

The mother places the newborn in prone position.

After receiving change-of-shift report, which of the following clients should the nurse collect data from first?

A client who has heart failure and reports severe dyspnea

A nurse is assisting with the admission of a client who has Hodgkin's disease and is receiving chemotherapy. Because a private room is not available, the nurse should recommend that the client share a room with a client who has which of the following diagnoses?

Community-acquired pneumonia

A nurse is evaluating a client who just attended a breastfeeding class. Which of the following statements by the client demonstrates that she has understood the teaching?

"I will feed my baby each time he cries."

A nurse is reinforcing teaching about self-administration of nasal drops with a client. Which of the following positions should the nurse recommend for instillation of the drops?

Supine

A nurse is receiving change-of-shift report on a group of clients. Which of the following clients should the nurse see first?

A client who is exhibiting flight of ideas

A nurse in the newborn nursery is collecting data about a newborn's Moro reflex. Which of the following actions should the nurse take to elicit this reflex?

Strike the crib surface on which the newborn is lying.

A nurse is caring for a school-age child who is scheduled for a bone marrow aspiration biopsy. The child asks the nurse, "Will this be painful?" Which of the following is an appropriate response by the nurse?

"There will be some pain, but I can give you medicine to make you more comfortable."

A nurse is assisting with the admission of a client who attempted suicide. When the nurse processes the client's belongings, which of the following items should the nurse remove from the client's suitcase?

Perfume

A nurse is caring for a client who is experiencing chest pain. The client states, "I am really afraid because my brother died a year ago of a heart attack." Which of the following responses is appropriate?

"This must be a frightening experience for you."

A nurse is collecting data from a client who is 1 day postoperative following a total hip arthroplasty and has deep-vein thrombosis. Which of the following findings should the nurse expect in the affected extremity?

Dull, aching pain

A nurse is contributing to the plan of care for a client who has bipolar disorder and is experiencing mania. Which of the following actions should the nurse include in the plan of care?

Decrease the level of environmental stimuli.

A nurse is caring for a client who is receiving morphine 2 mg subcutaneously every 4 hr for pain. The medication is available in a vial containing 10 mg/mL. How many ml should the nurse administer? (Round the answer to the nearest tenth. Use a leading zero if it applies. Do not use a trailing zero.)

0.2 ML

A nurse is preparing to administer cefaclor to a preschooler who weighs 20 kg. The child is to receive cefaclor 30 mg/kg/day to divide equally every 8 hr. Available is cefaclor suspension 125 mg/5 mL. How many ml should the nurse administer for one dose? (Round to the nearest whole number. Use a leading zero if it applies. Do not use a trailing zero.)

8

A nurse is caring for a school-age child whose family adheres to a vegan diet in the home. The nurse should recognize the child is at risk for deficiency of which of the following?

Vitamin D

A nurse is preparing to catheterize a client's bladder to check for residual urine. The nurse should schedule this procedure at which of the following times?

Right after the client voids

A nurse is collecting data from a client who has diabetes mellitus. Which of the following findings indicates the client might be experiencing diabetic ketoacidosis?

Anuria

A nurse is reinforcing teaching with a postpartum client. Which of the following should the nurse explain as the most important reason for staff to wear identification?

Reducing the risk of newborn abduction

A nurse is reinforcing teaching with a client diagnosed with osteoarthritis who reports joint pain, swelling, and stiffness. Which of the following client statements indicates understanding of the teaching?

I will exercise my joints as much as I can when they are inflamed

A nurse is reinforcing teaching with a client who is scheduled for a mammogram. Which of the following instructions should the nurse include in the teaching?

Refrain from using deodorant on the morning of the test

A nurse is preparing a client's insulin regimen. Which of the following insulins can be mixed?

Insulin aspart, regular insulin, insulin lispro

A nurse is caring for a client who had a stroke and is having difficulty swallowing. The nurse should recommend a referral to which of the following members of the interprofessional team?

Speech therapist

A nurse is reinforcing teaching with a client who is 12 hr postpartum and has an episiotomy. Which of the following instructions should the nurse include?

Change the perineal pad with each void

A nurse is collecting data from a child who has acute glomerulonephritis. Which of the following findings should the nurse expect?

Periorbital edema