NCLEX 2023 EXAM REVIEW STUDY GUIDE COMPREHENSIVE QUESTIONS AND ANSWERS

NCLEX Review Study Guide Comprehensive 2023

A client with diabetes mellitus calls the clinic nurse and reports that she has been vomiting during the night and now has diarrhea. Which question does the nurse make a priority of asking the client? - ANSWER "Have you tested your blood glucose?"

A client's oral intake of liquids includes 120 mL on the night shift, 800 mL on the day shift, and 650 mL on the evening shift. The client is receiving an intravenous (IV) antibiotic every 12 hours, diluted in 50 mL of normal saline solution. The nurse empties 700 mL of urine from the client's Foley catheter at the end of the day shift. Thereafter, 500 mL of urine is emptied at the end of the evening shift and 325 mL at the end of the night shift. Nasogastric tube drainage totals 155 mL for the 24-hour period, and the total drainage from the Jackson-Pratt device is 175 mL. What is the client's total intake during the 24-hour period? - ANSWER 1670mL

A client with heart failure suddenly experiences profound dyspnea, pallor, audible wheezing, and cyanosis, and the nurse suspects pulmonary edema. The nurse would first: - ANSWER Raise the head of the client's bed

A client with cervical cancer who is undergoing chemotherapy with cisplatin (Platinol). For which adverse effect of cisplatin will the nurse assess the client? - ANSWER Hearing loss

Alendronate (Fosamax) is prescribed for a client with postmenopausal osteoporosis. The nurse provides information on the medication to the client. When does the nurse tell the client to take the alendronate? - ANSWER Every morning before breakfast, with a full glass of water

A client with emphysema is receiving theophylline (Theo-24). While providing dietary instructions, the nurse tells the client that it is acceptable to consume: - ANSWER Apple juice

A nurse is reviewing the record of a client scheduled for electroconvulsive therapy (ECT). Which of the following diagnoses, if noted on the client's record, would indicate a need to contact the physician who is scheduled to perform the ECT? - ANSWER Recent stroke

An emergency department nurse is assessing a client with acute closed-angle glaucoma. Which of the following characteristics of the disorder does the nurse

expect the client to exhibit? Select all that apply. - ANSWER Nausea

Eye pain

Vomiting

Headache

The nurse administers intravenous morphine sulfate to a client in pulmonary edema. For which intended effect of the medication does the nurse monitor the client? - ANSWER Relief of anxiety

An emergency department nurse is told that a client with carbon monoxide poisoning resulting from a suicide attempt is being brought to the hospital by emergency medical services. Which intervention will the nurse carry out as a priority upon arrival of the client? - ANSWER Administering 100% oxygen

A client with agoraphobia will undergo systematic desensitization through graduated exposure. In explaining the treatment to the client, the nurse tells the client that this technique involves: - ANSWER Gradually introducing the client to a phobic object or situation in a predetermined sequence of least to most frightening

A client with a medical history of diabetes mellitus is found to have sarcoidosis, and oral prednisone is prescribed. The nurse provides instructions to the client about the medication and tells the client to: - ANSWER Closely monitor the blood glucose level

Enalapril maleate (Vasotec) is prescribed for a hospitalized client. Which assessment does the nurse perform as a priority before administering the medication? - ANSWER Checking the client's blood pressure

A client who has undergone abdominal hysterectomy asks the nurse when she will be able to resume sexual intercourse. The nurse tells the client that sexual intercourse may be resumed: - ANSWER In about 6 weeks, when the vaginal vault is satisfactorily healed

A nurse on the evening shift checks a physician's prescriptions and notes that the dose of a prescribed medication is higher than the normal dose. The nurse calls the physician's answering service and is told that the physician is off for the night and will be available in the morning. The nurse should: - ANSWER Ask the answering service to contact the on-call physician

A hospitalized female client with mania enters the unit community room and says

to a client who is wearing a blue shirt, "Boys in blue are fun to do! Boys in blue are fun to do!" What is the appropriate response by the nurse? - ANSWER "Don't say that. If you can't control yourself, we'll help you."

A client with HIV infection who has been found to have histoplasmosis is being treated with intravenous amphotericin B (Fungizone). Which parameter does the nurse check to detect the most common adverse effect of this medication? - ANSWER Intake and output

A nurse is gathering subjective and objective data from a client with suspected rheumatoid arthritis (RA). Which early manifestations of RA would the nurse expect to note? Select all that apply. - ANSWER Fatigue

Low-grade fever

Phenelzine sulfate (Nardil) is prescribed for a client with depression. The nurse provides information to the client about the adverse effects of the medication and tells the client to contact the physician immediately if she experiences: - ANSWER Neck stiffness or soreness

A client is receiving an intravenous infusion of oxytocin (Pitocin) to stimulate labor. The nurse monitoring the client notes uterine hypertonicity and immediately: - ANSWER Stops the oxytocin infusion

A nurse is assessing a pregnant woman for the presence of edema. The nurse places a thumb on the top of the client's foot, then exerts pressure and releases it and notes that the thumb has left a persistent depression. On the basis of this finding, the nurse concludes that: - ANSWER Pitting edema is present

A nurse is caring for a client with community-acquired pneumonia who is being treated with levofloxacin (Levaquin). For which of the following findings, indicating an adverse reaction to the medication, does the nurse monitor the client? - ANSWER Fever

A client receiving parenteral nutrition (PN) suddenly experiences chest pain and dyspnea, and the nurse suspects an air embolism. The nurse immediately places the client in a lateral Trendelenburg position, on the left side. What action does the nurse take next? - ANSWER Clamping the intravenous catheter

A nurse is preparing a poster for a health fair booth promoting primary prevention of skin cancer. Which of the following recommendations does the nurse include on the poster? Select all that apply. - ANSWER Seek medical advice if you find a skin lesion.

A nurse is providing instructions to a client with glaucoma who will be using acetazolamide (Diamox) daily. Which of the following findings, an adverse effect, does the nurse instruct the client to report to the physician? - ANSWER Dark urine

A nurse is providing morning care to a client who has undergone surgery to repair a fractured left hip. Which item is most important for the nurse to use in turning the client from side to side to change the bed linens? - ANSWER Abduction device

A nurse is performing an assessment of a client being admitted to the hospital with a diagnosis of multiple sclerosis. The client tells the nurse that she took baclofen (Lioresal) for the past 9 months but completely stopped the medication 2 days ago because it was making her feel weak. On the basis of this information, the nurse notes in the plan of care that the client should be monitored most closely for: - ANSWER Seizure activity

A nurse administers nitroglycerin sublingually to a client with angina pectoris who complains of chest pain. The medication is ineffective, so the nurse prepares to administer a second dose. Before administering the nitroglycerin, which action does the nurse make a priority? - ANSWER Checking the client's blood pressure

A nurse provides information to a client with coronary artery disease (CAD) about smoking-cessation measures. Which statement by the client indicates a need for further information? - ANSWER "I should drink a cup of coffee if I feel the urge to smoke."

A client with myasthenia gravis who has been taking pyridostigmine bromide (Mestinon) for the treatment of the disorder comes to the emergency department complaining of severe muscle weakness, and cholinergic crisis is diagnosed.

Which medication does the nurse prepare for immediate use in treating the crisis?

- ANSWER Atropine sulfate

A rape victim being treated in the emergency department says to the nurse, "I'm really worried that I've got HIV now." What is the appropriate response by the nurse? - ANSWER "Let's talk about the information that you need to determine your risk of contracting HIV."

A nurse is providing instruction to a client with osteoporosis regarding appropriate foods to include in the diet. The nurse tells the client that one food item high in calcium is: - ANSWER Sardines

A nurse prepares to administer digoxin (Lanoxin) to a client with congestive heart failure. Which vital sign must be checked before the medication is administered? - ANSWER Apical pulse

A nurse provides home care instructions to a client with coronary artery disease (CAD) who is being discharged from the hospital. Which statement by the client indicates a need for further instruction? - ANSWER "I need to participate in aerobic and weightlifting exercise three times a week."

A nurse is caring for a client with a cuffed endotracheal tube who is undergoing mechanical ventilation. Which intervention to prevent a tracheoesophageal fistula, a complication of this type of tube, does the nurse implement? - ANSWER Maintaining cuff pressure

Ergotamine (Cafergot) is prescribed to a client with cluster headaches. Which of the following occurrences does the nurse tell the client to report to the physician if she experiences them while taking the medication? - ANSWER Numbness and tingling of the fingers or toes

A nurse who will be staffing a booth at a health fair is preparing pamphlets containing information regarding the risk factors for osteoporosis. Which of the following risk factors does the nurse include in the pamphlet? Select all that apply. - ANSWER Smoking

High alcohol intake

White or Asian ethnicity

A nurse is caring for a client who has just undergone esophagogastroduodenoscopy (EGD). The client says to the nurse, "I'm really thirsty — may I have something to drink?" Before giving the client a drink, the nurse should: - ANSWER Check for the presence of a gag reflex

A nurse provides information to a client who will be undergoing endoscopic retrograde cholangiopancreatography (ERCP). The nurse tells the client that: - ANSWER Dye may be injected during the procedure to permit visualization of the pancreatic and biliary ducts

Cascara sagrada has been prescribed for a client with diminished colonic motor response as a means of promoting defecation. The nurse provides information to

the client about the medication and tells the client to: - ANSWER Increase fluid intake

A nurse provides instruction to a pregnant woman about foods containing folic acid. Which of these foods does the nurse tell the client to consume as sources of folic acid? Select all that apply. - ANSWER Spinach

Legumes

Whole grains

A client with a history of angina pectoris tells the nurse that the chest pain usually occurs with moderate to prolonged exertion and is generally relieved by nitroglycerin or rest. Which type of angina does the nurse recognize in the client's description? - ANSWER Stable

A client with myasthenia gravis is taking neostigmine bromide (Prostigmin). The nurse determines that the client is gaining a therapeutic effect from the medication after noting: - ANSWER Improved swallowing function

A child is brought to the emergency department by ambulance after swallowing several capsules of acetaminophen (Tylenol). Which medication does the nurse prepare, anticipating that it will be prescribed to treat the child? - ANSWER Acetylcysteine (Mucomyst)

A nurse is caring for a client with sarcoidosis. The client is upset because he has missed work and worried about how he will care financially for his wife and three small children. On the basis of the client's concern, which problem does the nurse identify? - ANSWER Anxiety

A male client arrives at the emergency department and reports to the nurse, "I woke up this morning and couldn't move my arms." He also tells the nurse that he works in a factory and witnessed an accident 3 weeks ago in which a fellow

employee's hands were severed by a machine. What is the priority response by the nurse? - ANSWER Assessing the client for organic causes of loss of arm movement

After delivering a normal, healthy newborn, a client complains of severe pelvic pain and a feeling of extreme fullness in the vagina, and uterine inversion is suspected. For which immediate intervention does the nurse prepare the client? - ANSWER Replacement of the uterus through the vagina into a normal position

A client arrives in the emergency department and tells the nurse that she is experiencing tingling in both hands and is unable to move her fingers. The client states that she has been unable to work because of the problem. During the psychosocial assessment, the client reports that 2 days earlier her husband told her that he wanted a separation and that she would have to support herself financially. The nurse concludes that this client is exhibiting signs compatible with: - ANSWER Conversion disorder

A client scheduled for suprapubic prostatectomy has listened to the surgeon's explanation of the surgery. The client later asks the nurse to explain again how the prostate is going to be removed. The nurse tells the client that the prostate will be removed through: - ANSWER A lower abdominal incision

A nurse caring for a woman in labor is reading the fetal monitor tracing (see figure). How does the nurse interpret this finding? - ANSWER Uteroplacental insufficiency during a contraction

A clinic nurse is assessing a client who has had a cast applied to the lower left arm 1 week ago. The client tells the nurse that the skin is being irritated by the edges of the cast. What is the appropriate action on the part of the nurse - ANSWER Place small pieces of tape over the rough edges of the cast

A nurse developing a plan of care for a client with HIV infection identifies several

concerns. List them in order of priority, from highest to lowest. - ANSWER

Possible infection

- 2 Decreased nutrition
- 3 Fatigue
- 4 Despair

An emergency department nurse has a physician's prescription to irrigate a client's ears. List in order of priority the steps that the nurse should take in performing this procedure. - ANSWER 1 Use an otoscope to ensure that the tympanic membrane is intact.

- 2 Warm tap water to body temperature.
- 3 Fill an irrigating syringe with warm water.
- 4 Insert the irrigating solution by directing the solution toward the wall of the ear canal.
- 5 Document the completion of the procedure and how the client tolerated it.

The nurse is preparing to administer a tube feeding by way of a nasogastric tube. Which action does the nurse carry out as a priority before starting the flow of the solution? - ANSWER Checking for gastric residual volume and assessing tube placement

A client with schizophrenia says to the nurse, "I decided not to take my medication because it can't help. I am the only one who can help me." Which nursing response is therapeutic in this situation? - ANSWER "Your doctor wants you to continue this medication because it's helping you. Do you recall needing to be hospitalized because you stopped your medication?"

A client is brought to the emergency department by ambulance, and diabetic ketoacidosis is suspected. Blood samples are taken, and the nurse obtains supplies that will be needed to treat the client. Which type of insulin does the nurse take

from the medication supply room for intravenous (IV) administration? - ANSWER Regular (Humulin R)

A nurse is assessing a client who is experiencing chest pain. Which of the following observations indicates to the nurse that the pain is most likely a result of angina? - ANSWER The pain is relieved by rest and nitroglycerin.

While being seen by a physician, a client complains of persistent fever, malaise, and night sweats. On physical examination, the physician palpates enlarged lymph nodes, and the client states that the nodes are painless. Hodgkin's lymphoma is suspected, and several diagnostic studies are performed. Which characteristic of this type of lymphoma does the nurse expect to note while reviewing the results of the diagnostic studies? - ANSWER Reed-Sternberg cells on biopsy of a lymph node

A client with chronic renal failure who will require dialysis three times a week for the rest of his life says to the nurse, "Why should I even bother to watch what I eat and drink? It doesn't really matter what I do if I'm never going to get better!" On the basis of the client's statement, the nurse determines that the client is experiencing which problem? - ANSWER Powerlessness

Tolbutamide (Orinase) is prescribed to a client whose type 2 diabetes mellitus has not been controlled with diet and exercise alone. The nurse provides instructions to the client about the medication. Which statement by the client indicates a need for further instruction? - ANSWER "I can have a beer or glass of wine as long as I stay within my daily dietary restrictions."

A client with adenocarcinoma of the ovary is scheduled to undergo chemotherapy with cyclophosphamide after total abdominal hysterectomy with bilateral salpingo-oophorectomy. What does the nurse instruct the client to do during chemotherapy? Select all that apply. - ANSWER - Drink copious amounts of fluid and void frequently

-Avoid contact with any individual who has signs or symptoms of a cold

A nurse reviews arterial blood gas values and notes a pH of 7.50 and a Pco2 of 30 mm Hg. The nurse interprets these values as indicative of: - ANSWER Respiratory alkalosis

A school nurse observing a child with Down syndrome is participating in a physical education class and notes that the child is experiencing a diminution in motor abilities. The nurse asks to see the child and conducts an assessment, during which the child complains of neck pain and loss of bladder control. What is the appropriate action by the nurse in this situation? - ANSWER Contacting the child's physician to report the findings

A nurse is providing instruction about insulin therapy and its administration to an adolescent client who has just been found to have diabetes mellitus. Which statement by the client indicates a need for further instruction? - ANSWER "I need to keep any unopened bottles of insulin in the freezer."

A nurse preparing to administer digoxin (Lanoxin) to a client calls the laboratory for the result of the digoxin assay performed on a specimen that was drawn at 6 a.m. The laboratory reports that the result was 2.4 ng/mL. On the basis of this result, the nurse would: - ANSWER Contact the physician

A nurse is developing a plan of care for a pregnant client with sickle-cell disease. Which concern does the nurse recognize as the priority? - ANSWER Decreased fluid volume

A client with type 1 diabetes mellitus has just been told that she is 6 weeks pregnant. The nurse provides information to the client about dietary and insulin needs and tells the client that during the first trimester, insulin needs generally: - ANSWER Decrease