



Question: 1 of 30

Time Elapsed: 00:00:44



FLAG

A nurse is assessing a client for changes in vision. Which of the following statements from the client would indicate to the nurse that the client may be developing a cataract?



- "My vision is almost gone from the center part of my eye."
- "I can't see anything from the sides of my eyes."
- "My contact lenses just don't fit like they used to."
- "I keep seeing flashes of lights moving around in my eye."

CONTINUE



Question: 2 of 30

Time Elapsed: 00:01:24



FLAG

A nurse is caring for a client who reports experiencing tinnitus. Which of the following could be a cause for the manifestations?



Damaged hair follicles

Increased aqueous humor

Elevated blood glucose

Bradycardia

PREVIOUS

CONTINUE



Question: 3 of 30

Time Elapsed: 00:01:48



FLAG

A nurse is providing discharge teaching to a client who has macular degeneration. Which of the following lifestyle modifications should the nurse include in the teaching?



- Increase daily intake of zinc
- Avoid strenuous activity
- Wear sunglasses near bright lights
- Refrain from splashing tap water in eyes

PREVIOUS

CONTINUE



Question: 4 of 30

Time Elapsed: 00:02:47



FLAG

A nurse is developing a plan of care for a client with Meniere's Disease. Which of the following lifestyle modification should the nurse include in the plan of care?



- Increase sodium intake to at least 3,000 mg a day
- Reduce daily dietary intake of protein
- Practice deep breathing techniques
- Avoiding strenuous exercise

PREVIOUS

CONTINUE



Question: 5 of 30

Time Elapsed: 00:03:21



FLAG

A nurse is providing discharge teaching to a client who has macular degeneration. Which of the following interventions should the nurse include in the teaching?



- Wearing a protective eye patch
- Using an Amsler grid
- Sleeping in a prone position
- Administering brimonidine eye drops

PREVIOUS

CONTINUE



Question: 6 of 30

Time Elapsed: 00:04:41



FLAG

A nurse is providing teaching to a group of clients about wet age-related macular degeneration (AMD). Which of the following statements should the nurse include in the teaching?



- "Vision changes occur when blood vessels leak fluid or blood under a portion of the retina."
- "Vision changes occur when the cloudy lens alters the passage of light through the eye."
- "Vision changes occur when pressure in the eye increases due to a decrease of aqueous humor."
- "Vision changes occur when retinal tissue pulls away from the blood vessels in the eye."

PREVIOUS

CONTINUE



Question: 7 of 30

Time Elapsed: 00:05:20



FLAG

A nurse in the outpatient clinic is assessing a client who has developed glaucoma and has come in for a follow-up visit. Which of the following statements from the client would indicate to the nurse that the client's condition has worsened?



- "I have floating dark spots move around in my eyes."
- "I feel so nauseated when I turn my head too quickly."
- "I sure wish I could still read my favorite books."
- "I miss seeing all the bright colors when the flowers bloom."

PREVIOUS

CONTINUE



Question: 8 of 30

Time Elapsed: 00:06:46



FLAG

A nurse is teaching a client with glaucoma the correct method for instilling eye drop medication. Which of the following instructions should the nurse include in the teaching?



- Have the client look up, pull the lower eye lid down, and then instill the eye drop.
- Have the client look down, pull up on the upper eye lid, and then instill the eye drop.
- Have the client look to the side, and then instill the eye drop in the inner canthus.
- Have the client pull up on the upper eye lid, instill the eye drop, and then rapidly blink.

PREVIOUS

CONTINUE



Question: 9 of 30

Time Elapsed: 00:07:46



FLAG

A nurse is assessing a client for altered auditory sensory perception. Which of the following findings indicates to the nurse that the client needs further audiometric testing?



- Client accurately identifies 5 out of 6 attempts of the finger rub test.
- Client accurately identifies 4 of 6 words during the whispered voice test.
- Client detects sound when a tuning is fork placed near the ear during the Rinne test.
- Client perceives sound in 1 ear during the Weber test.

PREVIOUS

CONTINUE



Question: 10 of 30

Time Elapsed: 00:08:19



FLAG

A nurse is providing teaching to a group of clients about risk factors for developing tinnitus. Which of the following factors should the nurse include in the teaching?



- High blood pressure
- Decreased blood glucose
- Presence of depression
- Enlarged lymph nodes in the neck

PREVIOUS

CONTINUE