ATI RN LEADERSHIP PROCTORED EXAM 2019 COMPLETE QUESTIONS AND ANSWERS COMPLETE A+ GUIDE.

• A nurse is assessing a school-age child who has heart failureand is taking furosemide.

Which of the following findings should the nurse identify as anindication that the medication is effective?

- An increase in venous pressure
- b. a decrease inperipheral edema
- c. a decrease in cardiac output
- d. an increase in potassium levels
- A nurse is assessing an infant who has acute otitis media.

Which of the following findings

should the nurse expect (select all that apply)

- Increased appetite
- enlarged subclavian lymphnode
- c. Crying
- d. Restlessness
- e. fever
- a nurse is providing teaching to the parents of an infant who is toundergo pilocarpine

lontophoresis Testing for Cystic Fibrosis. Which of the followingstatements should the nurse

include in the teaching?

- We will measure the amount of protein in your baby's urine over24 hour period
- The test will measure the amount of water in your baby's sweat
- a nurse will insert an IV prior to the test
- your baby will need to fast for 8 hours prior to the test
- A nurse in an urgent care clinic is prioritizing care for children. Which of the following children should the nurse assess first?
- A toddler who has nephrotic syndrome and facial edema
- a preschool-age child who has a muffled voice and no spontaneouscough
- a preschool-age child who has diabetes mellitus and a bloodglucose of 200 mg/dL
- an adolescent who has Crohn's disease and recent weight lossof 5kg mg (11 lb)

- 5 . A nurse is providing teaching to the parents of a toddler who is toundergo a sweat chloride test. Which of the following statements should the nurse include?
- The purpose of the test is to determine if your child has Crohn's disease
- the technician will use a device to produce an electrical currentduring the test
- during the test, your child will be in a room that is cold
- d. your child sweat will be collected over 24hours
- A nurse in the emergency department is caring for an adolescentwho is requesting testing for STI. Which of the following action is appropriate for the nurse to take?
- Request verbal consent from the social worker
- contact the client's parents to obtain phone consent
- postpone the testing until the client's parents are present
- d. obtain written consent from the client
- A nurse in the emergency department is assessing the toddlerwho has hyperpyrexia severe dyspnea and drooling which of the following actions should the nurse take first?
- obtain a blood culture from the toddler
- administering antibiotic to the toddler
- insert an IV catheter for the toddler
- prepare the toddler for nasotracheal intubation
- A nurse is providing teaching to a 10 year old child with scheduledfor an arterial cardiac catheterization. Which of the following information should the nurse include in the teaching?
- You will have your dressing removed 12 hours after the procedure
- b. you will need to keep your legs straight for 8 hours following the procedure
- c. you will be on a clear liquid diet for 24 hours following the procedure d. you will be on bed rest for 2 days after the procedure 9.
- A nurse is caring for a preschooler who is post-operativefollowing a tonsillectomy. The child is now ready to resume oral intake which of the following dietarychoices should the nurse offer the child?
- sugar-free Cherry gelatin
- vanilla ice cream
- chocolate milk
- lime flavored ice pop

- A nurse is caring for a 10 month old child was brought to the emergency department by his parents following a head injury. Whichof the following actions should the nurse take first?
- Inspect for fluid leaking from the ears (thinking about CSFleakage severe trauma =urgent, after respiratory status is confirmed)
- assess respiratory status
- check pupil reactions
- · examine the scalp for lacerations
- A charge nurse is planning care for an infant who has failure tothrive. Which of the following

actions should the nurse include in the plan of care?

- Assign consistent nursing Staff Care for the infant
- Keep infant in a visually stimulating environment
- c. use half-strength formula whenfeeding the infant
- d. give the infant fruit juice between feedings
- A nurse is providing teaching about home care to the parent of achild who has scabies. Which of the following instruction should the nurse include in the teaching?
- a. Wash your clients hair with shampoo containing Ketoconazole
- b. soak Combs and brushes in boiling waterfor 10 minutes
- c. apply petroleum jelly to the affected areas
- d. treat everyone who came into close contact with a child
- A nurse is caring for a preschooler who refuses to take a start doseoforal diphenhydramine. Which of the following statements should thenurse make?
- The medication isn't bad it taste like candy
- let me know when you want to take the medication
- the medication will treat your hypersensitivity reaction (too much "Adult" terminology/

jargon for pre schooler to understand)

- sometimes, when a child has to take medication, they feel sad.
- A nurse is teaching the parent of a school-age child about bicyclesafety. Which of the following instructions should the nurse include in the teaching?
- Your child should walk the bicycle through intersections
- your child's feet should be three to six inches off the ground whenSeated on the bicycle

- you should try to keep the bicycle at least three feet from thecurb while riding in the street
- your child should ride the bicycle against the flow of traffic
- A nurse is caring for a school-age child following the application of a cast to a Fractured right tibia. Which of the following actions should the nurse take first?
- Teach the child about cast care
- Pad the edges of the cast
- · administer pain medication
- d. Elevate thechild's leg
- A nurse is preparing a school-age child for an invasive procedure. Which of the following actions should the nurse plan totake?
- plan for 30 minute teaching session about the procedure
- use vague language to describe the procedure
- explain the procedure to the child when they are in the playroom
- demonstrate deep breathing and Countingexercises 20.
- A nurse is preparing to collect a urine specimen from a female infant using a urine collection bag. Which of the following actions should the nurse take?
- -Apply lidocaine gel to the perineum before attaching the bag
- -Position the opening of the bag over the urethra and the anus
- -Stretch the perineum taught when applying the bag
- -Place a snuff fitting diaper over the drainage bag
- A nurse is planning care for a toddler who has developed oralulcers in response to chemotherapy. Which of the following actions should the nurseinclude in the plan of care?
- a. Schedule routine Oral Care every 8 hours
- b. Cleanse the gums with saline soaked gauze
- c. more sending me closer with lemon glycerin swabs
- d. administer oral viscous lidocaine
- A nurse is providing discharge teaching to the parents of an infant who is at risk for sudden infant death syndrome (SIDS). Which of the following statements by the parent indicates anunderstanding of the teaching?