

2019 100-correct-ati-rn-comprehensive-predictor-retake-2019,
abcdenfoc

Mathematics II (University of Illinois at Chicago)

**ATI RN COMPREHENSIVE PREDICTOR
RETAKE 2019_100% Correct | ATI RN
COMPREHENSIVE PREDICTOR RETAKE 2019**

written by

[Lectmarcus](#)

**ATI RN COMPREHENSIVE PREDICTOR
RETAKE 2019_100% Correct | ATI RN
COMPREHENSIVE PREDICTOR RETAKE 2019**

written by

[Lectmarcus](#)

ATI RN COMPREHENSIVE PREDICTOR RETAKE 2019

1. A nurse is assessing a client who has received an antibiotic. The nurse should identify which of the following findings as an indication of a possible allergic reaction to the medication?
 - A. Bradycardia
 - B. Headache
 - C. Joint pain
 - D. Hypotension

2. A nurse on a mental health unit is caring for a client who has schizophrenia and is experiencing auditory hallucinations telling them to hurt others. The client is refusing to take anti-psychotic medication. Which of the following responses should the nurse make?
 - A. "You should plan to take this medication for a few weeks."
 - B. "You will regret it if you do not take this medication."
 - C. "This medication will help you respond to the voices."
 - D. "This medication will help you stop the voices you are hearing."

3. A nurse is providing care for a patient who has depression and is to have electroconvulsive therapy. Which of the following conditions should the nurse identify as increasing the client's risk for complications?
 - A. Hyperthyroidism
 - B. Renal calculi
 - C. Diabetes mellitus
 - D. Cardiac dysrhythmias

4. A nurse is reviewing the laboratory results of a client who has rheumatoid arthritis. Which of the following findings should the nurse report to the provider?
 - A. WBC count 8,000/mm
 - B. Platelets 150,000/mm
 - C. Aspartate aminotransferase 10 units/L
 - D. Erythrocyte sedimentation 75 mm/hr

5. A nurse is suctioning the airway of a client who is receiving mechanical ventilation via an endotracheal tube. Which of the following findings should the nurse identify as an indication that suctioning has been effective?
 - A. Presence of a productive cough
 - B. Decreased peak inspiratory pressure
 - C. Thinning of mucous secretions
 - D. Flattening of the artificial airway cuff

6. A nurse is caring for a client who is in a seclusion room following violent behavior. The client continues to display aggressive behavior. Which of the following actions should the nurse take?
- A. Stand within 30cm (1 ft) of the client when speaking with them.
 - B. Express sympathy for the client's situation.
 - C. Confront the client about his behavior.
 - D. Speak assertively to the client.
7. A nurse is caring for a client who is immediately postoperative following an adrenalectomy to treat Cushing's disease. Which of the following actions is the nurse's priority?
- A. Reposition the client for comfort every 2 hours
 - B. Observe for any indications of infection
 - C. Document amount and color of the incisional drainage.
 - D. Monitor the client's fluid and electrolyte status.
8. A nurse is caring for a client who is scheduled for a surgical procedure and states, "I don't want to have this surgery anymore." Which of the following responses should the nurse make?
- A. "We can manage your care following the procedure without complications."
 - B. "You have the right to refuse the procedure."
 - C. "Your doctor thinks the surgery is necessary."
 - D. "Let me review the procedure so you can understand what is going to happen."
9. A nurse is evaluating a client who has borderline personality disorder. Which of the following behaviors indicates an improvement in the client's condition?
- A. Impulsive behaviors
 - B. Decreased clinging behavior
 - C. Liability of mood
 - D. Dependent behavior
10. A nurse is teaching a group of school-age children about healthy snack options. Which of the following snacks should the nurse include?
- A. Air-popped popcorn
 - B. Milkshake made with whole milk.
 - C. Baked potato chips
 - D. Cheesecake
11. A nurse is providing teaching to a client who has a new prescription for enoxaparin. Which of the following medications for pain relief should the nurse include in the teaching that can be taken concurrently with enoxaparin?
- A. Naproxen sodium