Stude	ent nar	me:
TRU] 1)		SE - Write 'T' if the statement is true and 'F' if the statement is false. rocedures for culturing a microorganism require the use of a microscope.
	<ul><li></li><li></li><li></li><li></li><!--</th--><th>true false</th></ul>	true false
2)	Some	microbes are not capable of growing on artificial media.
	<ul><li></li><li></li><li></li></ul>	true false
3) micro		ective medium contains one or more substances that inhibit growth of certain order to facilitate the growth of other microbes.
	<ul><li></li><li></li><li></li></ul>	true false
4)	One c	colony typically develops from the growth of several parent bacterial cells.
	<ul><li></li><li></li><li></li><li></li><!--</td--><td>true false</td></ul>	true false
5)	Mixed	d cultures are also referred to as contaminated cultures.
	<ul><li></li><li></li><li></li><li></li><!--</td--><td>true false</td></ul>	true false
6)	Bacte	rial cultures are easily identified from their microscopic appearance.
	<ul><li></li><li></li><li></li><li></li><!--</td--><td>true false</td></ul>	true false

Version 1

Normal incubation temperatures range from 30°C to 60°C.

**7**)

	<b>o</b>	true
	0	false
<b>8</b> )	The be	ending of light rays as they pass from one medium to another is called refraction.
	<b>o</b>	true
	0	false
<b>0</b> \	- T-1	
9)	The re	al image is the reverse of the actual specimen.
	<b>o</b>	true
	0	false
<b>10</b> )	A conf	focal microscope uses visible light as its source of illumination.
	6	tenzo
	<u> </u>	true false
	<b>o</b>	Talse
11)	Fixed	smears of specimens are required in order to perform the Gram stain and endospore
,		pecimens.
	<b>o</b>	true
	0	false
10)	A 4 41	
12)		end of the Gram stain, gram-positive bacteria will be seen as red/pink cells.
	<ul><li>•</li><li>•</li></ul>	true false
	•	Taise
13)	In the	absence of immersion oil when using the 100x objective lens, some light would be
,		resulting in a blurry image.
	<u> </u>	true
	0	false

# CHECK ALL THE APPLY. Choose all options that best completes the statement or answers the question.

14)	Select the correct answers that identify the Five I's of culturing microorganisms.
	A) Identification
	B) Inspection
	C) Inhibition
	D) Inoculation
	E) Isolation
	F) Infection
	G) Incubation
15)	Select the methods below that enable the isolation of bacteria.
	A) Quadrant streak plate
	B) Bright-field microscopy
	C) Loop dilution
	D) Use of selective media
	E) Spread plate
	F) Gram stain
16)	Choose the three basic ways that media are classified.
	A) Chemical composition
	B) Purpose
	C) Temperature of incubation
	D) Physical state
	E) Ease of preparation

Version 1 3

Select the elements necessary for good microscopy.

**17**)

	D) Contrast
	E) Resolution
	F) Specimen holder
MUL	TIPLE CHOICE - Choose the one alternative that best completes the statement or
answ	ers the question.
18)	The Five I's of studying microorganisms include all of the following except
	A) inoculation
	B) incubation
	C) infection
	D) isolation
	E) identification
19) nutrie	The term that refers to the purposeful addition of microorganisms into a laboratory ent medium is
	A) isolation
	B) inoculation
	C) immunization
	D) infection
	E) contamination
20)	A pure culture contains

A) Adequate magnification

B) Ability to observe cells in the living state

C) Use of wavelengths other than the visible spectrum

	B) only bacteria
	C) a variety of microbes from one source
	D) a variety of species from the same genus
	E) None of the choices are correct.
21)	The correct microbiological term for the tiny sample of specimen that is put into a
nutrie	ent medium in order to produce a culture is the
	A) colony
	B) inoculum
	C) streak
	D) loop
	E) incubator
22)	Which of the following is essential for development of discrete, isolated colonies?
	A) Broth medium
	B) Differential medium
	C) Selective medium
	D) Solid medium E) Assay medium
	L) Assay medium
<b>23</b> ) some	Which method often results in colonies developing down throughout the agar along with colonies on the surface?
	A) Streak plate
	B) Spread plate
	C) Pour plate
	D) All of the choices are correct.
	E) None of the choices are correct.

A) only one species of microorganism

24)	What type of isolation technique is most effective for the majority of applications?
	A) Pour plate
	B) Streak plate
	C) Spread plate
	D) Loop dilution
	E) Culture plate
25) and c	Which of the following will result when 1% to 5% agar is added to nutrient broth, boiled ooled?
	A) A pure culture
	B) A mixed culture
	C) A solid medium
	D) A liquid medium
	E) A contaminated medium
26)	Agar is an important component of media because
	A) bacteria require agar to grow
	B) agar inhibits mold growth
	C) agar provides a solid surface for bacterial growth
	D) agar prevents contamination
	E) All of the choices are correct.
27)	The three physical forms of laboratory media are
	<ul><li>A) solid, liquid, and gas</li><li>B) solid, semisolid, and liquid</li><li>C) streak plate, pour plate, and broth</li></ul>
	D) aerobic, anaerobic, and micro aerobic
	E) None of the choices are correct.
	2) Trone of the envises the confect.

28)	Which of the following is not an inoculating tool?
	A) Petri dish
	B) Loop
	C) Needle
	D) Pipette
	E) Swab
29)	Agar is a complex polysaccharide that comes from a(n)
	A) green plant
	B) fungus
	C) mold
	D) algae
	E) euglena
30)	Which of the following is not a benefit of agar as a solid medium?
	A) Has flexibility
	B) Holds moisture
	C) Can be inoculated and poured at a temperature that is not harmful
	D) Is solid at room temperature
	E) Is digested by most microbes
31)	A nutrient medium that has all of its chemical components identified, and their precise
conce	entrations known and reproducible, would be termed
	A) a complex media
	B) a reducing media
	C) an enriched media
	D) a chemically defined media
	E) None of the choices are correct.

<b>32</b> ) A nutrient n	nedium that contains at least one ingredient that is NOT chemically definable
would be termed	
A)1	
A) complex	
B) reducing	
C) enriched	
D) synthetic	<b>;</b>
E) minimal	
33) All of the fo	ollowing are examples of different types of microbiological media except
	moving are examples of different types of interoblological media except
A) broth	
B) enriched	
C) agar	
D) petri disl	1
E) selective	
,	
<b>34</b> ) Which type	of media would be the best choice when shipping a sample of bacteria to a
laboratory to be tes	ted from a satellite office site?
A) Transpor	rt
B) EMB	
C) Blood	
D) Thiogly	collate
E) General	
,	· •
<b>35</b> ) A microbiol	logist inoculates Staphylococcus epidermidis and Escherichia coli into a
culture medium. Fo	ollowing incubation, only the <i>E. coli</i> grows in the culture. What is the most

likely explanation?

	A) The microbiologist used too much inoculum.
	B) The culture is contaminated.
	C) The incubation temperature was incorrect.
	D) The culture medium must be selective.
	E) The culture medium must be differential.
36)	A common medium used for growing fastidious bacteria is
	A) blood agar
	B) trypticase soy agar
	C) mannitol salt agar
	D) MacConkey medium
	E) a reducing medium
37)	A reducing medium contains
	A) sugars that can be fermented
	B) extra oxygen
	C) hemoglobin, vitamins, or other growth factors
	D) substances that remove oxygen
	E) inhibiting agents
<b>38</b> ) based	Which type of medium is able to distinguish different species or types of microorganisms on an observable change in the colonies or in the medium?
	A) Differential
	B) Selective
	C) Enumeration
	D) Enriched
	E) Reducing

39)	Differential media results in which of the following growth characteristics?
	A) Different color colonies
	B) Different media color post incubation
	C) Precipitates
	D) Gas bubbles
	E) All of the choices are correct.
40)	A reducing media is used to culture
	A) fastidious organisms
	B) aerobic organisms
	C) anaerobic organisms
	D) any pathogenic organisms
	E) None of the choices are correct.
41)	For which bacterial genus does mannitol salt agar differentiate between species?
	A) Salmonella
	B) Streptococcus
	C) Neisseria
	D) Staphylococcus
	E) Escherichia
<b>42</b> ) follow	A microbiologist must culture a patient's feces for intestinal pathogens. Which of the wing would likely be present in selective media for analyzing this fecal specimen?
	A) NaCl
	B) Sheep red blood cells
	C) Bile salts
	D) Thioglycollic acid
	E) Peptone

	A) aerobic
	B) anaerobic
	C) fastidious
	D) microaerophilic
	E) autotrophic
	A microbiologist inoculates <i>Staphylococcus aureus</i> into a culture medium. Following pation, both <i>Staphylococcus aureus</i> and <i>Staphylococcus epidermidis</i> are determined to be ing in this culture. What is the most likely explanation?
	A) The microbiologist used too much inoculum.
	B) The culture is contaminated.
	C) The incubation temperature was incorrect.
	D) The culture medium must be selective.
	E) The culture medium must be differential.
45)	Newly inoculated cultures must be at a specific temperature to encourage growth.
	A) streaked
	B) poured
	C) incubated
	D) contaminated
	E) All of the choices are correct.
<b>46</b> )	A rod-shaped bacterium is measured as 0.3 micrometers (µm) in length using an ocular
micro	ometer. Your instructor wants you to report the length in millimeters (mm) to test your

Bacteria that require special growth factors and complex nutrients are termed \_\_\_\_\_.

**43**)

Version 1 11

understanding of metric conversions. What is the length of the organism in millimeters?

	B) 300 mm
	C) 0.03 mm
	D) 3 mm
<b>47</b> )	An enveloped virus measures 0.02 micrometers (µm) in diameter. What is the diameter of
this v	irus in nanometers (nm)?
	A) 20 nm
	B) 0.00002 nm
	C) 2 nm
	D) 0.2 nm
48)	The of the microscope holds and allows selection of the objective lenses.
	A) stage
	B) condenser
	C) objective
	D) ocular
	E) nosepiece
<b>49</b> )	Which of the following magnifies the specimen to produce its real image?
	A) Condenser
	B) Objective lens
	C) Ocular lens
	D) Body
	E) Nosepiece
<b>50</b> )	Which of the following magnifies the specimen to produce its virtual image?

A) 0.0003 mm

	A) Objective lens
	B) Ocular lens
	C) Condenser
	D) Body
	E) Iris diaphragm
51)	Which of the following controls the amount of light entering the specimen?
	A) Objective lens
	B) Ocular lens
	C) Condenser
	D) Body
	E) Iris diaphragm
<b>52</b> ) magn	If a microbiologist is studying a specimen at a total magnification of 950x, what is the nifying power of the objective lens if the ocular lens is 10x?
	A) 100x
	B) 950x
	C) 85x
	D) 850x
	E) 95x
	Magnification is achieved in a compound microscope through the initial magnification of pecimen by the lens. This image is then projected to the lens that will er magnify the specimen to form a virtual image received by the eye.
	A) ocular; objective
	B) scanning; objective
	C) objective; ocular
	D) ocular; oil
	E) None of the choices are correct

<b>54)</b> Which of the following characteristics refers to the micro	scope's ability to show two
separate entities as separate and distinct?	
A) Resolving power	
B) Magnification	
C) Refraction	
D) All of the choices are correct.	
E) None of the choices are correct.	
55) All of the following are diameters of cells that would be	resolved in a microscope with a
0.2 μm limit of resolution except	resorved in a interoscope with a
0.2 μm mint of resolution except	
Α) 0.2 μm	
B) 0.2 mm	
C) 0.1 µm	
D) 0.3 µm	
E) 2.0 µm	
<b>56)</b> The type of microscope in which you would see brightly	illuminated specimens against a
black background is	1
<u> </u>	
A) bright field	
A) bright field B) dark field	
C) phase contrast	
D) fluorescence	
E) electron	
z, electron	
57) Which type of microscope shows cells against a bright ba	
intracellular structures of unstained cells based on their varying of	densities?

C) Phase contrast	C) Phase contrast
	D) Differential interference
	E) Electron
58)	Which type of microscope is the most widely used and shows cells against a bright
backg	ground?
	A) Dright field
	A) Bright field B) Dark field
	C) Phase contrast
	D) Fluorescence
	E) Electron
<b>59</b> )	All of the following pertain to the fluorescence microscope except
	A) it uses electrons to produce a specimen image
	B) it is a type of compound microscope
	C) it requires the use of dyes like acridine and fluorescein
	D) it is commonly used to diagnose certain infections
	E) it requires an ultraviolet radiation source
60)	A confocal scanning microscope
	A) uses visible light to form a specimen image
	B) shows three-dimensional cell images from the cell surface to the middle of the cell
	C) produces specimen images on electron micrographs
	D) uses dyes that emit visible light when bombarded by electrons
	E) requires specimens to be stained
<b>61</b> )	Which type of microscope does not use light in forming the specimen image?

A) Bright fieldB) Dark field

	B) Dark field
	C) Phase contrast
	D) Fluorescence
	E) Electron
62)	Which type of microscope achieves the greatest resolution and highest magnification?
	A) Bright field
	B) Dark field
	C) Phase contrast
	D) Fluorescence
	E) Electron
<b>63</b> ) .	Which type of microscope bombards a whole, metal-coated specimen with electrons
movin	g back and forth over it?
	A) Differential interference contrast
	B) Scanning electron
	C) Transmission electron
	D) Phase contrast
	E) Fluorescence
64)	The specimen preparation that is best for viewing cell motility is
	A) hanging drop
	B) fixed stained smear
	C) Gram stain
	D) negative stain
	E) flagellar stain

A) Bright field

<b>65</b> )	The purpose of staining cells on a microscope slide is to
	A) kill them
	B) secure them to the slide
	C) enlarge the cells
	D) add contrast in order to see them better
	E) see motility
66)	What do the Gram stain, acid-fast stain, and endospore stain have in common?
	A) They are used on a wet mount of the specimen.
	B) They use heat to force the dye into cell structures.
	C) The outcome is based on cell differences.
	D) They use a negative stain technique.
	E) They are simple stains.
67)	Basic dyes are
	A) attracted to the negatively charged acidic substances of bacterial cells
	B) anionic
	C) used in negative staining
	D) repelled by cells
	E) dyes such as India ink and nigrosin
<b>68</b> )	A microbiologist makes a fixed smear of bacterial cells and stains them with Loeffler's
meth	ylene blue. All the cells appear blue under the oil lens. This is an example of
	A) negative staining
	B) using an acidic dye
	C) simple staining
	D) using the acid-fast stain
	E) capsule staining

09)	The Gram stanning procedure is best described as a(n) stanning technique.
	A) acid-fast or Ziehl-Neelson
	B) differential
	C) capsule
	D) flagellar
	E) simple
<b>70</b> )	The all-purpose media Tryptic Soy Agar (TSA) contains the following four ingredients; reatic digest of casein, digest of soybean meal, NaCl and agar. TSA is best described as
	A) a differential media
	B) a complex media
	C) a selective media
	D) a defined media
	E) a reducing media
71)	Comparing defined vs. complex media is analogous to comparing
	A) baby formula to breast milk
	B) Coca-cola® to Pepsi®
Pharr	C) the generic version of the drug Lipitor® to the brand name produced by Pfizer maceuticals
	D) a strawberry-banana smoothie to a mixed berry smoothie
72)	The diameter of field for a 4x lens is measured at 4.6 mm. How many bacterial cells, each
meas	uring 4 um, could be lined up along the diameter?

	D) 115 cells E) 1840 cells
73)	The relationship between a micrometer and a millimeter is
	A) a millimeter is 10 times larger than a micrometer
	B) a micrometer is 1,000 times smaller than a millimeter
	C) a millimeter is 100 times smaller than a micrometer
	D) a micrometer is 1,000 times larger than a millimeter
	E) a millimeter is 10 times smaller than a micrometer
74)	Resolution differs from contrast in microscopy in that
22440	A) resolution refers to the ability to distinguish two cells from one another, whereas
contra	ast refers to the ability to distinguish a cell from its surroundings  B) contrast refers to the ability to distinguish two cells from one another, whereas
recolu	ation refers to the ability to distinguish a cell from its surroundings
103010	C) resolution is measured by the refractive index of light whereas contrast depends on the
use of	
	D) contrast is improved by adding oil to the specimen with the 100x objective lens and
resolu	tion is improved by adjusting the iris diaphragm control lever
<b>75</b> )	Choose the media categorization that includes enriched, selective, and differential media.
	A) Media categorized by its physical state
	B) Media categorized by its chemical composition
	C) Media categorized by its purpose

A) 1,150 cellsB) 1.15 cellsC) 18.4 cells

Version 1 19

D) Media categorized by its temperature of incubation

<b>76)</b> type of	What type of medium contains blood, serum, or other special growth factors, and what f bacterial growth is supported by this medium?
	<ul><li>A) Selective; gram-negative bacteria</li><li>B) Differential; fastidious bacteria</li><li>C) Enriched; fastidious bacteria</li><li>D) Enriched; gram-negative bacteria</li></ul>
77)	Choose the term that describes motility media.
	A) Solid, but can liquefy B) Solid C) Semisolid D) Liquid E) Synthetic
_	Choose the description that best fits a medium that has been designed to support the n of MRSA (methicillin-resistant <i>Staphylococcus aureus</i> ) while inhibiting all species and of other bacteria.
	A) Differential B) Selective C) Reducing D) Enriched E) Anaerobic
<b>79</b> ) (nanor	A bacterial cell that measures 2.5 μm (micrometers) would measure nm meters).
	A) 2,500 nm B) 25 nm C) 0.0025 nm D) 0.25 nm

diame	A virus that is 150 nm (nanometers) in diameter would be \mu m (micrometers) in ter.
	A) 0.150 μm B) 15 μm C) 150,000 μm D) 0.0150 μm
81) represe	A human squamous epithelial cell measures 75 μm in diameter. The size of this cell ented in millimeters (mm) would be mm.
	A) 0.075 B) 0.75 C) 75,000 D) 750
<b>82</b> ) improv	Reducing the intensity of light using the iris diaphragm or staining a specimen can ve
	A) contrast B) magnification C) resolving power D) reflection
83) light n	The resolving power of electron microscopes is much better than the resolving power of nicroscopes because the wavelength of electron beams is than the wavelength of elight.
	A) shorter B) longer C) faster D) slower

- 84) In a \_\_\_\_\_ stain, the dye stains the background, forming a silhouette around the unstained organism.
  - A) negative
  - B) differential
  - C) positive
  - D) fluorescent
- 85) Choose the differential stain that is most important in the diagnosis of tuberculosis.
  - A) Acid-fast stain
  - B) India ink stain
  - C) Gram stain
  - D) Endospore stain
  - E) Flagellar stain

#### SECTION BREAK. Answer all the part questions.

**86)** NCLEX Prep - Test Bank Question: Please read the clinical scenario, and then answer the questions that follow to become familiar with the traditional NCLEX question format.

An RN is working at an urban low-income medical clinic when a young woman enters crying. She is 19 years old and 28 weeks pregnant with her second child. The woman reports that she woke this morning to find she was leaking milky-colored fluid vaginally. Her first child was born 6 weeks early due to premature rupture of membranes and she is worried this is happening again. You reassure the patient, explain that a vaginal speculum exam will be performed, and educate her about specimens that will be collected. Once the proper specimens are obtained and appropriately labeled, the wet mount and culturette are sent to the laboratory for processing.

**86.1**) The RN understands that along with a pH test, a microscopic view is needed to perform the ferning test to detect an amniotic fluid leak. The patient sample is prepared on a glass slide and examined under 10x magnification. Which type of microscope will be used to make this observation of the patient sample?

- A) Electron microscopeB) Light microscopeC) Confocal microscope
- D) Fluorescent microscope
- **86.2**) When utilizing a light microscope, the specimen on the glass slide must be in proper position to ensure illumination of the specimen for visualization. The glass slide is placed in which of the following positions?
  - A) Between the condenser lens and the objective lens
  - B) Directly on top of the light source
  - C) Between the ocular lens and the objective lens
  - D) Between the light source and the condenser lens
- **86.3**) The sterile vaginal fluid specimen is sent for culture. The RN educates the patient about the five basic techniques utilized by laboratory technicians to manipulate, grow, examine, and characterize any microorganisms present in the specimen. Which of the following is the correct order of steps for processing the specimen?
  - A) Isolation, incubation, inspection, identification, and inoculation
  - B) Inspection, identification, isolation, incubation, and inoculation
  - C) Identification, isolation, incubation, inspection, and inoculation
  - D) Inoculation, incubation, isolation, inspection, and identification
- **86.4**) The patient asks how microbes from her body can be grown in the lab. The RN explains that specimens are introduced to nutrient medium and that any growth of the microbe that appears after incubating the specimen is called the \_\_\_\_\_.
  - A) colony
  - B) culture
  - C) microorganism
  - D) infectious agent

- **86.5**) The patient is diagnosed with a bacterial infection after gram-positive cocci are detected in the fluid sample. The Gram stain involves \_\_\_\_\_.
  - A) forcing a dye into resistant bodies with heat to distinguish between spores and cells
- B) timed, sequential applications of crystal violet dye, iodine, an alcohol rinse, and a contrasting counterstain to the sample
  - C) application of the dye, carbol fuchsin, followed by an acid alcohol rinse
  - D) application of India ink to detect the presence of bacterial capsules
- 87) NCLEX Prep Test Bank Question: Please read the clinical scenario, and then answer the questions that follow to become familiar with the traditional NCLEX question format.

An RN is working at a public health clinic that sees many patients with infectious disease. Ms. Hungh, a Burmese immigrant, presents to the clinic with an interpreter, complaining of fatigue, weight loss, persistent cough, and rust-colored sputum. The interpreter explains that Ms. Hungh has had this cough for many months in her home country and, now that she is in America, is seeking treatment for her condition.

- **87.1**) A sputum sample is ordered for microbial analysis in order to rule out the diagnosis of tuberculosis. Suspecting *Mycobacterium tuberculosis* may be the pathogen, the RN knows the laboratory technicians will perform which stain on the sample?
  - A) Endospore stain
  - B) Negative stain
  - C) Flagellar stain
  - D) Acid-fast stain
- **87.2**) Ms. Hungh's acid-fast stain results resulted as inconclusive for the presence of acid-fast bacilli. Culturing of the sputum is performed in order to isolate microbial growth for further analysis. Lowenstein-Jensen medium is utilized to select for the growth of *Mycobacterium* species if present in the sample, while suppressing unwanted background organisms. What is the proper term for this type of medium?

<ul><li>A) Differential medium</li><li>B) Selective medium</li><li>C) Differential medium and selective medium</li><li>D) None of the choices are correct.</li></ul>
<b>87.3</b> ) Culturing of the sputum resulted in the growth of distinct colonies and further isolation by subculturing is now needed. The RN understands that isolation is accomplished by taking a bit of growth from an individual colony and inoculating a separate medium, resulting in the production of a(n)
A) simple culture B) pure culture C) isolated culture D) mixed culture
88) NCLEX Prep - Test Bank Question: Please read the clinical scenario, and then answer the questions that follow to become familiar with the traditional NCLEX question format.
A 65-year-old homeless male presents to an urgent care clinic with a deep laceration on his left arm. He states that he cut his arm on an old piece of scrap metal two days prior. His wound is red, tender, hot to the touch, and has yellow drainage. The RN collects a sample of the drainage and sends it to the laboratory for microbial analysis, per provider orders.
<b>88.1</b> ) The patient's culture results positive for <i>Staphylococcus</i> . The RN understands that the culture most likely required growth on a complex medium, consisting of

A) an exact chemical formula B) chemical growth inhibitors

D) None of the choices are correct.

C) at least one ingredient that is not chemically defined

Version 1 25

- **88.2**) Microscopic analysis revealed the presence of grapelike clusters of gram-positive cocci. The RN educates the patient that the species identification of the organism will require biochemical testing, which aids in microbial identification by providing information on cellular metabolism. Which of the following statements by the patient demonstrates understanding of the nurse's teaching?
  - A) Biochemical tests can determine the organism's nutrient requirements.
  - B) Biochemical tests can determine the presence of enzymes in the sample.
  - C) Biochemical tests can provide information about products given off during growth.
- D) Biochemical tests can provide information about the microbe's mechanism for deriving energy.
  - E) All of these statements are correct.
- **88.3**) Cultures and specimens pose a potential health hazard and require proper handling and disposal via specific medical waste policies. Some facilities are regulated to maintain living catalogs of specimens that may be subcultured into a fresh medium for research and educational purposes. Such collections are referred to as \_\_\_\_\_.
  - A) live microbes
  - B) stock cultures
  - C) reserved specimens
  - D) bacteriological reserve

## **Answer Key**

Test name: Smith 2

- 1) FALSE
- 2) TRUE
- 3) TRUE
- 4) FALSE
- 5) FALSE
- 6) FALSE
- 7) FALSE
- 8) TRUE
- 9) FALSE
- 10) FALSE
- 11) TRUE
- 12) FALSE
- 13) TRUE
- 14) [A, B, D, E, G]

Culturing microorganisms in the laboratory generally involves the following five steps, also known as the Five I's: inoculation, incubation, isolation, inspection, and identification.

15) [A, C, D, E]

Quadrant streak plates, loop dilution, selective media, and spread plates can all be used to isolate microbes in culture. While helpful in detecting and identifying bacteria, bright-field microscopy and Gram staining are not isolation techniques.

16) [A, B, D]

Media can be categorized by its chemical composition (synthetic, nonsynthetic), by its physical state (solid, liquid, semisolid), or by its purpose (enriched, differential, selective, etc.).

## 17) [A, D, E]

The three elements of good microscopy include magnification, resolution, and contrast.

- 18) C
- 19) B
- 20) A
- 21) B
- 22) D
- 23) C
- 24) B
- 25) C
- 26) C
- 27) B
- 28) A
- 29) D
- 30) E
- 31) D
- 32) A
- 33) D
- 34) A
- 35) D
- 36) A
- 37) D
- 38) A
- 39) E
- 40) C
- 41) D

- 42) C
- 43) C
- 44) B
- 45) C
- 46) A
- 47) A
- 48) E
- 49) B
- 50) B
- 51) E
- 52) E
- 53) C
- 55) C
- 54) A
- 55) C
- 56) B
- 57) C
- 58) A
- 59) A
- 60) B
- 61) E
- 62) E
- 63) B
- 64) A
- 65) D
- 66) C
- 67) A
- 68) C
- 69) B
- 70) B
- 71) A

- 72) A
- 73) B
- 74) A
- 75) C

Enriched, selective, and differential media are classified based on their function. Media categorized by chemical composition include synthetic and nonsynthetic media. Media categorized by physical state include liquid, semisolid, and solid media. Media are not categorized by the temperature of incubation or the type of microorganisms they will support.

76) C

**Enriched** media has added nutrients supplied by blood, serum, or other growth factors. It is designed to support the growth of **fastidious** microorganisms, which need extra nutrient supplementation for growth. 77) C

Motility medium is typically a semisolid consistency. It is inoculated by stabbing the specimen into it with an inoculating needle. Motile organisms will move away from the stab site, making the entire medium cloudy. Nonmotile organisms will stay and grow at the stab site and not turn the entire medium cloudy.

## 78) B

A medium that supports the growth of one type of bacterium while inhibiting the growth of others is a **selective** medium.

#### 79) A

One micrometer is equal to 1,000 nm. To convert micrometers to nanometers, multiple the 2.5  $\mu$ m by 1,000 to obtain 2,500 nm. An easy way to do this is to remember that when you make this conversion, you can simply move the decimal three places to the right.

80) A

One micrometer is equal to 1,000 nm. To convert nanometers to micrometers, divide the 150 nm by 1,000 to obtain  $0.150 \, \mu m$ . An easy way to do this is to remember that when you make this conversion, you can simply move the decimal three places to the left.

#### 81) A

One millimeter is equal to 1,000 micrometers. To convert micrometers to millimeters, divide the 75  $\mu$ m by 1,000 to obtain 0.075  $\mu$ m. An easy way to do this is to remember that when you make this conversion, you can simply move the decimal three places to the left.

#### 82) A

The contrast, or ability to distinguish between an object and the background when viewing through a microscope, can be improved by reducing light using the iris diaphragm or by staining.

### 83) A

Longer wavelengths are too large to penetrate the spaces between two adjacent objects, making an image appear fuzzy. Shorter wavelengths do a better job of distinguishing between objects, and therefore, shorter wavelengths result in higher resolution. Electron beams are shorter wavelengths so electron microscopes have a greater resolving power than light microscopes.

#### 84) A

Negative stains are repelled by cell surfaces. Instead, these dyes adhere to the slide producing a dark background around the unstained cells, thus increasing contrast.

## 85) A

The acid-fast stain is a differential stain that is useful in the diagnosis of tuberculosis. Tuberculosis is caused by the acid-fast bacterium, *Mycobacterium tuberculosis*.

## 86) Section Break

86.1) B

- 86.2) A
- 86.3) D
- 86.4) B
- 86.5) B
- 87) Section Break
  - 87.1) D
  - 87.2) B
  - 87.3) B
- 88) Section Break
  - 88.1) C
  - 88.2) C
  - 88.3) B