

ATI PEDIATRIC PROCTORED EXAM 2019 QUESTIONS AND CORRECT ANSWERS LATEST UPDATE ALREADY A GRADED WITH EXPERT FEEDBACK

A nurse is preparing to initiate iv antibiotics for a newly admitted 12 month old infant. Which of the following actions should the nurse plan to take? - ANSWER- **use a 24 gauge catheter to start the iv**

a nurse is planning care for an 8 month infant who has heart failure. Which of the following actions should the nurse include in the plan of care? - ANSWER- **Admin cool humidified O2 via nasal cannula**

a nurse is providing teaching to the parents of an infant who is to undergo pilocarpine iontophoresis testing for cystic fibrosis. Which of the following statements should the nurse include in the teaching? - ANSWER- **"The test will measure the amount of chloride in your baby's sweat"**

A nurse is teaching a group of female adolescents about healthy eating. Which of the following instructions should the nurse include in the teaching? - ANSWER- **"Increase the amount of your dietary iron intake."**

a nurse is preparing to administer a prescribe medication to a toddler who parents is nearby. which of the following actions should the nurse take to identify the toddler? - ANSWER- **Check the toddler ID band against the medical record**

a nurse is planning care for a school aged child who was admitted to the emergency department 2 hours ago. Which of the following interventions should the nurse include to promote adequate sleep for the child? - ANSWER- **Follow the child home sleep routine to reduce anxiety**

the nurse is caring for a 5 year old child following a tonsillectomy and which of the following findings should the nurse identify as a sign of hemorrhage - ANSWER- **continuous swallowing.**

A nurse is discussing coping mechanisms for a parent of a 3- month old infant. Which of the following therapeutic questions should the nurse ask the parent? - ANSWER- **What do you do when your infant is fussy?**

A nurse is preparing a school- age child for an invasive procedure. Which of the following actions should the nurse plan to take? - ANSWER- **Plan for a 30 min teaching about the procedure**

A nurse in the emergency department is caring for a child who has a temp of 102.4 and a suspected diagnosis of bacterial meningitis? Which of the following actions should the nurse take FIRST? - ANSWER- **Implement droplet precautions**

A nurse is preparing to collect a urine specimen from a female infant using a urine collection bag. Which of the following actions should the nurse take? - ANSWER- **Place a snug fit diaper over the drainage bag**

A nurse is providing teaching to the guardian of a school age child who has sickle cell disease. Management? - ANSWER- **Wear surgical mask at school**

a nurse is caring for a 12 year old child in a wheelchair. The child begins to experience a tonic clonic seizure. Which of the following actions should the nurse take? - ANSWER- **move the child on the floor**

A nurse is assessing a child who has intussusception. Which of the following findings should the nurse expect? - ANSWER- **Sausage shaped abdominal mass**

a nurse is caring for a school age child following a femoral venous cardiac catheterization. Which of the following actions should the nurse take? - ANSWER- **keep extremities straight for at least 4 hours**

a nurse is caring for a preschooler who is post-operative following a tonsillectomy. The child is now ready to begin eating orally. Which of the following dietary choices should the nurse offer the child - ANSWER- **Lime popsicle Do not choose sugarfree CHERRY gelatin!!!**

a nurse is assessing a 5 month old infant. Which of the following finding should the nurse report to the provider? - ANSWER- **instant head lag when in sitting position**

a nurse in a pediatric clinic is providing teaching to the guardian of an infant who has a new prescription for digoxin. Which of the following actions should the nurse include in the plan of care as an indication of digoxin toxicity? - ANSWER- **bradycardia**

A nurse is admitting a child who is has acute epiglottitis. Which of the following actions should the nurse take? - ANSWER- **Initiate droplet isolation precautions**

a nurse is planning care for a child who has osteomyelitis. Which of the following intervention should the nurse include in the plan of care? - ANSWER- **maintain a patent intravenous catheter**

the nurse is reviewing the medical record of a school age child who has cystic fibrosis. Which of the following findings should the nurse report to the provider? - ANSWER- **a) O2 sat**

A nurse is providing discharge teaching to the parents of an infant for sudden infant death syndrome (SIDS). Which of the following statements by the parents indicates an understanding of the teaching ? - ANSWER- **I will dress my baby in lightweight clothing to sleep**

a nurse is teaching the guardian of a child who suspected to have cystic fibrosis and is scheduled for a sweat chloride test. Which of the following statements should the nurse include - ANSWER- **two separate test is taken to ensure accuracy of the results**

A nurse is providing teaching to the guardian of a school- aged child who has a seizure disorder. Which of the following factors should the nurse include as common trigger that increases the risk of seizures? - ANSWER- Lack of sleep

A nurse in a provider's office is preparing to administer immunizations to a 12 year old client during a well-child visit? Which of the following immunization should the nurse plan to administer? - ANSWER- HPV

a nurse is reviewing the laboratory results of a child who was recently admitted for a suspected rheumatic fever. The nurse should identify that which of the following laboratory test can contribute to confirming this diagnoses. SATA - ANSWER- -
-elevated/rising blood anti streptolysin O titer
-elevated CRP
-elevated ESR

A nurse is caring for an adolescent who is 1 hr postoperative following an appendectomy. Which of the following findings should the nurse report to the provider? - ANSWER- Muscle rigidity

A nurse is preparing to administer an enteral feeding to an adolescent who has NG tube. Which of the following actions should the nurse take first? - ANSWER- Check the pH of the gastric secretions

A nurse is providing teaching to the parents of a 6 week old infant who has developmental dysplasia of the hip and is wearing a pavlik harness. Which of the following statements by the parents indicates an understanding of the teaching? - ANSWER- We will place a diaper under the straps

A nurse is assessing a school-aged child who has heart failure and is taking furosemide. Indication that the medication is effective? - ANSWER- Increase in potassium level

A nurse is applying socks and restraints to a child who is acting aggressively towards staff. Which of the following actions should the nurse take? - ANSWER- -ensure restraints are in quick release knots