

NURS 6540: Women's Health. FINAL EXAM. QUESTIONS & ANSWERS (Latest).

Question 1

2 out of 2 points

How does women's anatomy make them more susceptible to UTIs?

Answer: D. **Their urethras are shorter.**

Question 2

2 out of 2 points

The primary endocrine disorders affecting women are diabetes mellitus and:

Answer: B. **Thyroid conditions**

Question 3

2 out of 2 points

A common prenatal care model in which women have their first visit with one provider and then subsequent visits in a group setting is called:

Answer: C. **Centering Pregnancy**

Question 4

2 out of 2 points

When is round ligament pain most likely to occur in pregnant women?

Answer: D. **Between 16–20 weeks' gestation**

Question 5

2 out of 2 points

Optimal weight gain during pregnancy is based on the woman's pre-pregnant BMI and:

Answer: C. Nutritional assessment

Question 6

2 out of 2 points

In the formula to estimate gestational age, woman are considered pregnant from:

Answer: A. The first day of the last menstrual period

Question 7

2 out of 2 points

Gender differences in heart disease can be found in:

Answer: D. All of the above

Question 8

2 out of 2 points

What distinguishes pyelonephritis from cystitis?

Answer: B. The infection has ascended to the kidneys.

Question 9

0 out of 2 points

What has changed in terms of recommended antibiotic treatment for uncomplicated lower UTIs?

Answer: B. Three times a day of oral antibiotics are now recommended.

Question 10

2 out of 2 points

Carbohydrate intolerance and increased insulin resistance first recognized in pregnancy is known as:

Answer: B. Gestational diabetes

Question 11

2 out of 2 points

All except which of the following are important historical questions for a 29-year-old woman in clinic for right-sided weakness?

Answer: D. History of pelvic inflammatory disease

Question 12

2 out of 2 points

When can relief from pregnancy induces nausea and vomiting be expected?

Answer: B. 12–14 weeks' gestation

Question 13

2 out of 2 points

What is a common cause of leg cramps during pregnancy?

Answer: A. **An imbalance of calcium and magnesium**

Question 14

2 out of 2 points

What is the leading cause of first-trimester maternal death?

Answer: A. **Ectopic pregnancy**

Question 15

2 out of 2 points

What do current theories suggest as to how cranberry products can reduce UTIs?

Answer: B. **The fructose keeps E. coli bacteria from adhering to bladder cell walls.**

Question 16

2 out of 2 points

Screening for hyperlipidemia is recommended to begin at what age for women with no risk factors?

Answer: C. **45**

Question 17

2 out of 2 points

Without treatment shortly after birth, as many as 90 percent of infants born to hepatitis B–infected mothers will:

Answer: D. **become infected**

Question 18

2 out of 2 points

After how many weeks' gestation is a pregnancy loss considered a fetal death or stillbirth?

Answer: C. **20 weeks**

Question 19

2 out of 2 points

What is the general goal of surgical treatment for stress UI?

Answer: D. **To support and stabilize the urethra**

Question 20

2 out of 2 points

What is more likely to occur in women with female genital cutting?

Answer: B. **Birth-related complications**