

ATI PEDS PROCTORED EXAM 2023 FORM A /PEDIATRIC ATI PROCTORED
2023 FORM A CONTAINS ACTUAL QUESTIONS AND CORRECT
ANSWERS | A GRADE (COMPLETE EXAMS)

1. A nurse is assisting a child who has multiple **closed fractures** of the lower extremities due to a motor-vehicle crash. The nurse should monitor the child for which of the following **complications** during the first 24 hr. after the injury occurred?

Compartment syndrome

2. A nurse is teaching the parent of a toddler who has **phenylketonuria** about meal planning. Which of the following information should the nurse include in the teaching?

Avoid foods containing milk products

3. A nurse at an inpatient facility is planning care for a child who has **autism spectrum disorder**. Which of the following **interventions** should the nurse include in the plan of care?

Keep staff visits with the child brief

4. A nurse is assisting an infant who has severe **dehydration** due to **gastroenteritis**. Which of the following findings should the nurse expect?

Increase respiratory rate

5. A nurse is planning care for a child who has **cystic fibrosis**. Which of the following interventions should the nurse plan to include?

Use a vest to perform high-frequency chest compressions

6. A nurse is teaching the parent of a school age child about **bicycle safety**. Which of the following instructions should the nurse include in the teaching?

Your child should walk the bicycle through intersections

7. A nurse is preparing a child for a **lumbar puncture**. In which of the following positions should the child be placed for the procedure?

Lateral

8. A nurse is reviewing the complete blood count results for a child who is receiving treatment for acute **lymphoblastic leukemia**.

Which of the following findings should indicate to the nurse that the treatment is *having a therapeutic effect*?

- WBC count 15.000/mm
- Hemoglobin 6.8 g/dL
- Platelet count 98.0000/mm
- RBC count 5/mm

d. RBC count 5/mm- (within expected range of 3.9-5.3)

9. A nurse is caring for a school age child who has **pertussis**. Which of the following actions should the nurse take?

Report the diagnosis to the public health department

• A nurse is assessing a week-old infant. The nurse should identify which of the following manifestations can indicate **neonatal abstinence syndrome**?

Excessive sucking

- A nurse is preparing to **initiate IV antibiotic therapy** for a newly admitted 12-month-old infant. Which of the following **actions** should the nurse plan to take?

Cover the insertion site with an opaque dressing

- A nurse is assessing a toddler who is 8 hr. postoperative following a **cardiac catheterization procedure**. Which of the following findings should the nurse **report to the provider**?

Weak pedal pulse distal to the site

- A nurse is providing teaching to the parents of a child who has **varicella** about management of the disease. Which of the following instructions should the nurse include in the teaching?

Apply calamine lotion to vesicles on the child's skin

(FYI: Initiate airborne precautions)

- A nurse is planning care for a child who is experiencing a **sickle cell crisis**. Which of the following interventions should the nurse include in the plan of care?

Initiate bed rest

- A charge nurses teaching a group of nurses about identifying **child abuse**. Which of the following findings should the nurse identify as a potential indicator of child abuse?

A mother is hesitant to comfort her 6-month-old infant

- A nurse is teaching the guardian of a 5-year-old child who has **encopresis** about management of the condition. Which of the following statements by the guardian indicates an **understanding of**

the teaching? I will have my child try to defecate 15 minutes after each meal

- A nurse is assisting an infant who has **respiratory syncytial virus (RSV)**. For which of the following findings should the nurse **intervene?**

b. Tachypnea- fast breathing

- A nurse is performing a health assessment for a 6-month-old infant. The nurse should begin the assessment by performing which of the following actions while the **infant is quiet and sitting on the guardians lap?**

c. Listening to the infant heart and lung sounds

- A nurse is caring for an adolescent who has **major depressive disorder**. Which of the following actions should the nurse take first?

- **Ask the client if he is considering harming himself**

- A nurse is caring for a child in the PACU following a **tonsillectomy**. Which of the following findings requires immediate intervention by the nurse?

Frequent swallowing- indication of bleeding

- A nurse in the emergency department is caring for a school age child who has developed **respiratory stridor, wheezing, and urticarial after receiving an IV medication**. Which of the following actions should the nurse take first?

Administer epinephrine

- A nurse is caring for a school aged child who is 1hr postoperative following a **tonsillectomy**. Which of the following actions should the nurse take first? (**Select all that apply**)

Observe the child for frequent swallowing

- Discourage the child from coughing
- Administer an analgesic to the child on a scheduled basis

- A nurse is teaching the guardian of an infant who has **congestive heart failure** about methods to preserve energy during bottle feeding. Which of the following statements by the guardian indicates a clear understanding of the teaching?

I will feed my baby every 2 hours

- A nurse in a family practice clinic is assessing a preschool age child who recently experienced the **death of a sibling**. Which of the following reactions in an age-appropriate response to death?

The child feels responsible for the siblings death

- A nurse is teaching a parent of a toddler about **administering digoxin**. Which of the following statements by the parent indicates a clear understanding of the teaching?

I should give my child water after giving the medication-

(FYI: if the child has teeth, brush their teeth to prevent tooth decay)

- A nurse is providing a teaching to the guardian of a **2-year-old about typical toddler behavior**. Which of the following behaviors should the nurse include?