

ATI SKILLS MODULE 3.0: AIRWAY MANAGEMENT ASSESSMENT POSTTEST



Question: 1 of 8

Time Remaining: 08:18:36
Pause Remaining: 08:20:00

PAUSE

FLAG

A nurse is preparing to suction a client's tracheostomy. Which of the following actions should the nurse take?



- Suction for 30 seconds with each pass.
- Allow 2 min in between suctioning to reoxygenate the lungs.
- Use a rotating motion when inserting the catheter from the tracheostomy.
- Set the suction pressure to 180 mm Hg.

CONTINUE



Question: 2 of 8

Time Remaining: 08:18:16
Pause Remaining: 08:20:00

PAUSE

FLAG

A nurse is suctioning a client's airway using in-line suctioning. Which of the following actions should the nurse plan to take?



Hyperoxygenate the client before disconnecting the ventilator.

Apply suction pressure while advancing the catheter.

Wear a face shield during the procedure.

Reuse the catheter repeatedly.

PREVIOUS

CONTINUE



Question: 3 of 8

Time Remaining: 08:17:24
Pause Remaining: 08:20:00

PAUSE

FLAG

A nurse is caring for a client who has a tracheostomy tube in place. During tracheostomy care, which of the following should the nurse place underneath the flange of the outer cannula?



- Commercially prepared transparent dressing
- Cotton-filled gauze square
- Commercially prepared fenestrated dressing
- Twill tape

PREVIOUS

CONTINUE