

ATI SKILLS MODULE 3.0 OXYGEN THERAPY POSTTEST - REAL EXAMS



Question: 1 of 11

Time Remaining: 08:18:35
Pause Remaining: 08:20:00

PAUSE

FLAG

Oxygen therapy is prescribed for a client who is brought to an emergency department in the early stages of hypoxia. When assessing this client, a nurse should expect which of the following findings?



- Elevated blood pressure
- Decreased respiratory rate
- Cyanosis
- Peripheral edema

CONTINUE



Question: 2 of 11

Time Remaining: 08:17:05
Pause Remaining: 08:20:00

PAUSE

FLAG

Administering oxygen therapy with a nonrebreather mask has which of the following advantages?



- Offers the highest oxygen concentration of the low-flow systems
- Provides oxygen concentrations of 40% to 60%
- Incorporates a design that requires minimal monitoring of the client
- Is designed for safety once the mask's valves and flaps are sealed

PREVIOUS

CONTINUE



Question: 3 of 11

Time Remaining: 08:16:22
Pause Remaining: 08:20:00

PAUSE

FLAG

A nurse should recognize that which of the following findings is an indication for oxygen therapy?



- Respiratory rate 32/min
- PaO₂ 90 mm Hg
- Fraction of inspired oxygen (FiO₂) 65% for 4 days
- Oxygen saturation (SaO₂) 90%

PREVIOUS

CONTINUE