

1. A nurse is assessing a school-aged child who has heart failure and is taking furosemide. Which of the following findings should the nurse identify as an indication that the medication is effective?

A decreased in peripheral edema

2. A nurse is assessing an infant who has acute otitis media. Which of the following findings should the nurse expect? (Select all that apply)

Crying

Restlessness

Fever

3. A nurse is providing teaching to the parents of an infant who is to undergo pilocarpine iontophoresis testing for Cystic Fibrosis. Which of the following statements should the nurse include in the teaching?

The test will measure the amount of water in your baby's sweat

4. A nurse in an urgent care clinic is prioritizing care for children. Which of the following children should the nurse assess first?

A preschool-aged child who has a muffled voice and no spontaneous cough

5. A nurse is providing teaching to the parents of a toddler who is to undergo a sweat chloride test. Which of the following statements should the nurse include?

Your child sweat will be collected over 24 hours

6. A nurse in the emergency department is caring for an adolescent who is requesting testing for STI. Which of the following action is appropriate for the nurse to take?

Obtain written consent from the client

7. A nurse in the emergency department is assessing the toddler who has hyperpyrexia severe dyspnea and drooling which of the following actions should the nurse take first?

Prepare the toddler for nasotracheal intubation

8. A nurse is providing teaching to a 10-year-old child with scheduled for an arterial cardiac catheterization. Which of the following information should the nurse include in the teaching?

You will need to keep your legs straight for 8 hours following the procedure

9.

10. A nurse is caring for a preschooler who is post-operative following a tonsillectomy. The child is now ready to resume oral intake which of the following dietary choices should the nurse offer the child?

Lime flavored ice pop

11. A nurse is caring for an infant who has patent ductus arteriosus. The nurse should identify that the defect is a switch of the following locations of the heart (you will find hot spots to select in the artwork below. Select only the hot spot that corresponds to your answer)

B

12. A nurse is caring for a 10-month-old child brought to the emergency department by his parents following a head injury. Which of the following actions should the nurse take first?

Assess respiratory status

13. A charge nurse is planning care for an infant who has failure to thrive. Which of the following actions should the nurse include in the plan of care?

Assign the consistent nursing Staff Care for the infant

14. A nurse is providing teaching about home care to the parent of a child who has scabies. Which of the following instructions should the nurse include in the teaching?

Treat everyone who came into close contact with a child

15. A nurse is caring for a preschooler who refuses to take a dose of oral diphenhydramine. Which of the following statements should the nurse make?

Sometimes, when children have to take medication, they feel sad

16. A nurse is teaching the parent of a school-age child bicycle safety. Which of the following instructions should the nurse include in the teaching?

Your child should walk the bicycle through intersections

17. A nurse is caring for a school-age child following the application of a cast to a fractured right tibia. Which of the following actions should the nurse take first?

Pad the edges of the cast

18.

19. A nurse is preparing a school-aged child for an invasive procedure. Which of the following actions should the nurse plan to take?

Plan for a 30-minute teaching session about the procedure

20.

21. A nurse is preparing to collect a urine specimen from a female infant using a urine collection bag. Which of the following actions should the nurse take?

Apply lidocaine gel to the perineum before attaching the bag

22. A nurse is planning care for a toddler who has developed oral ulcers in response to chemotherapy. Which of the following actions should the nurse include in the plan of care?

Schedule routine Oral Care every 8 hours

23. A nurse is providing discharge teaching to the parents of an infant who is at risk for sudden infant death syndrome (SIDS). Which of the following statements by the parent indicates an understanding of the teaching?

I will dress my baby in lightweight clothing to sleep

24. A nurse is monitoring an infant who is receiving opioids for pain. Which of the following findings should indicate to the nurse that the medication is having a therapeutic effect?

Relaxed facial expression

25. A nurse is caring for a three-month-old infant who has cleft of soft palate. Which of the following actions should the nurse take?

Discontinue feeding if the client's eyes become watery

26. A nurse is caring for a child who has hyponatremia. Which of the following findings should the nurse expect?

Tetany

27. A nurse is preparing to administer an enteral feeding to an adolescent who has an NG tube. Which of the following actions should the nurse take first?

Check the pH of the gastric secretion

28. A nurse is caring for an adolescent who is 1-hour post-operative following an appendectomy. Which of the following findings should the nurse report the provider?

Muscle rigidity

29. A nurse in a provider's office is preparing to administer immunization to a 12-year-old client during a well-child visit. Which of the following immunizations should the nurse plan to administer?

Human papillomavirus (HPV)

30. Nurse is planning care for an 8 month old infant who has heart failure. Which of the following actions should the nurse include in the plan of care?

Provide less frequent, higher volume feeding

31. A nurse is planning care for a school-aged child who is admitted from the emergency department 12 hours ago. Which of the following interventions should the nurse include to promote adequate sleep for the child?

Allow the child to adjust their bedtime to promote autonomy

32. A nurse is preparing to initiate IV antibiotic therapy for a newly admitted 12-month-old infant. Which of the following actions should the nurse plan to take?

Use a 24 gauge catheter to start the IV

33. A nurse in a pediatric clinic is providing teaching to the guardian of an infant who has a new prescription for digoxin. Which of the following manifestations should the nurse include as an indication of digoxin toxicity?

Bradycardia

34.

35. A nurse is reviewing the laboratory results of a child who was recently admitted or suspected rheumatic fever. The nurse should identify that which of the following laboratory tests can contribute to confirm this diagnosis? (Select all that apply)

Erythrocyte sedimentation rate (ESR)

C-reactive protein (CRP)

Anti-streptolysin O (ASO) titer

36. A nurse is teaching a group of female adolescents about healthy eating. Which of the following instructions should the nurse include in the teaching?

Increase the amount of your dietary iron intake

37. A nurse is caring for an infant who receives intermittent enteral feeding through a gastrostomy tube. Which of the following actions should the nurse take when administering a feeding? (Select all that apply)

Offer an infant a pacifier during readings

Check for residual volume by aspirating stomach contents

Instill the formula over a period of 30 and 45 minutes

38. A nurse is planning care for a child who has osteomyelitis. Which of the following interventions should the nurse include in the plan of care?

Maintain patent intravenous catheter

39.

40. A nurse is providing teaching to a guardian of a school-aged child who has sickle cell disease about management of the illness. Which of the following instructions should the nurse include?

Encourage physical activity as tolerated

41. A nurse is assessing a 5 month old infant. Which of the following findings should the nurse report to the provider?

Exhibits head lag when pulled a sitting position

42. A nurse is caring for a five-year-old child following a tonsillectomy and adenoidectomy. Which of the following findings should the nurse identify as an indication of hemorrhage?

Continuous swallowing

43. A nurse is discussing coping mechanism with a parent of a three-month-old infant which of the following therapeutic questions should the nurse ask the parent?

Is it overwhelming when your infant is having a bad day?

44. A nurse is providing teaching about the effects of sun exposure to a parent of a toddler which of the following responses by the parent indicates an understanding of the teaching?

I should apply 10 SPF sunscreen to my child's entire body

45. A nurse is evaluating a 6 year old who has cystic fibrosis and has been receiving chest physiotherapy treatment. The nurse should identify which of the following findings as an indication of the therapy has been effective?

Increase expectoration

46. A nurse is planning care for a six-month-old infant who has bacterial meningitis. Which of the following interventions should the nurse include in the plan of care?

Pad the side rails of the cribs

47. A nurse is reviewing the medical record of a child with cystic fibrosis which of the following should the nurse report to the provider? Click on the exhibit button for addition information about the client.

HbA1c

48. A nurse is assessing an infant who has severe dehydration due to gastroenteritis which of the following findings should the nurse expect?