

ATI MED SURG RN END OF LIFE: PALLIATIVE CARE AND HOSPICE CARE 3.0 CASE STUDY TEST



Question: 1 of 5

Time Elapsed: 00:01:09
Pause Remaining: 08:20:00



A nurse is caring for a client who has been diagnosed with cervical cancer. The client asks the nurse about palliative care. Which of the following responses should the nurse give?



- "This treatment is for clients who have 6 months or less to live."
- "This treatment is provided to clients when curative measures have been discontinued."
- "Care is provided in 60-day increments and continued if the criteria is met."
- "Care is delivered for serious illnesses and focuses on quality of life."





Question: 2 of 5

Time Elapsed: 00:01:27
Pause Remaining: 08:20:00



A nurse is assessing a client who is in the end stages of life. The client is unconscious and has a "death rattle." Which of the following medications should the nurse plan to administer to the client?



- Haloperidol
- Morphine
- Scopolamine
- Prochlorperazine





Question: 3 of 5

Time Elapsed: 00:01:50
Pause Remaining: 08:20:00



A nurse is providing palliative care for a client who has end-stage lung cancer and is dyspneic. Which of the following actions should the nurse take?



- Apply supplemental oxygen.
- Ask the client how they are feeling.
- Place the client in the supine position.
- Administer haloperidol 0.5 mg sublingual.





Question: 4 of 5

Time Elapsed: 00:03:33
Pause Remaining: 08:20:00



A nurse is caring for a client who is receiving hospice care. Which of the following findings should the nurse identify as a manifestation of impending death?



- Pale yellow urine
- Increased blood pressure
- Decreased strength of peripheral pulses
- Tightening of the facial muscles





Question: 5 of 5

Time Elapsed: 00:04:05
Pause Remaining: 08:20:00



A nurse is caring for a client who has stage IV heart failure. The client has audible crackles in the lungs and is experiencing fluid overload. Which of the following medications should the nurse expect the provider to prescribe?



- Scopolamine
- Amoxicillin/clavulanate
- Furosemide
- Lorazepam

