

Q
Producing bile
C) Storage vitaming and minerals
Stores vitamins and minerals
⊙
Releases insulin
C
Synthesizes protein
Overting 2
Question 2 5 / 5 pts
Multiple Choice:
Risk factors for gallstone formation include each of the following EXCEPT:
C C
Female gender
O .
Oral contraceptive use
©
Age (60's)
C) Obesity
Obesity
Question 3 5 / 5 pts
Multiple choice:
Predisposing factors that may lead to gastroesophageal reflux include each of the following EXCEPT:
Q
Hiatal hernia
⊙
Pernicious anemia

C
Pregnancy
C C
Incompetent esophageal sphincter
Question 4
0 / 5 pts Multiple choice
Clinical procentation of irritable howel cyndrome can include each of the following EVCERT:
Clinical presentation of irritable bowel syndrome can include each of the following EXCEPT:
C .
Abdominal pain or discomfort for at least 12 weeks duration
C C
Pain may be relieved with defecation
⊙
Constipation or diarrhea may be present
Correct Answer
Q
Blood in the stool
Question 5 3.75 / 5 pts
Risk factors for the development of peptic ulcer include which of the following? Select all that apply.
Aspirin therapy
Esting soldie foods
Eating acidic foods
H. Pylori infection
Correct Answer
Stress