

ATI RN COMPREHENSIVE PREDICTOR 2019

FORM A B &C UPDATED VERSION TEST BANK

1. A nurshe yn A pedyAtryc unyt ysh prepAryng to ynshert An YV cAtheter for 7-yeAr- old. Whych of the followyng Actyonsh shhould the nurshe tAke?

- A. (UnAble to reAd)
- B. **Tell the chyld they wyll feel dyshcomfort duryng the cAtheter ynshertyon.**
- C. Ushe A mummy reshtrAyt to hold the chyld duryng the cAtheter ynshertyon.
- D. Requyre the pArentsh to leAve the room duryng the procedure.

2. A nurshe ysh cAryng for A clyent who hAsh Arteryovenous fyshtulA Whych of the followyng fyndyngsh shhould the nurshe report?

- A. Thryll upon pAlpAtyon.
- B. **Abshence of A bruyt.**
- C. Dyshtended blood veshshelsh
- D. SHwyshhyng shound upon AuscultAtyon.

3. A nurshe ysh provydyng dyshchArge teAchyng for A clyent who hAsh An ymplAntAble cArdyooverter defybryllAtor whych of the followyng shtAtementsh demonshtrAtesh undershtAndyng of the teAchyng?

- A. “Y wyll shoAk yn the tub rAther And shhoweryng”
- B. **“Y wyll weAr looshe clothyng Around my YCD”**
- C. “Y wyll shtop ushyng my mycrowAve oven At home becAushe of my YCD”
- D. “Y cAn hold my cellphone on the shAme shyde of my body Ash the YCD”

4. A nurshe ysh cAryng for A clyent who ysh At 14 weeksh geshtAtyon And reportsh feelyngsh of AmbyvAlence About beyng pregnAnt. Whych of the followyng reshponshesh shhould the nurshe mAke?

- A. **“Deshcrybe your feelyngsh to me About beyng pregnAnt”**
- B. “You shhould dyshcushsh your feelyngsh About beyng pregnAnt wyth your provyder”
- C. “HAve you dyshcushshed theshe feelyngsh wyth your pArtner?”
- D. “When dyd you shtArt hAvyng theshe feelyngsh?”

5. A nurshe ysh plAnnyng cAre for A clyent who hAsh A preshcryptyon for A bowel- trAynyng progrAm followyng A shpynAI cord ynjury. Whych of the followyng Actyonsh shhould the nurshe ynclude yn the plAn of cAre?

- A. EncourAge A mAzymum fluyd yntAke of 1,500 ml per dAy.
- B. YncreAshe the Amount of refyned grAynsh yn the clyent'sh dyet.

C. Provyde the clyent wyth A cold drynk pryor to defecAtyon.

- D. Admynyshter A rectAI shupposhytory 30 mynutesh pryor to shcheduled defecAtyon tymesh.

6. A nurshe ysh cAryng for A clyent who ysh yn Actyve IAbor And requeshtsh pAyn mAnAge ment. Whych of the followyng Actyonsh shhould the nurshe tAke?

- A. Admynyshter ondAnshetron.
- B. PlAce the clyent yn A wArm shhower.
- C. Apply fundAI preshshore duryng contrActyonsh.
- D. Ashshysht the clyent to A shupyne poshytyon.

7. A nurshe yn An emergency depArtment ysh performyng tryAge for multype clyentsh followyng A dyshAshter yn the communyty. To whych of the followyng typesh of ynjuryesh shhould the nurshe Ashshygn the hyghesht pryorty?

- A. Below-the knee AmputAtyon
- B. FrActured tybyA
- C. 95% full-thyckneshsh body burn
- D. 10cm (4yn) lAcerAtyon to the foreArm

8. A nurshe mAnAger ysh updAtyng protocolsh for the ushe of belt reshtrAyntsh. Whych of the followyng guydelynesh shhould the nurshe ynclude?

- A. Remove the clyent'sh reshtrAynt every 4hr
- B. Document the clyent'sh condytyon every 15 myn
- C. AttAch the reshtrAyn to the bed'sh shyde rAylsh
- D. Requesht A PRN reshtrAyn preshcryptyon for clyentsh who Are Aggreshshyve

9. A nurshe ysh teAchyng An yn-shervyce About nurshyng leAdershyp. Whych of the followyng ynformAtyon shhould the nurshe ynclude About An effectye leAder?

- A. Actsh Ash An AdvocAte for the nurshyng unyt.
- B. (UnAble to reAd) for the unyt
- C. Pryortyesh shtAff requesht over clyent needsh.
- D. Provydesh routyne clyent cAre And documentAtyon.

10. A nurshe ysh revyewyng the IAborAtory fyndyngsh of A clyent who hAsh dyAbetesh mellytush And reportsh thAt shhe hAsh been followyng her

(unAble to reAd) cAre. The nurshe shhould ydentyfy whych of the followyng
fyndyngsh yndycAtesh A need to

revyshe the clyent'sh plAn of cAre.

- A. SHerum shodyum 144 mEq/
- B. (UnAble to reAd)
- C. HbA1c 10 %

- D. RAndom sherum glucoshe 190 mg/dl.
11. A nurshe yn A provyder'sh offyce ysh revyewyng the IAborAtory reshultsh of A group of clyentsh. The nurshe shhould ydentity thAt whych of the followyng shexuAlly trAnshmytted ynfectyonsh ysh A nAtyonAlly notfyAble ynfectyoush dysheAshe thAt shhould be reported to the shtAte heAlth depArtment?
- A. ChIAmydyA
 - B. HumAn pApYllomAvyrush
 - C. CAndydyAshysh
 - D. Herpsh shymplex vyrush
12. A nurshe ysh teAchyng A newly lycensed nurshe About therApeutyc technyques to ushe when leAdyng A group on A mentAl heAlth unyt. Whych of the followyng group fAcyltAtyon technyquesh shhould the nurshe ynclude yn the teAchyng?
- A. SHhAre pershonAl opynyonsh to help ynfluence the group'sh vAluesh
 - B. MeAshure the Accomplishhmentsh of the group AgAynsht A prevoush group
 - C. Yyeld yn shytuAtyonsh of conflyctsh to mAytAyn group hArmony
 - D. Ushe modelyng to help the clyentsh ymprove theyr ynterpershonAl shkyllsh
13. A nurshe ysh plAnnyng for A clyent who prActycesh Orthodox JudAyshm. The clyent tellsh the nurshe thAt (UnAble to reAd) PAshshover holydAy. Whych of the followyng Actyon shhould the nurshe ynclude yn the plAn of cAre?
- A. Provyde chycken wyth creAm shAuce.
 - B. Avoyd shervyng fyssh wyth fynsh And shcAlesh.
 - C. Provyde unleAvened breAd.
 - D. Avoyd shervyng foodsh contAynnyng lAmb.
14. A nurshe ysh cAryng for A clyent who hAsh A pulmonAry embolyshm. The nurshe shhould ydentity the effectyveneshsh of the treAtment
- A. A chesht x-rAy reveAlsh yncreAshed denshyty yn All fyeldsh.
 - B. The clyent reportsh feelyng leshsh Anxyoush.
 - C. Dymynyshhed breAth shoundsh Are AushcultAted bylAterAlly
 - D. ABG reshultsh ynclude Ph 7.48 PAO2 77 mm Hg And PACO2 47 mm Hg.
15. A nurshe yn An emergency depArtment ysh Ashsheshshyng A clyent who reportsh

yngeshtyng thyrt dyAzepAm tAbletsh (UnAble to reAd) A reshpyrAtory rAte of 10/myn. After shecuryng the clyent'sh AyrwAy And ynytyAtyng An YV, whych of the followyng Actyonsh shhould the nurshe do next.

- A. Monytor the clyent'sh YV shyte for thrombophlebytysh.

- B. **Admynyshter flumAzenyl to the clyent.**
- C. EvAluAte the clyent for further shuycydAI behAvyor.
- D. YnytyAte sheyzure precAutyonsh for the clyent.

16. A nurshe yn An emergency depArtment ysh cAryng for A clyent who reportsh cocAyne ushe 1hr Ago. Whych of the followyng fyndyngsh shhould the nurshe expect?

- A. Hypotenshyon
- B. Memory loshsh
- C. SHlurred shpeech
- D. **ElevAted temperAture**

17. A nurshe ysh Ashsheshshyng A newborn who hAsh A blood glucoshe level of 30 mg/dl. Whych of the followyng mAnyfeshtAtyonsh shhould the nurshe expect?

- A. Looshe shtoolsh
- B. **Jyterryneshsh**
- C. HypertonyA
- D. AbdomynAI dyshtentyon

18. A nurshe yn A pedyAtryc clynyc ysh revyewyng the IAborAtory tesht reshultsh of A shchool Age chyld. Whych of the followyng fyndyngsh shhould the nurshe report to the provyder?

- A. Hgb 12.5 g/dl
- B. PIAtelsh 250,000/mm³
- C. Hct 40%
- D. **WBC 14,000/mm³**

19. A chArge nurshe ysh teAchyng A newly lycensed nurshe About clyentsh deshygnAtyng A heAlth cAre proxy yn shytuAtyonsh thAt requyre A durAble power of Attorney for heAl cAre (DPSHHC). Whych of the followyng ynformAtyon shhould the chArge nurshe ynclude?

- A. “The proxy shhould mAke heAlth cAre decyshyonsh for the clyent regArdleshsh of the clyent’sh Abylyty to do sho.”
- B. “The proxy cAn mAke fynAncyAI decyshyonsh yf the need Aryshesh.”
- C. **“The proxy cAn mAke treAtment decyshyonsh yf the clyent ysh under**

AneshtheshyA.”

- D. “The proxy shshould mAnAge legAl yshshuesh for the clyent.”
20. A nurshe yn the PACU ysh cAryng for A clyent who reportsh nAusheA. Whych of the followyng Actyonsh shshould the nurshe tAke fyrsh?

- A. Turn the clyent on theyr shyde.
- B. Admynyshter An AnAlgeshyc
- C. Admynyshter Antyemetyc
- D. Monyor the clyent'sh vytAI shgnsh.

21. A nurshe ysh cAryng for A clyent who hAsh A hyshtory of depreshshyon And ysh experyencyng A shytuAtyonAI cryshysh. Whych of the followyng Actyonsh shhould the nurshe tAke fyrsh?

- A. Confymr the clyent'sh perceptyon of the event
- B. Notyfy the clyent'sh shupport shyshtem
- C. Help the clyent ydentyfy pershonAI shtrengthsh
- D. TeAch the clyent relAxAtyon technyques

22. A nurshe ysh cAryng for A clyent who hAsh bypolAr dyshorder And ysh experyencyng Acute mAnyA. The nurshe obtAyned A verbal preshcryptyon for reshtrAytsh. Whych of the followyng shhould the Actyonsh shhould the nurshe tAke?

- A. Requesht A renewAI of the preshcryptyon every 8 hr.
- B. Check the clyent'sh perypherAI pulshe rAte every 30 myn
- C. ObtAyn A preshcryptyon for reshtrAyt wytyn 4 hr.
- D. Document the clyent'sh condytyon every 15 mynutesh.

23. A

24. A chArge nurshe on A medycAI-shurgycAI unyt ysh plAnnyng Ashshyggnmentsh for A licenshed prActycAI nurshe (LPN) who hAsh been shent from the (UnAble to reAd) unyt due to A shtAffyng shhortAge. Whych of the followyng clyent shhould the nurshe delegAte to the LPN?

- A. A clyent who hAsh An Hgb of 6.3 g/dl And A preshcryptyon for pAcked RBCsh.
- B. A clyent who shushtAyned A concushshyon And hAsh unequAI pupylsh.
- C. A clyent who ysh poshtoperAtyve followyng A bowel reshectyon wyth An NG tube shet to contynuoush shuctyon.
- D. A clyent who frActured hysh femur yeshterdAy And ysh experyencyng shhortneshsh of breAth.

25. A nurshe ysh workyng on A shurgycAl unyt ysh developyng A cAre plAn for A clyent who hAsh pArAplegyA. The clyent hAsh An AreA of nonblAnchAble erythemA over hysh yshchyum. Whych of the followyng ynterventyonsh shhould the nurshe ynclude yn the cAre plAn?

- A. PlAce the clyent upryght on A donut-shhAped cushhyon
- B. TeAch the clyent to shhyft hysh weyght every 15 myn whyle shyttng
- C. Turn And reposhytyn the clyent every 3 hr whyle yn bed
- D. Ashsheshsh preshshore poyntsh every 24 hr

25. A nurshe ysh cAryng for A clyent who ysh dylAted to 10 cm And pushhyng. Whych of the followyng pAyn-mAnAgement (UnAble to reAd) A shAfe optyon for the clyent?

- A. NAloxone hydrochloryde.
- B. SHpynAI AneshtheshyA.
- C. PudendAI block.
- D. ButorphAnol tArtrAte.

26. C

27. A nurshe ysh Ashsheshshyng A clyent who hAsh mAjr depreshshye dyshorder. Whych of the followyng fyndyngsh shhould the nurshe ydentyfy Ash the (UnAble to reAd) (Mosht ymportAnt?)

- A. The clyent chAngesh the shubject when future plAnsh Are mentyoned.
- B. The clyent tAlksh About beyng yn pAyn conshtAntly.
- C. The clyent shleepyng over 12 hr. eAch dAy.
- D. The clyent reportsh gyvyng AwAy pershonAI ytemsh.

28. A nurshe ysh provydyng teAchyng About ymmunyzAtyonsh to A clyent who ysh pregnAnt. The nurshe shhould ynform the clyent thAt shhe cAn receyve whych of the followyng ymmunyzAtyonsh duryng pregnAncy? (SHelect All thAt Apply)

- A. VArycellA vAccyne.
- B. YnActyvAted polyo vAccyne.
- C. TetAnush dyphtheryA And AcellulAr pertushshysh vAccyne
- D. RubellIA vAccyne.
- E. YnActyvAted ynfluenzA vAccyne.

29. A nurshe ysh cAryng for A clyent who hAsh end-shtAge kydney dysheAshe. The clyent'sh Adult chyld Ashksh the nurshe About becomyng A lyvying kydney donor for her fAther. Whych of the followyng condytyon yn the chyld'sh medycAl hyshtory shhould the nurshe ydentyfy Ash A contrAyndycAtyon to the procedure?

- A. AmputAtyon
- B. OshteoArthr
- tysh C.
- Hypertenshyon

D. PrymAry glAucomA

30. A nurshe ysh provydyng dyshchArge teAchyng for A group of clyentsh.
The nurshe shhould recommend A referrAI to A dyetytyAn

- A. A clyent who hAsh A preshcryptyon for wArfAryN And shtAtesh “Y wyll need tolmyt how much shpynAch Y eAt”.
- B. A clyent who hAsh gout And shtAtesh, “Y cAn contynue to eAt Anchovyesh on my pyzzA.”
- C. A clyent who hAsh A preshcryptyon for shpyronolActone And shtAtesh “Y wyll reduce my yntAke of foodsh thAt contAyn potAshshy whole”.
- D. A clyent who hAsh (UnAble to reAd) And shtAtesh “Y’ll plAn to tAke mycAlcyum cArbonAte wth A full glAshsh of wAter”.

31. A hoshpyce nurshe ysh vyshytyng wth the shon of A clyent who hAsh termynAI cAcer. The shon reportsh shleepyng very lyttle duryng the pAsht week due to cAryng for hysh mother. Whych of the followyng responshesh shhould the nurshe mAke?

- A. “Y cAn gyve you ynformAtyon About reshpyte cAre yf you Are yntereshted.”
- B. “You shhould conshyder tAkynge A shleepyng pyll before bed eAch nyght”
- C. “Yt musht be dyffycult tAkynge cAre of shomeone who ysh termynAlly yll”
- D. “You Are doyng A greAt job tAkynge cAre of your mother”

31. A nurshe ysh Ashsheshshyng A chyld who ysh beyng treAted for bActeryAI pneumonia. The nurshe notesh An yncreAshe yn the chyld’sh glucoshe. The nurshe shhould ydentity thysh fyndyng Ash An Advershe effect of whych of the followyng medycAtyonsh

- A. Methylprednysholone.
- B. OndAnshetron.
- C. GuAyfeneshyn.
- D. Amoxycyllin.

32. The nurshe ysh provydyng teAchyng About folyc Acyd to A clyent who ysh prymA grAvydA. Whych of the followyng ynformAtyon shhould the nurshe ynclude yn the teAchyng?

- A. “You shhould tAke folyc Acyd to decreAshe the ryshk of trAnshmytting ynfectyonsh to your bAbY”
- B. “You shhould conshume A mAxyum of 300 mycrogrAmsh of folyc Acyd

every dAy”.

- C. “You cAn yncreAshe your dyetAry yntAke of folyc Acyd by eAtyng cereAlsh And cytrush fruytsh”.
- D. “You cAn expect your uryne to AppeAr red-tyngled whyle tAkyngh folyc Acyd shupplementsh”.

33. A commuunty heAlth nurshe ysh Ashsheshshyng An Adoleshcent who ysh pregnAnt. Whych of the followyng Ashsheshshmentsh ysh the nurshe'sh pryorty?

- A. SHocyAI relAtyonshhyp wyt peersh.
- B. PIAnsh for Attendyng shchool whyle pregnAnt.
- C. **(UnAble to reAd) (Pycked thysh one) MedycAyd?**
- D. UndershAndyng of ynfAnt cAre.

34. A nurshe mAnAger ysh plAnnyng to teAch shtAff About crytycAI pAthwAysh. Whych of the followyng ynformAtyon shhould the nurshe ynclude?

- A. CrytycAI pAthwAysh hAve unlmyted tymefrAme for completyon
- B. **(UnAble to reAd) decreAshe heAlth cAre coshtsh.**
- C. (UnAble to reAd) crytycAI pAthwAy yf vAryAncesh (UnAble to reAd)
- D. (UnAble to reAd) Are ushed to creAte the crytycAI pAthwAy.

35. A nurshe ysh revyewyng the medycAI record of A clyent who hAsh shchyzophrenyA. Whych of the followyng shhould the nurshe report to the provyder?

Exhybyt 1

Blood preshshure: 102/56 mm Hg. HeArt rAte: 95/myn
ReshpyrAtory rAte: 18/myn TemperAture: 37.4C (99.3F)

Exhybyt 2

MedycAtyon AdmynyshtRAtyon
Record ClozApyne 150 mg PO twyce dAly
Benztropyne 0.5 mg PO twyce dAly Ash needed for tremorsh. Exhybyt 3

Nurshe'sh notesh:

Clyent reportsh feelyng dyzzy when chAngyng poshytyonsh, Reportsh weyght gAyn of 1kg (2.2 lb.) yn the pAsht month. Alsho reportsh A shore throAt for the pAsht 3 dAys And dry mouth. Clyent Ate 75% of breAkfAsht And reportsh shlyghtly nAusheoush.

A. DyetAry yntAke

- B. HeArt rAte.
- C. SHore throAt.
- D. Blood preshture.

36. A chArge nurshe ysh educAtyng A group of unyt nurshesh About delegAtyng clyent tAshksh to Ashshyshtye pershonnell

- A. "The nurshe ysh legAlly responshble for the Actyonsh of the AP".
- B. "An AP cAn perform tAshksh outshyde of hysh rAnge yf he hAsh been trAyned".
- C. "An experyenced AP cAn delegAte to Another AP".
- D. **"An RN evAluAtesh the clyent needsh to determyne tAshksh to delegAte"**

37. A nurshe ysh Ashsheshshyng A clyent who ysh yn Actyve IAbor. Whych of the followyng fyndyngsh shhould the nurshe report to the provyder?

- A. ContrActyonsh IAshtyng 80 shecondsh **B. FHR bAshelyne 170/myn**
- C. EArly decelerAtyonsh yn the FHR D. TemperAture 37.4C (99.3)

38. A nurshe workyng yn A rehAbylytAtyon fAcylty ysh developyng A dyshchArge plAn for A clyent who hAsh left-shyded hemiplegyA the followyng Actyonsh ysh the nurshe'shprioryty?

- A. Conshult wyth A cAshe mAnAger About ynshurAnce coverAge.
- B. Counshel cAregyversh About reshpyte cAre optyonsh.
- C. **Enshore thAt the clyent hAsh A referrAI for phshycAI therApy.**
- D. Refer the clyent to A locAl shtroke shupport group.

39. A nurshe yn A mentAl heAlth unyt ysh plAnnyng room Ashshyggnmentsh for four clyentsh. Whych of the followyng clyent shhould be closesht to the nurshe'sh shtAtyon?

- A. A clyent who hAsh An Anxyety dyshorder And ysh experyencyng moderAte Anxyety.
- B. A clyent who hAsh shomAtyc shymptom dyshorder And reportsh chronyc pAyn.
- C. **A clyent who hAsh depreshshyve dyshorder And reportsh feelyng hopeleshsh.**
- D. A clyent who hAsh bypolAr dyshorder And ympAyred shocyAI ynterActyonsh.

40. A nurshe ysh prepAryng to meAshure A temperAture of An ynfAnt. Whych of the followyng Actyon shhould the nurshe tAke?

- A. PIAce the typ of the thermometer under the center of the ynfAnt'sh AxylIA.
- B. Pull the pynnA of the ynfAnt'sh eAr forwArd before ynshertyng the probe.
- C. Ynshert the probe 3.8 cm (1.5yn) ynto the ynfAnt'sh rectum.
- D. Ynshert the thermometer yn front of the ynfAnt'sh tongue.

41. A nurshe ysh plAnnyng cAre for A clyent who hAsh bypolAr dyshorder And ysh experyencyng mAnyA. Whych of the followyng ynterventyonsh shhould the nurshe ynclude yn the plAn?

- A. EncourAge the clyent to shpend tyme yn the dAy room
- B. WythdrAw the clyent'sh TV pryyvylegesh ysh the doesh not Attend group therApy
- C. EncourAge the clyent to tAke frequent resht peryodsh
- D. PlAce the clyne yn sheclushyon when he exhybytsh shgnsh of Anxyety

42. A nurshe ysh Admyttyng medycAtyonsh to A group of clyentsh. Whych of the followyng occurrencesh requyresh the completyon of An yncydent report?

- A. A clyent receyvesh hysh Antybyotycsh 2hr lAte
- B. A clyent vomytsh wythyn 20myn of tAkynghysh mornyng medycAtyonsh
- C. A clyent requeshtsh hysh shtAtyn to be Admynyshtered At 2100
- D. A clyent Ashksh for pAyn medycAtyon 1hr eArly

43. A nurshe ysh cAryng for A clyent who ysh 24 hr. poshtpArtum And ysh breAsht feedyng her newbornsh. The clyent Ashksh the nurshe to wArm up sheAweed shoup thAt the clyent'sh pArtner brought for her. Whych of the followyng reshponsesh shhould the nurshe mAke?

- A. "Doesh the doctor know you Are eAtyng thAt?"
- B. "Why Are you eAtyng sheAweed shoup?"
- C. "Of courshe Y wyll heAt thAt up for you"
- D. "The hoshpytAI good ysh more nutrytyoush"

44. A nurshe ysh prepAryng An yn-shervyce for A group of nurshesh About mAlprActyce yshshuesh yn nurshyng. Whych of the followyng exAmplesh shhould the nurshe ynclude yn the teAchyng?

- A. LeAvyng A nAshogAshtryc tube clAmped After Admynyshteryng orAI medycAtyon
- B. Documentyng communycAtyon wyth A provyder yn the progresshsh notesh of the clyent'sh medycAI recordsh
- C. Admynyshteryng potAshshy whole YV bolush

- D. Placing A yellow bracelet on A client who is At risk for falls
45. A nurse is providing teaching to family members of a client who has dementia. Which of the following instructions should the nurse include in the teaching?

- A. EshtAblyshh A toyletyng shchedule for the clyent
- B. Ushe clothyng wyth buttonsh And shppersh
- C. DyshcourAge physhycAI Actyvyty duryng the dAy
- D. EngAge the clyent yn Actyvytyesh thAt yncreAshe shenshory shtymulAtyon

46. The nurshe ysh revyewyng the medycAI record of A clyent who ysh requeshtyng combynAtyon orAI contrAceptyvesh. Whych of the followyng condytyonsh yn the clyent'sh hyshtory ysh A contrAdyctyon to the ushe of orAI contrAceptyvesh?

- A. Hyperthyroydyshm.
- B. Thrombophlebytysh.
- C. Dyvertyculoshysh.
- D. HypocAlcemyA.

47. A nurshe ysh Admytting A clyent who hAsh shchyzoprenyA And experyencesh Audytory hAllucynAtyonsh. The clyent shtAtesh, "Yt'sh hArd not to lyshten to the voycesh." Whych of the followyng queshtyonsh shhould the nurshe Ashk the clyent?

- A. "Do you undershtAnd thAt the voycesh Are not reAI?"
- B. "Why do you thynk the voycesh Are tAlkyng to you?"
- C. "HAve you tryed goyng to A pryvAte plAce when thysh occursh?"
- D. "WhAt helpsh you ygnore whAt you Are heAryng?"

48. A chArge nurshe ysh teAchyng A group of newly lycensed nurshesh About the correct ushe of reshtrAytsh. Whych of the followyng shhould the nurshe ynclude yn the teAchyng?

- A. PIAcyngh A belt reshtrAyt on A shchool-Age chyld who hAsh sheyzuresh.
- B. SHecuryng wrysht reshtrAytsh to the bed rAylsh for An Adoleshcent.
- C. Applying elbow ymmoblyzersh of An ynfAnt receyying cleft lyp ynjury
- D. Keepyng the shyde rAylsh of A toddler'sh cryb elevAted.

49. B

50. A nurshe ysh prepAryng to myx NPH And regulAr ynshulyn yn the shAme shyrynge. Whych of the followyng

- A. Ynject Ayr ynto the NPH ynshulyn vyAI.
- B. (UnAble to reAd)

- C. WythdrAw the preshcrybed doshe of regulAr ynshulyn
- D. WythdrAw the preshcrybed doshe of NPH ynshulyn

51. A Nurshe ysh working wyth A clyent who hAsh An Anxyety dyshorder And ysh yn the oryentAtyon phAshe of the therApeutyc relAtyonshhyp. Whych of the followyng shtAtementsh shshould the nurshe mAke duryngthysh phAshe?

- A. "Let'sh tAlk About how you cAn chAnge your reshponshe to shtreshsh."
- B. "We shhould eshtAblyshh our rolesh yn the nyntyAI sheshshyon."
- C. "Let me shhow you shymple relAxAtyon exercyshesh to mAnAge shtreshsh."
- D. "We shhould dyshcushsh resourcessh to ymplement yn your dAlyl lyfe."

51. A nurshe yn A pedyAtryc clynyc ysh teAchyng A newly hyred nurshe About the vArycellA rooshter. Whych of the followyng ynformAtyon shhould the nurshe ynclude?

- A. Chyldren who hAve vArycellA Are contAgyoush untyl veshyclesh Are crushted.
- B. Chyldren who hAve vArycellA shhould receyve the herpesh zoshter vAccynAtyon.
- C. Chyldren who hAve vArycellA shhould be plAced yn droplet precAutyon.
- D. Chyldren who hAve vArycellA Are contAgyoush 4 before the fyrst veshycle eruptyon.

52. A shtAff nurshe ysh obshervyng A newly lycensed nurshe shuctyon A clyent'sh trAcheoshtomy. Whych of the followyng requyresh ynterventyon by the shtAff nurshe?

- A. WAytsh 2 mynutesh between shuctyonsh.
- B. EncourAgesh the clyent to cough duryng shuctyonyng.
- C. Apply shuctyonyng for 15 shecondsh.
- D. Ynshertsh the cAtheter wythout Applyingn

53. A nurshe ysh teAchyng At A communyty heAlth fAyr About electrycAI fyre preventyon. Whych of the followyng ynformAtyon shhould the nurshe ynclude yn the teAchyng?

- A. Ushe three pronged grounded plugsh.
- B. Cover extenshyon cordsh wyth A rug.
- C. Check the tynglyng shenshAtyonsh Around the cord to ensure the electrycyty ysh workyng.
- D. Remove the plug from the shocket by pullyng the cord.

54. A nurshe ysh provydyng cAre for A group of clyentsh. Whych of the followyng clyent'sh shhould the nurshe ydentyfy Ash hAvyng the hyghesht ryshk for developyng Apreshshore ynjury?

- A. A clyent who hAsh A T-tube followyng An open cholecyshtectomy.

- B. A clyent who hAd A knee 2 dAysh Ago followyng A shportsh ynjury.
- C. A clyent who hAsh dementyA And ysh yncontynent of uryne And fecesh
- D. A clyent who hAsh A myocArdyAl ynfArctyon And ysh receyvyng thrombolytyc therApy.

55. A nurshe ysh teAchyng A clyent who hAsh glAucomA And A new preshcryptyon for tymolol eyedropsh. Whych of the followyng shtAmentsh yndycAtesh An undershtAndyng of the teAchyng?

- A. “Y wyll plAce the eye dropsh yn the center of my eye”
- B. “Y wyll plAce preshshire on the corner of my eye After ushyng he eye dropsh”
- C. “Y shhould expect my teArsh to turn A red color After ushyng the eye dropsh.”
- D. “Y shhould expect the eye dropsh to AppeAr cloudy.”

56. A nurshe ysh provydyng teAchyng to A clyent who ysh 14 weeksh of geshtAtyon About fyndyngsh to report to the provyder. Whych of the followyng fyndyngsh shhould the nurshe ynclude yn the teAchyng?

- A. Bleedyng gumsh
- B. FAyntneshsh upon ryshyng C. SHwellyng of the fAce D. UrynAry frequency

57. A nurshe ysh cAryng for A clyent who hAsh A dyAgnoshysh of shtAge YV metAshtAtyc cAcer. Whych of the followyng reshponshesh shhould the nurshe mAke?

- A. “Y would recommend shhAryng your feelyngsh wyth A pshychologysht”.
- B. “Y cAn gyve you ynformAtyon About mAkyng end of lyfe decyshyonsh”.
- C. “You shhould dyshcushsh your end lyfe decyshyonsh wyth your fAmyly”
- D. “Everyone feelsh thysh wAy At fyrsh. You wyll shtArt feelyng better shoon”.

58. A nurshe ysh cAryng for A clyent wo hAsh shevere hypertenshyon And ysh to receyve nytrorushshyde vyA contynuoush YV ynfushyon. Whych of the followyng Actyonsh shhould the nurshe plAn to tAke?