NR 601 FINAL EXAM STUDY GUIDE QUESTIONS AND ANSWERS LATEST UPDATE(2020)

written by

NOTEBANK

"Which FSH value is consistent with complete cessation of ovarian function?"

A. Less than 10

B. 10-25

C. 25-35

D. Greater than 40

Diabetes is one of the leading causes of which disease:

A chronic lung disease

B kidney failure

C disability

D cardiac death.

Which antihypertensive medication can be used to treat hot flashes in menopause?

A. Labatelol

B. Clonidine However it has adverse effects such as dry mouth, drowsiness and hypotension which may make it undesirable.

C. Hydrochlorothiazide

D. Hydralazine

What is the least diabetogenic statin?

A. Rosuvastatin

B. Simvastatin

C. Atorvastatin

D. Pravastatin

Bence Jones proteins found in a urinalysis may be indicative of:

A. Leukemia

B. Lymphosarcoma

C. Multiple myeloma

D. All of the above

What is the first line medication for new type 2 diabetic?

- A.Novolog
- B. Penicillin
- C. Metformin
- D. Glyburide

Protein on a urinalysis usually has a renal pathology, specific to which renal structure?

- A. Glomerulous
- B. Renal cortex
- C. Medulla
- D. Nephron

What is the hA1C goal for diabetic patients with complex health status (multiple chronic conditions)?

- A. <7.5
- B. < 8.0 Its B. VERY complex is 8.5. I feel like that's tricky
- C. <8.5
- D. < 9

Type 2 diabetes factors include?

- A. Polycystic
- **B.** Obesity
- C. Hypotension
- D. Liver disease

Gastric bypass surgery can be performed on a patient with a BMI off.

- A. 20-25
- B. 40

- C. 30-34
- D. 25-29

Signs of indicative abuse includes?

- 1) Weight Gain
- 2) Poor Hygiene
- 3) Lack of control
- 4) Increase interested in daily activities

What age related changes does NOT affect urologic functioning?

- A. Decreased bladder capacity
- **B.** Normal aging
- C. Increased PVR urine volume
- D. Increased urethral resistance

Painful, irregular-shaped, deep red ulcers with a red halo and undermined edges. Which STD is most likely?

- A. Syphilis
- B. HSV (Herpes)
- C. Chancroid (Haemophilus ducreyi)
- D. Molluscum contagiosum (Pox virus)

What is the average BG level of a HB A1C of 9.5?

A. 226

B. 216

C. 197

D. 240

A way I remember this is know that an A1C of 6 is always 126 and add 14 to get your next AIC bG level.

Which STI increases in those over the age of 50 years old? A. Syphilis

- B. HSV (Herpes)
- C. HIV
- D. Gonorrhea

Which type of incontinence is a result of bladder hypermobility?

- A. Urge
- B. Overflow
- C. Stress
- D. Functional

Especially for those who have had vaginal deliveries. Pee when you sneeze/cough. Do some kegals to manage

What test can detect interstitial cystitis?

- A. Potassium sensitivity
- B. Sodium sensitivity
- C. CBC
- D. Bladder ultrasound

What is the first line opioid for dyspnea?

- A. Percocet
- **B.Morphine**
- C. Tramadol
- D. Tylenol

A male complains of dysuria. Urinalysis is positive for nitrates, leukocyte esterase, and bacteria. Which medication should be given?

A Doxycycline X 7 days

B Trimethoprim-sulfamethoxazole X 7-10 days

C Ciprofloxacin X 3 days

D Nitrofurantoin X 14 day