

NGN ATI PEDS PROCTORED CARE OF CHILD- EXAM RETAKE- WITH 100% VERIFIED SOLUTIONS GRADED A+

1. A nurse is assisting a child who has multiple closed fractures of the lower extremities due to a motor-vehicle crash. The nurse should monitor the child for which of the following complications during the first 24 hr after the injury occurred?

c. Volkmann ischemic contracture

2. A nurse is teaching the parent of a toddler who has phenylketonuria about meal planning. Which of the following information should the nurse include in the teaching?

b. Avoid foods containing milk products

3. A nurse at an inpatient facility is planning care for a child who has autism spectrum disorder. Which of the following interventions should the nurse include in the plan of care?

c. Keep staff visits with the child brief

4. A nurse is assisting an infant who has severe dehydration due to gastroenteritis. Which of the following findings should the nurse expect?

c. Increase respiratory rate

5. A nurse is planning care for a child who has cystic fibrosis. Which of the following interventions should the nurse plan to include?

d. Use a vest to perform high-frequency chest compressions

6. A nurse is teaching the parent of a school age child about bicycle safety. Which of the following instructions should the nurse include in the teaching?

b. Your child should walk the bicycle through intersections

7. A nurse is preparing a child for a lumbar puncture. In which of the following positions should the child be placed for the procedure?

a. Lateral

8. A nurse is reviewing the complete blood count results for a child who is receiving treatment for acute lymphoblastic leukemia. Which of the following findings should indicate to the nurse that the treatment is having a therapeutic effect?

d. RBC count 5/mm

9. A nurse is caring for a school age child who has pertussis. Which of the following actions should the nurse take?

a. Report the diagnosis to the public health department

b. Place the child in a protected environment for 48hr ?

c. Administer the pertussis vaccine

d. Restrict oral fluids to 500mL per day

10. A nurse is assessing a week old infant. The nurse should identify which of the following manifestations can indicate neonatal abstinence syndrome?

d. Lethargy

11) A nurse is preparing to initiate IV antibiotic therapy for a newly admitted 12 month-old infant. Which of the following actions should the nurse plan to take?

c. Cover the insertion site with an opaque dressing

12) A nurse is assessing a toddler who is 8 hr. postoperative following a cardiac catheterization procedure. Which of the following findings should the nurse report to the provider?

c. Bilateral cool extremities

18) A nurse is providing teaching to the parents of a child who has varicella about management of the disease. Which of the following instructions should the nurse include in the teaching?

b. Keep the child away from others until the skin is clear of scabs

30) A nurse is planning care for a child who is experiencing a sickle cell crisis. Which of the following interventions should the nurse include in the plan of care?

d. Apply cold compresses to affected joints

31) A charge nurse is teaching a group of nurses about identifying child abuse. Which of the following findings should the nurse identify as a potential indicator of child abuse?

b. A toddler repeatedly refuses to let a nurse auscultate his lungs

32) A nurse is teaching the guardian of a 5 year old child who has encopresis about management of the condition. Which of the following statements by the guardian indicates an understanding of the teaching?

d. I will have my child try to defecate 15 minutes after each meal

33) A nurse is assisting an infant who has respiratory syncytial virus. For which of the following findings should the nurse intervene?

a. Brisk capillary refill

b. Tachypnea

c. Rhinorrhea

d. Coughing

34) A nurse is performing a health assessment for a 6 month old infant. The nurse should begin the assessment by performing which of the following actions while the infant is quiet and sitting on the guardians lap?

a. Obtaining the infant's health history from the guardian

35) A nurse is caring for an adolescent who has major depressive disorder. Which of the following actions should the nurse take first?

d. assist the client in completing his ADLs

36) A nurse is caring for a child in the PACU following a tonsillectomy. Which of the following findings requires immediate intervention by the nurse?

d. Frequent swallowing

37) A nurse in the emergency department is caring for a school age child who has developed respiratory stridor, wheezing, and urticarial after receiving an IV medication. Which of the following actions should the nurse take first?

d. Administer epinephrine

38) A nurse is caring for an infant who has a patent ductus arteriosus. The nurse should identify that the defect is at which of the following locations of the heart? (You will find hot spots to select in the artwork below. Select only the hot spot that corresponds to your answer.)

B

A

C

D

The correct answer is =

39) A nurse is caring for a school aged child who is 1hr postoperative following a tonsillectomy. Which of the following actions should the nurse take first? (Select all that apply)

b. Observe the child for frequent swallowing

c. Discourage the child from coughing