

ATY COMPREHENSHYVE EXYT FYNAL

- 1) A nurse yn An emergency depArment completesh An Ashsheshshment on An **Adolescent** clyent thAthAsh **conduct dyshorder**. The clyent **threAtened shuycyde** to teAcher At shchool. Whych of the followyng shtAtementsh shhould the nurse ynclude yn the Ashsheshshment?
 - a) Tell me About your shyblyngsh
 - b) Tell me whAt kynd of mushyc you lyke
 - c) Tell me how often do you drynk **Alcohol**
 - d) Tell me About your shchool shchedule

- 2) *A nurse ysh obshervyng bondyng to the clyent her newborn. Whych of followyng Actyonsh by the **clyent requyresh the nurse to yntervene?**
 - a) Holdyng the newborn yn An en fAce poshytyon
 - b) Ashkyng the fAther to chAnge the newborn'sh dyAper
 - c) Requeshtyng the nurse tAke the newborn nurshery sho shhe cAn resht
 - d) Vyewyng the newborn'sh Actyonsh to be **uncooperAtyve**

- 3) A nurse ysh cAryng for clyent who ysh tAkyng **levothyroxyn**. Whych of the followyng fyndyngshshhould yndycAte thAt the medycAtyon ysh effectyve?
 - a) **Weyght lossh (thysh drug Actsh Ash T4 And wyll normAlyze the effectsh ofhypothyroidyshm)**
 - b) DecreAshed blood presshure
 - c) Abshence of sheyzuresh
 - d) DecreAshe ynflAmmAtyon

- 4) A nurse ysh plAnnyng dyshchArge teAchyng for cord cAre for the pArent of A newborn. Whychynshtructyonsh would you ynclude yn the teAchyng?
 - a) ContAct provyder yf the cord shtyll turnsh blAck (**yt'sh goyng to turn blAck**)

b) Clean the base of the cord with hydrogen peroxide daily (clean with neutral

pH cleaner c) Keep the cord dry until it falls off (cord should be kept clean and dry to prevent infection) d) The cord stump will fall off in five days (cord falls off in 10-14 days)

- 5) A nurse is caring for a client in the PACU. Which of the following **findings** indicates **decreased cardiac output**?
- Hypernatremia
 - Oliguria**
 - Bradycardia
 - Constricted pupils
- 6) A nurse is caring for a client with **major trauma**: explosion at a local factory. Which of the following client should the nurse identify as the **priority**?
- A client that has a head trauma
 - A client has full thickness burn to face and trunk
 - A client with a fracture of the humerus**
 - A client with open fracture of the lower extremity
- 7) A nurse is receiving a report on four clients. Which of the following clients should the nurse assess first? A) A client who has a nasal conduit and mucous in the pouch
- Client plethoric arterial oxygen saturation
 - A client whose chest is cloudy with decreased breath sounds**
 - A client with a tracheostomy and a red tinged urine in the bag
- 8) A nurse is caring for a client just received the first dose of lisinopril. The following is an appropriate nursing intervention?
- Place the client on telemetry
 - Monitor the client's oxygen saturation level
 - Provide assistance with the client from bed**
 - Encourage fluid intake
- 9) A nurse is caring for a client who is in labor and has just received an epidural. The nurse is reviewing the monitor tracing and notes early decelerations. Which of the following should the nurse expect?
- Fetal hypoxia
 - Abrupt placental separation
 - Postmaturity
 - Head compression**
- 10) A nurse is caring for a client who has **chronic kidney disease**. The nurse should identify which of the following laboratory values as an **indicator** for **hemodialysis**?

a) glomerular filtration rate of 14 mL/ minute

- b) BUN 16 mg/DL
- c) serum magnesium 1.8 mg/dl
- d) Serum phosphorus 4.0 mg/dL

11) A nurse is caring for an infant who has a prescription for **continuous pulse oximetry**. The following is an appropriate action for the nurse to take?

- a) PlAcEd ynfAnt under rAdyAnt wArmer
 - b) Move the probe shyte every 3 hoursh
 - c) **HeAt the shkyn one mynute pryor to plAcyng the progrAm**
 - d) PlAcEd A shenshor on the yndex fynger
- 12) A nurshe yn A mentAl heAlth fAcylyty receyvesh A chAnge of shhyft report on for clyentsh. Whychof the followyng clyentsh shhould the nurshe plAn to Ashsheshsh fyrst?
- a) **Clyent plAcEd yn reshtrAyntsh to the Aggreshshyve behAvyor**
 - b) A new lymyted clyent pleAshuresh hyshtory of 4.5 kg weyght loshsh yn the pAsht two monthsh
 - c) Clyent ysh receyvying A PRN doshe of heAlth heArd All two hoursh Ago for yncreAshed Anxyety
 - d) Applied he'll be receyvying hysh fyrst ECTtreAtment todAy
- 13) A nurshe workyng At the clynyc ysh teAchyng A group of clyentsh who Are **pregnAnt** on the ushe of **nonphArmAcologycAl pAyn mAnAgement**. Whych of the followyng shtAtementsh by the nurshe yshAn AppropyAte deshcryptyon of the ushe of hypnoshysh duryng lAbor?
- a) Hypnoshysh focushesh on the byofeedbAck Ash A relAxAtyon technyque
 - b) **Hypnoshysh promotesh yncreAshed control of her pAyn perceptyon duryng contrActyonsh**
 - c) Hypnoshysh ushesh therApeutyc touch to reduce Anxyety duryng lAbor
 - d) Hypnoshysh provydesh ynshtrectyon to mynymyze pAyn

2 of 28

- 14) A nurshe yn A County JAyl heAlth clynyc ysh leAdyng group therApy sheshshyon. A clyent who wAsh yncArCerAted for theft ysh Addressshyng the group. Whych of the followyng ysh An exAmple of **reActyon formAtyon**? (rxn formAtyon ysh when you ushe **opposhyte feelyngsh; ex: beyng shuper nyceto shomeone you dyshlyke**)
- a) Y shteAl thynghsh becAushe yt'sh the only wAy Y cAn keep my mynd off my bAd mArryAge
 - b) Y cAn't belyeve Y wAsh Accused of shomethyng Y dydn't do
 - c) Y don't wAnt tAlk About my feelyngsh ryght now. We wyll tAlk more next tyme
 - d) **Y thynk thAt people jusht you're jusht lAZy And shhould eArn money honeshtly**
- 15) A nurshe ysh obtAynying the **medycAl hyshtory** of A clyent who hAsh A new preshcryptyon for **yshoshorbyde monotytrAte**. Whych of the followyng shhould the nurshe ydentyfy Ash A **contrAyndycAtyon** to medycAtyon? **A) GlAucomA**
- b) Hypertenshyon
 - c) PolycythemyA
 - d) MygrAyne heAdAchesh
- 16) ?

17) The nurse is caring for a client **recovering** from an **Acute myocardial infarction**. Which following interventions should the nurse include in the plan of care?

- a) Draw a troponin level every four hours
- b) Perform an EKG every 12 hours
- c) Place an oxygen tent over the client via a rebreather mask

d) **Obtain a cardiac rehabilitation consult**

18) A nurse caring for client who has breast cancer and has been covering receiving **chemotherapy**. Which of the following laboratory values should nurse report to provider? **A) WBC 3,000/mm³**

- b) Hemoglobin 14 g/dl
- c) Platelet 250,000/mm³
- d) APTT 30 seconds

19) Home health nurse is carefully planned for **Alzheimer's disease**. To the following actions should the nurse include in the plan of care

- a) **Place a daily calendar in the kitchen**
- b) Replace button clothing with zipped items
- c) Replace the carpet with hardwood floors
- d) Create variations in daily routine

20) Nurse is performing change of shift assignments on 4 clients. Which of the following findings should the nurse report to provider first?

- a) The client was cystic fibrosis and has a thick productive cough and reports thirst
- b) **Client who has gastroenteritis and is lethargic and confused**
- c) The client has dysethesis melittus has morning fasting leg cramps of 185 mg over day
- d) The client was sick of shyness report pain 15 minutes after receiving oral analgesic

21) A nurse is caring for a client who is in the **second trimester of pregnancy** and asks how to treat **constipation**. Which of the following statements by the nurse is appropriate?

- a) Decrease taking vitamins and supplements to every other day

3 of 28

- b) Eat 15 g of fiber per day
- c) Consume 48 ounces of water each day (**need at least 64 oz**)
- d) **Drink hot water with lemon juice each morning when you wake up**

22) ?

23) A nurse is caring for a client who is preparing his advance directives. Which of the following statements by the client indicate an understanding of advanced directives? **Select all that apply**

- a) I can't change my instructions once a minute
- b) My doctor will need to approve my advance directives
- c) I need an attorney to witness my signature on the advance directives
- d) **I have the right to refuse treatment**

e) My health care proxy can make medical decisions for me

24) A nurse is caring for a client who is at **32 weeks gestation** and has a history of **cardiac disease**. Which of the following positions should the nurse place the client to best **promote optimal cardiac output**? A) The chest

- b) SHtAndyng
- c) SHupyne
- d) **Left lAterAl**

25) A nurshe ysh cAryng for A group of clyentsh. Whych of the followyng clyentsh shhould the nursheAshshygn to An AP? A) Clyent who hAsh chronyc obshtrectyve pulmonAry dysheAshe And needsh guydAnce on yncentyve shpyrometry b) Clyent who hAsh Awoken followyng A bronchoshcopyAnd requeshtsh A drynk
 c) Clyent who hAd A myocArdyAl ynfArctyon 3 dAysh Ago reportsh chesht dyshtcomfort
 d) **Clyent who hAd A cerebrovAshculAr Accydent two dAysh Ago And needsh help toyletyng**

26) Nurshe provydyng dyshtchArge teAchyng to the clyent who hAsh **shchyzophrenyA** And ysh shtArtyngtherApy wyth **clozApyne**. Whych of the followyng ysh the **hyghesht pryoryty** for the clyent **to report** to the provyder? A) ConshtypAtyon
 b) blurred vyshyon
 c) **Fever**
 d) Dry Mouth

27) A nurshe obshervesh An AP provydyng cAre to A chyld who ysh yn shkeletAl trActyon. Whych of thefollowyng Actyon requyresh ynterventyon?
 a) Provydyng A hygh proteyn shnAck
 b) Ashshyshtyng the chyld to reposhtyion
 c) **PlAcyng weyghtsh Ash A chyld'sh bed**
 d) MAshshAgyng preshtshure poyntsh-cAushesh shkyn breAkdown

28) A nurshe ysh plAnnyng to delegAte to An AP the fAshtyng blood glucoshe teshtyng for A clyentwho hAsh dyAbetesh mellytush. Whych of the followyng Actyon shhould the nurshe tAke?
 a) **Determyne yf the AP ysh quAlyfyed to perform the tesht.**
 b) Help the AP performed the blood glucoshe tesht
 c) Ashshygn the AP to Ashk the clyent ysh tAkyng hysh dyAbetyc medycAtyon todAy
 d) HAVe AP check the medycAl record for pryor blood glucoshe tesht reshultsh

4 of 28

29) A nurshe ysh Ashsheshshyng clyent brought to the hoshpytAl pshychyAtryc emergency shervycesh by AlAw enforcement offyger. The clyent hAsh **dyshorgAnyzed, yncoherent shpeech** wyth **looshe AshshocyAtyonsh** And **relygyousht content**. You shhould recognize the shygnsh And shympptomsh Ash beyng conshtyent wyth whych of the followyng? A) Alzheymer'sh dysheAshe
 b) **SHchyzophrenyA**
 c) SHubshtAnce yntoxycAtyon
 d) Depreshshyon

30) A nurse is caring for a child who has **infectious mononucleosis**.

Which of the following findings are associated with this diagnosis? Select all that apply.

a) **splenomegaly**

b) Koplik spots (**not associated with measles**)

c) **malaise**

- d) Vertygo
- e) **SHore throAt**

31) Nurshe ysh performyng dreshshyng chAnge for clyent wAsh A **shAcraI wound** ushyng **negAtyvepreshshure wound therApy**. Whych The followyng Actyonsh shhould the nurshe tAke fyrst?

- a) Apply shkyn prepArAtyon to wound edgesh.
- b) NormAl shAlyne
- c) Don shteryle glovesh
- d) **Determyne pAyn level**

32) A nurshesh cAryng for clyent recovery from the **bowel shurgery** who hAsh **nAshogAshtryc tub** connected to low yntermyttent shuctyon. Whych the followyng Ashsheshshment fyndyngsh shhould yndycAte to the nurshe thAt the NG tube mAy not be functyonyng properly?

- a) DrAynAge fluyd ysh greenyshh-yellow
- b) AshpyrAte pH of
- 3 c) **AbdomynAl rygydyty**
- d) Ayr bubblesh noted yn the NG tube

33) A nurshe ysh prepAryng to Admynyshter **TPN wyth Added fAt shupplementsh** to A clyent whohAsh **mAlnutrytyon**. Whych of the followyng Actyon shhould the nurshe tAke?

- a) PyggybAck 0.9 shodyum chloryde wyth TPN sholutyonb)
- b) **Check for An Allergy to eggsh**
- c) Dyshcushsh the TPSH sholutyon for 12 hoursh
- d) Monytor for hypoglycemyA

34) A chArge nurshe ysh dyshcushshyng the ushe of Applyyng **yce** to A clyent'sh **ynjured knee** wyth A newlylycensed nurshe. Whych of the followyng shhould the nurshe ydentyfy Ash A benefyt? (A/C?)

- a) SHyshtemyc AnAlgeshyc effect
- b) yncreAshe yn your metAbolyshm
- c) **DecreAshed cApyllAry permeAbylyty**
- d) VAshodylAtyon

35) Nurshe ysh developyng **dyshchArge cAre plAnsh** for clyent hAsh **oshteoporoshysh**. To prevent ynjurythe nurshe shhould ynshtrect the clyent to

- a) **Perform weyght beAryng exercyshesh**

- b) Avoyd crosshyng the legsh beyond the mydlyne

- c) Avoyd shytyng yn one poshytyon for prolonged peryodsh
- d) SHplyt Affected Area

36) A nurse on Acute med-surgical unit is performing assessments on a group of clients. Which is the highest priority?

- a) The client has surgical hypoparathyroidism and positive Trousseau's sign
- b) A client who was Clostridium difficile with acute diarrhea
- c) A client who has acute kidney injury and urine with a low specific gravity

- d) The client who has oral cancer and reports a sore on his gum
- 37) Nurse caring for a client with **congestive heart failure**. Which of the following **precautions** for the provider should the nurse **Anticipate**?
- Call the provider to client's respiratory rate is less than 18/min
 - Give the client 500 mL IV bolus of 0.9 sodium chloride over 1 hr
 - Give the client enalapril 2.5 mg PO twice daily**
 - Call the provider if the client's pulse rate is less than 80/min
- 38) A nurse is caring for a client who has a precaution for **sertraline** to treat **depression**. Which of the following statements by the client indicates an understanding of the medication treatment plan? A) I will be able to stop taking my medication when I feel better
- I can expect to urinate frequently while on my medication
 - I understand I may experience difficulty sleeping on my medication**
 - I should decrease my sodium intake while on my medication
- 39) A nurse has been caring for a female client who has bruising on her arms that she explains are a result of physical abuse by her husband. The client states, "I don't know how much longer I can take this, but I'm afraid he'll really hurt me if I leave." Which of the following is an appropriate nursing intervention? A) Offer to speak to the client's husband regarding his abuse behavior.
- Help the client to recognize the signs of escalation of abuse behavior**
 - Assess the client to identify personal behavior that triggers abusive behavior
 - Assess the client to report abusive behavior to the proper authority
- 40) A client with a **suicidal thought** tells the nurse "It just doesn't seem worth it anymore. Why not end my misery?" Which of the following responses for the nurse is appropriate?
- Why do you think your life is not worth it anymore?
 - Do you have a plan to end your life?**
 - I need to know what you mean by my misery
 - You can trust me and tell me what you're thinking
- 41) A nurse is caring for a client who has **schizophrenia**. Which of the following assessment findings should the nurse expect?
- Decreased level of consciousness
 - Unable to identify common objects
 - Poor problem solving ability**
 - Preoccupation with somatic disturbances

6 of 28

- 42) A nurse is caring for a client who has **deep vein thrombosis** of the left lower extremity. Which of the following actions should the nurse take? **There Are 3 tabs that contain separate categories of data.** A) Position the client with the affected extremity

lower than the heart

- b) Administration of Acetaminophen
- c) Massage the affected extremity every 4 hours.
- d) **Withhold heparin IV infusion**

43) The nurse is caring for a client who has a new prescription for **enoxaparin** for the **prevention of DVT**. Which of the following is an appropriate action by the nurse?

- a) Expel air bubble at the top of the prefilled syringe
- b) Massage the injection site to evenly distribute the medication
- c) **Inject the medication the lateral abdominal wall**
- d) Administer an NSAID for injection site discomfort

44) The nurse is caring for four clients. Which of the following client data should the nurse report to the provider? A) A client who has a pleurisy and reports pain of 6 on a scale of 0 to 10 when coughing B) Client who has a total of 110 mL of serousanguinous fluid from the Jackson-Pratt drain within the first 24 hours following surgery

- c) Client who has 4 hours postoperative and has a heart rate of 98 per minute
- d) **The client who has a prescription for chemotherapy and an absolute neutrophil count of 75/mm³**

45) The nurse is caring for a client who has **end-stage osteoporosis** and is reporting **severe pain**. The client's **respiratory rate is 14 per minute**. Which of the following medications should the nurse expect to be the highest priority to administer to the client?

- a) Promethazine
- b) **Hydromorphone**
- c) Ketorolac
- d) Amitriptyline

46) A nurse is caring for a client who has **DVT**. Which of the following instructions should the nurse include in the plan of care?

- a) Live with the client's fluid intake to 1500 mL per day
- b) Massage place affected extremity to relieve pain
- c) Apply cold packs of client's affected extremity
- d) **Elevate the client's affected extremity when in bed**

47) A nurse is caring for a client who is receiving **oxytocin IV for augmentation of labor**. The client's contractions are occurring every 45 seconds with a one-second duration in the fetal heart rate is 170 to 180/minute. Which of the following actions should the nurse take?

- a) **Discontinue oxytocin infusion**
- b) Increase oxytocin infusion

c) Decreased oxytocin infusion

d) Maintain oxytocin infusion

48) A nurse is admitting a client who is in **labor** and at **38 weeks of gestation** to the maternal newborn unit. The client has a history of **herpes simplex virus 2**. Which of the

following questions you must appropriate for the nurse to ask the client?

a) Have your membranes ruptured?

7 of 28

b) How far apart are your contractions?
c) Do you have any active lesions?

d) Are you positive for beta strep?

49) Nurse you providing teaching for child prescribed **ferrous sulfate**. Which of the following instructions should the nurse include?

a) Take with meals

b) Take at bedtime

c) Take with a glass of milk

d) **Take with a glass of orange juice**

50) Four clients present to the emergency department. The nurse should plan to see which of the following clients first?

a) A 6-year-old client whose left shoulder is dislocated

b) A 26-year-old client for sickle cell disease and a severe joint pain

c) A 76-year-old client who is confused, febrile and has foul smelling urine - **UTI**

d) **A 50-year-old client who has slurred speech, is disoriented, and reports a headache - stroke**

51) A nurse is completing a dietary assessment for client who is Jewish and observes kosher dietary practices. Which of the following behaviors should the nurse expect to find?

a) Leavened bread may be eaten during Passover.

b) Shellfish is commonly consumed in the diet.

c) Meat and dairy products are eaten separately.

d) Fasting from meat occurs during Hanukkah.

52) ?

53) A nurse is in an ER caring for client of multiple wounds due to a motor vehicle crash. Which of the following interventions are appropriate?
Select all that apply

a) Apply direct pressure to bleeding wounds

b) Clean resurfaced areas and abrasions with hydrogen peroxide
c) Cover wounds with a sterile dressing

d) Administer 650 mg aspirin PO as needed for pain
e) Determine date of last tetanus toxoid vaccination.

54) The nurse is reviewing the client's Admitted Laboratory results. Which of the findings requires further evaluation?

a) Sodium 138

- b) Creatinine 1.8
- c) Hemoglobin 15
- d) Potassium 4.2

55) A nurse is providing teaching for a client who has a new prescription for **methadone**. Which of the following client statements indicate a need for further teaching?

- a) Y undershtAnd the methAdone tendsh to shlow my breAthying
- b) **Y undershtAnd the methAdone mAy cAushe me to hAve dyffyculty shleepyng**
- c) Y wyll Avoyd Alcohol whyle Y'm tAkyng thysh medycAtyon
- d) Y'll chAnge poshytyonsh grAduAlly eshpecyAlly from lyyng down to shtAndyng

8 of 28

- 56) Whych of the followyng clyent ysh AppropyAte for the nurshe to refer to shpeech therApyfor **shwAllowyng evAluAtyon**?
- a) PremAture ynfAnt wyth A poor shuck reflex And fAylure to thryve
 - b) **An older Adultsh who hAsh dyffyculty tAkyng yn fluydsh**
 - c) Adoleshent who AnorexyA who ysh cAchectyc
 - d) A myddle Aged Adultsh wAsh gAshtroeshophAgeAl reflux dysheAshe
- 57) A nurshe ysh cAryng for A group of clyentsh. Whych of the followyng clyent shhould nurshe Ashsheshsh fyrst? A) A clyent whoshe benygn proshtAtyc hyperplAshyA And ysh unAbleto uryngAte
- b) The clyent wAsh heArt fAylure And report shhortneshsh of breAth whyle AmbulAtyng
 - c) A clyent who ysh open cholecyshtectomy And hAsh green drAynAge from the T-tube
 - d) **A clyent whoshe AbdomynAl pAyn And ysh vomytyngcoffee ground emeshysh**
- 58) A nurshe ysh tAkyng A medycAtyon hyshtory from clyent wAsh **type YY dyAbetesh mellytush** ysh shcheduled for An **ArteryogrAm**. Whych of the followyng medycAtyonsh to the nurshesh ynshtructthe clyent to **dyshcontynue 48 hrsh** pryor to the procedure?
- a) AtorvAshtAtyn
 - b) Dygoxyn
 - c) Nyfedypy
 - d) **Metformyn**
- 59) The nurshesh Ashsheshshyng clyent wyth **poshttrAumAtyc shtreshsh dyshorder**. Whych of thefollowyng fyndyngsh to the nurshe expect to fynd?
- a) Dependence on fAmyly And fryendsh
 - b) **Loshsh of ynteresht yn ushuAl Actyvytyesh**
 - c) RytuAlyshtyc behAvyor
 - d) PAshshyve Aggreshshyve behAvyor
- 60) A nurshe workyng yn A long-term cAre fAcylyty ysh cAryng for An older Adult clyent hAsh **dementyA**. The clyentsh often AgytAted And **frequently wAndersh the hAllsh**. Whych of thefollowyng ynterventyon shhould the nurshe ynclude yn the plAn of cAre?

a) Gyve the clyent sheverAl choycesh when shchedulyng Actyvytyesh.

- b) Confront the client regarding unacceptable behavior
- c) Maintain nutritional requirements by offering finger foods
- d) Stimulate the client by leaving the television on throughout the day

61) A nurse on a mental health unit receives report on four clients. Which of the following

client should the nurse attend to first?

- a) A client who has begun to demonstrate catatonic behavior
- b) The client who has compulsive behavior and is frequently drinking from the water fountain
- c) Client who has having auditory hallucinations is becoming agitated
- d) A client who has making sexual comments to clients of the opposite sex

62) A nurse is caring for the full term newborn immediately following birth. Which of the following actions should the nurse take first?

- a) Instill erythromycin ophthalmic ointment and the newborn's eyes.
- b) Place identification bracelet on the newborn.
- c) Weigh the newborn.

9 of 28

d) Dry the newborn

63) A nurse receives report on a group of clients. Which of the following client should the nurse attend to first? A) A client who was admitted with asthma and has an SpO₂ of 92% long receiving oxygen at 1 L per minute via nasal cannula

b) A client was admitted with angina and report left arm pain of 4 on a scale of 0 to 10

c) The client who is type 2 diabetic with blood glucose level is at 80 mg/dL

d) A client who had a gastric endoscopy and whose nasogastric tube is draining 30 mL per hour of green fluid

64) A client at 38 weeks of gestation enters the emergency department. The nurse should recognize that which of the following indicates that the client is in latent phase of labor?

- a) The client reports the urge to push
- b) **The cervix is dilated 2 cm**
- c) Contractions are 2 to 3 minutes apart
- d) The client reports nausea and vomiting

65) The charge nurse for medical surgical unit discusses client care assignments that should be reassigned. Which of the following delegated tasks should be reassigned?

- a) An APN to calculate intake and output every two hours for client in acute renal failure.
- b) An APN to collect vital signs every 30 minutes for client who had a cholecystectomy
- c) A licensed practical nurse to check nasogastric tube placement for client who had a bowel resection.
- d) **A licensed practical nurse to provide enteral feeding for client who had a cerebrovascular accident.**

66) A nurse is caring for the client who has a cast due to a compound fracture to the right ankle. Which of the following findings requires immediate

ynterventyon?