

NR 224 - Final Exam Practice Questions with Verified Answers 2023-2024.

The nurse is preparing to administer eardrops to an infant. The nurse should plan to proceed by taking which step to assure the appropriate instillation of the medication? - **Correct Answer:** Pull down and back on the auricle, and direct the solution toward the wall of the ear canal.

When a client requests pain medication, the nurse administers a ventrogluteal intramuscular injection. After administration of the injection, what should the nurse do first? - **Correct Answer:** Apply gentle pressure to the injection site.

When a medication is being administered, the safest and most accurate way for the nurse to verify the identity of a client is to implement which action? - **Correct Answer:** Ask the client to state her name and birth date.

A client's prescribed medication is available for injection in an ampule. The nurse determines that which is the most appropriate action when preparing to draw up this medication? - **Correct Answer:** Shake the ampule gently to mix the contents.

The best route for getting nutrition into a patient - **Correct Answer:** gastrointestinal tract

When should a client start receiving nutrition after a major trauma - **Correct Answer:** Within 72 hours

Which is important for illness recovery and wound healing? - **Correct Answer:** Proteins

What currently is the dietary guideline and a visual aide for patient education? - **Correct Answer:** My healthy plate

Which religious group does not eat pork products? - **Correct Answer:** Jewish

The client is complaining of dizziness, confusion and poor skin turgor. The probable diagnosis - **Correct Answer:** dehydration

If the stomach can't be used for feeding, what is the next best alternative? - **Correct Answer:** enteral

How many rights are there in medication administration? - **Correct**

Answer: Six (drug, dose, route, time, patient, documentation)

What is the appropriate way to administer eye drops? - **Correct Answer:**

Pull the conjunctiva out to form a pouch

A client is supposed to receive an intramuscular injection. How long should the needle be? - **Correct Answer:** 1 inch

How do you identify your client prior to giving a medication? - **Correct**

Answer: name & DOB

What is the peak of medication? - **Correct Answer:** the highest point of concentration of the drug

When giving a subcutaneous injection, what angle should you use for the needle? - **Correct Answer:** 45-90 degrees

What is the benefit to intravenous medication administration? - **Correct**

Answer: Immediate access to the blood stream

What is a key step in using topical patches? - **Correct Answer:** Moving one patch before you apply the next one

What shot is usually given intradermal? - **Correct Answer:** TB test

How many mL's can be injected into the deltoid site? - **Correct Answer:** 2 mL

What does a fruitarian eat? - **Correct Answer:** Nuts, fruits, olive oil, and honey

The nurse is preparing to instill an otic solution into the adult client's left ear. Which actions should the nurse implement as part of this procedure? - **Correct Answer:** Pull the pinna upward and backward, warm the solution to room temperature, and place the client in a side-lying position with the ear facing up

The nurse prepares to give an intramuscular injection using the z-track technique. Which should the nurse do initially to administer the medication? - **Correct Answer:** Select a large, deep muscle for the intramuscular injection site

The nurse is preparing to administer an intramuscular injection to a toddler. The nurse determines that the safest body site to administer the injection is which location? - **Correct Answer:** Vastus Lateralis muscle

When administering a medication intramuscularly, the nurse should document the intervention by including which informations? - **Correct Answer:** The site of the injection, the amount of medication injected, the name of the medication that was injected, and confirmation that the medication was injected intramuscularly.

The nurse has administered approximately half of a high-cleansing enema when the client reports pain and cramping. Which nursing action is appropriate? - **Correct Answer:** Clamping the tubing for 30 seconds and restarting the flow at a slower rate