- 1. Which of the following are risk factors for neuroleptic malignant syndrome? Select all that apply
 - Age

 - Rapid dose escalationParental route of administration
 - Higher potency typical antipsychotics
- 2. Antipsychotic medications provide D2 blockade in the mesocortical pathway causing which of the following effects?
 - Reduces negative symptoms
 - Increases extra pyramidal symptoms (EPS)
 Causes prolactinemia

 - Reduces positive symptoms
- 3. Phencyclidine (PCP) and Ketamine exert their unique behavioral effects by blocking which of the following receptors?
 - GABA type receptorsSerotonin receptors

 - Dopamine receptors
 - NMDA type receptors
- 4. The diagnosis used to describe a syndrome characterized by specific signs and symptoms resulting from recent ingestion or exposure to a substance is known as which of the following?
 - Substance intoxication
 - Substance withdrawal
 - Substance use disorder
 - Any of the above
- 5. Abnormal involuntary movements in a rhythmic pattern affecting face, mouth, tongue, jaw is known as which of the following?

- Akathisia
- Dystonia
- Tardive dyskinesia
- Extrapyramidal side effects
- 6. A deeply held belief despite evidence to the contrary, lasting at least one month, without prominent hallucinations, with functional impairment that relates to the delusional system
 - Schizophrenia
 - Delusional disorder
 - Brief psychotic disorder
 - Schizophreniform disorder
- 7. Which of the following is true about preoccupation with castration?
 - This can be serious and life-threatening if castration is carried out without medical supervision.
 - This is consistent with Transvestic Disorder
 - This is consistent with other specified paraphilic disorder
 - This is consistent with sexual masochism disorder
- 8. Which of the following is a system that provides a uniform language for describing medical and surgical procedures and diagnostic services rendered by clinicians?
 - HIPPA
 - DSM-5
 - CPT
 - DRG
- 9. A patient on Chlorpromazine states that his orgasm is dry and afterward he will commonly have milky urine. The ARNP realizes which of the following?
 - This is likely a harmless response to the Chlorpromazine
 - This is abnormal and needs to be evaluated by a specialist
 - It is critical to stop the Chlorpromazine immediately

- This has nothing to do with the Chlorpromazine the patient be referred to his PCP for follow-up
- 10. A condition which results from absence of second female sex Chromosome (XO) and is associated with web neck, dwarfism, cubitus valgus, and infertility is known as which of the following?
 - Hermaphroditism
 - Turner's syndrome
 - Adrenogenital syndrome
 - Androgen insensitivity syndrome
- 11. Which of the following would be characterized as a negative symptom of schizophrenia?
 - Hallucinations and delusions
 - Impaired social and occupational functioning
 - Isolation and impaired self-care
 - B and C only
- 12. Which of the following are keys to distinguishing OCD from psychosis?
 - Patients with OCD can almost always acknowledge the unreasonable nature of their symptoms
 - Patients with OCD are better able to control their compulsions.
 - Patients with psychosis will have more obsessive thoughts.
 - Patients with OCD have less bizarre obsessions.
- 13. A federal program administered nationally and locally which covers enrolled individuals 65 years and older who pay premiums and disabled individuals....
 - Medicare
 - Medicaid
 - Both A and B
 - None of the above

- 14. Having an adequate legal description of nurse practitioner (NP) scope of practice according to state law is important for which of the following reasons?
 - To avoid any charges of practicing medicine without a license
 - To place accountability for both benefits and harm to patients squarely on the NP
 - To get reimbursement for physician services when provided by an NP
 - All of the above
- 15. Which of the following is the most widely consumed psychoactive substance?
 - Alcohol
 - Caffeine
 - Heroine
 - Cannabis
- 16. Which of the following is used to treat Tardive Dyskinesia?
 - Cogentin (benztropine)
 - Artane (trihexyphenidyl)
 - Catapress (Clonidine)
 - None of the above
- 17. The APRN consensus model did which of the following?
 - Merged adult, gerontology and pediatric foci so that all NPs could truly work across the....
 - · Adult and gerontology were merged and identified as primary care or acute care
 - Psychiatric mental health foci were stipulated as across the lifespan
 - B and C
- 18. Which of the following behaviors are associated with an alcohol blood level of 0.05 percent?
 - Voluntary motor actions usually become perceptibly clumsy
 - Thought judgment, and restraint are impaired
 - Confusion, stupor

- None of the above
- 19. According to HIPPA, which of the following must the NP share their NPI with? Check all that apply.
 - Health plans
 - Other providers
 - Any entity that may need it for billing purpose
 A and C only
- 20. A patient presents with delusions, disorganized thoughts, and speech with poor self care all of which have persisted for the past 7 months. The APRN this presentation is......with which of the following diagnosis?
 - Schizophrenia
 - Schizophreniform disorder
 - Brief psychotic disorder
 - Delusional disorder
- 21. Major neurotransmitters possibly involved in developing substance abuse and substance dependence..... which of the following?
 - Dopamine
 - GABA
 - Serotonin
 - A and B only
- 22. The Dopamine hypothesis of schizophrenia....which of the following?
 - Schizophrenia results from too much dopaminergic activity
 - Schizophrenia results from a deprivation of dopamine.
 - Schizophrenia is not related to dopamine activity
 - None of the above