

NRNP 6665 MIDTERM EXAM 2023-2024 ACTUAL EXAM 100 QUESTIONS AND CORRECT ANSWERS (100% VERIFIED ANSWERS) | ALREADY GRADED A+

Question 1

Biofeedback, deep breathing, mindfulness, and progressive muscle relaxation are strategies that are typically used in which of the following therapies?

- A Relaxation therapy
- B Social skills training .
- C Motivational Interviewing .
- D Applied behavioral analysis .

Question 2

According to the APA which of the following are required to support a child's *DSM-5* diagnosis?

- A The child's clinical presentation fulfills the specific symptom based diagnostic criteria.
- B The child's symptoms are not caused by other diagnoses or stressors.
- C The child's symptoms are impairing a child's functioning in at least two settings.
- D A and B

Question 3

Which of the following is NOT consistent with good sleep hygiene?

- A Allow child to keep a cell phone at bedside.
- B Establish bedtime routines and maintain consistently.

-
-
- C Limit use of electronics in the evening i.e., television, computer, etc.
-
- D Set and maintain a bedtime that will allow for adequate sleep.
-

Question 4

Which of the following antipsychotic medications have the greatest tendency to increase appetite and body weight?

- A Aripiprazole (Abilify)
- B Ziprasidone (Geodon)
- C Haloperidol (Haldol)
- D Risperidone (Risperdal)

Question 5

When assessing a child with disruptive or aggressive behavior, the clinician asks “Have you been thinking about or planning to hurt anyone?” to screen for which of the following diagnostic categories?

- A Safety
- B Bullying
- C Conduct disorder
- D Oppositional defiant disorder

Question 6

The clinician assessing substance abuse in an adolescent asks, “Did you develop more mood or anxiety problems after you started using?” to screen for which of the following diagnostic possibilities?

- A Substance use disorder
- B Substance withdrawal
- C Substance tolerance
- D Substance induced mental disorder

Question 7

When the patient lacks capacity to make a decision the nurse has the ethical responsibility to do which of the following?

- A Become a surrogate decision maker for the patient.
- B Consult a formally-designated surrogate for patient choices.
- C Make safe choices for the patient based on the nurse's beliefs and values. .
- D Continue to support all the patient's choices until a surrogate can be found. .

Question 8

When assessing a child who has presented with concerns of being anxious and worried, the provider asks the child "Do you get sudden surges of fear that make your body feel shaky or your heart race?" to screen for which of the following common diagnostic possibilities?

- A Obsessive-compulsive disorder .
- B Posttraumatic stress disorder .
- C Panic disorder
- D Separation anxiety disorder .

Question 9

Which of the following antipsychotic medications has the greatest risk for weight gain and lipid changes?

- A Ziprasidone (Geodon) .
-
-
-
-

B Aripiprazole
(Abilify)

.

C Olanzapine
(Zyprexa)

D Quetiapine
(Seroquel)

Question 10

A period of at least one week in which both a manic episode and a major depressive episode occur almost daily is consistent with which diagnosis?

A Bipolar II Disorder

.

B Cyclothymic Disorder

C Bipolar I Disorder, mixed episode

.

D Bipolar I Disorder, cyclothymic
type

Question 11

Which of the following is NOT true about symptomatology of anorexia nervosa?

A Most aberrant behaviors directed toward losing weight occurs in secret.

.

B All patients have an intense fear of gaining weight and becoming obese.

.

C Most patients with anorexia nervosa will have no difficulty eating with their family in public places.

D Fear of gaining weight and becoming obese frequently contributes to the individual's lack of interest in and resistance to therapy/treatment.

.

Question 12

Sleep-related hallucinations occurring at sleep onset are known as which of the following?

A Hypnagogic

- B
Hypnopompic .
- .
- C Complex
hallucinations .
- D Paranormal
hallucinations .

Question 13

The theory that depression results from specific thought distortions is consistent with which of the following?

- A Cognitive theory
- .
- B Psychosocial theory
- .
- C Psychodynamic theory
- .
- D Learned helplessness theory .

Question 14

Reasons for the underuse of specific mental health treatments during childhood include which of the following?

- A Stigma associated with mental health
- .
- B Poor problem recognition
- .
- C Limited availability of mental health specialists .
- D All of the above
- .

Question 15

Which of the following is true regarding the cultural formulation interview with a child and caregiver?

- A Asking about a child and caregiver's cultural understanding is an efficient way to build a therapeutic alliance. .
- B While cultural understanding is important, it is important not to personalize the diagnosis. .
- .
- .
- .

NRNP 6665 Midterm Exam (Latest-2022/2023, 100 Q & A)

C While obtaining cultural information is important, it may increase bias and thus decrease accuracy of the assessment.

.

D Engaging in a discussion about culture, while interesting and engaging, is a distraction from the problem that brought the child and caregiver to the provider.

.

Question 16

According to the APA, “Psychologists seek to promote accuracy, honesty, and truthfulness in the practice of psychology,” reflecting which of the following ethical principles?

A Integrity

.

B Justice

.

C Beneficence

.

D Nonmaleficence

Question 17

Which of the following antidepressant medications have the greatest tendency to increase appetite and body weight?

A Fluoxetine
(Prozac)

B Trazodone
(Desyrel)

C Amitriptyline
(Elavil)

.

D Venlafaxine
(Effexor)

Question 18

Which of the following is the most common eating disorder?

A Bulimia nervosa

.

B Anorexia nervosa

C Binge eating disorder .

D Night eating syndrome

.

Question 19

ADHD, impulse-control, conduct disorder, and intellectual disabilities and anxiety disorders are predominant during which of the following age ranges?

A Ages 0-5

B Ages 6-12

C Ages 13-18

D Ages 18+

.

Question 20

The clinician asks the child who is being seen for labile mood “Have you felt really down depressed or uninterested in things you used to enjoy for more than 2 weeks? to screen for which of the following diagnostic categories?

A Suicidality

B Bipolar disorder

NRNP 6665 Midterm Exam (Latest-2022/2023, 100 Q & A)

- C Major depressive disorder
- D Disruptive mood dysregulation disorder .

Question 21

Which of the following disorders is characterized by episodic bouts of intake of excessive amounts of food but without purging or similar compensatory behavior?

- A Bulimia nervosa
- B Anorexia nervosa
- C Binge eating disorder .
- D Night eating syndrome

Question 22

During the evaluation of a patient with a history of Bipolar I Disorder, who is manic, the patient states that she is actually the Queen of England and quite wealthy. This is an example of which of the following?

- A Mood-congruent manic delusion
- B Mood-incongruent manic delusion .
- C Mood-congruent manic hallucination .
- D Mood-incongruent manic hallucination .

Question 23

A form of cognitive behavioral therapy (CBT) that requires attending skills groups in addition to individual therapy sessions are known as which of the following?

- A Group CBT
- B Trauma-Focused CBT

NRNP 6665 Midterm Exam (Latest-2022/2023, 100 Q & A)

- C Motivational Interviewing
- D Dialectical-behavioral therapy .

Question 24

Which of the following is consistent with recommendations for use of available evidence- based psychopharmacological interventions?

A If a child/adolescent has mild symptoms, prescribe medications prior to psychosocial Interventions.

.

B If a child/adolescent has mild symptoms, initiate psychotropic medication at the same time as appropriate psychosocial interventions are started.

.

If a child/adolescent has moderate to severe range of symptoms initiate psychotropic C medication at the same time as the appropriate psychosocial interventions are . started.

D If a child/adolescent has a moderate to severe range of symptoms initiate psychotropic medication prior to initiating psychosocial interventions.

Question 25

The type of therapy typically indicated for individuals with chronic and significant suicidality and self-harm is known as which of the following?

A Cognitive behavioral therapy (CBT) .

B Trauma-focused CBT

.

C Motivational interviewing

.

D Dialectical-behavioral therapy

Question 26

The average time from the start of child mental health symptoms until a young person enters mental health treatment is which of the following?

A 4-6 weeks

B 3-6 months

- .
- C 1-2 years
- .
- D 8-10 years



Question 27

A general term for programs that teach and encourage skillful parent and caregiver responses to challenging child behaviors.

- A Motivational interviewing
- .
- B Dialectical-behavioral therapy
- .
- C Cognitive behavioral therapy (CBT) .
- D Behavioral management training .

Question 28

Nightmares and night terrors are associated with disorganization and arousal during which stage of sleep?

- A Stage
- .
- .
- .
- 1 .
- B Stage
- 2 .
- C Stage
- 3 .
- D Stage
- 4 .